## Multithreading programming

Jan Faigl

Department of Computer Science Faculty of Electrical Engineering Czech Technical University in Prague

Lecture 08

BE5B99CPL - C Programming Language

#### Overview of the Lecture

■ Part 1 - Multithreading Programming

Introduction

Multithreading applications and operating system

Models of Multi-Thread Applications

Synchronization Mechanisms

POSIX Threads

C11 Threads

Debugging

#### Part I

Part 1 – Multithreading Programming

BE5B99CPL - Lecture 08: Multithreading programming

BE5B99CPL - Lecture 08: Multithreading programming

BE5B99CPL - Lecture 08: Multithreading programming

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

#### Terminology – Threads

- Thread is an independent execution of a sequence of instructions
  - It is individually performed computational flow

Typically a small program that is focused on a particular part

- Thread is running within the process
  - It shares the same memory space as the process
  - Threads running within the same memory space of the process
- Thread runtime environment each thread has its separate space for variables
  - Thread identifier and space for synchronization variables
  - Program counter (PC) or Instruction Pointer (IP) address of the performing instruction

Indicates where the thread is in its program sequence

■ Memory space for local variables stack

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

Where Threads Can be Used?

- Threads are lightweight variants of the processes that share the
- There are several cases where it is useful to use threads, the most typical situations are
  - More efficient usage of the available computational resources
    - When a process waits for resources (e.g., reads from a periphery), it is blocked, and control is passed to another process
    - Thread also waits, but another thread within the same process can utilize the dedicated time for the process execution
    - Having multi-core processors, we can speed up the computation using more cores simultaneously by parallel algorithms
  - Handling asynchronous events
    - During blocked i/o operation, the processor can be utilized for other computational
    - One thread can be dedicated for the i/o operations, e.g., per communication channel, another threads for computations

Input/output operations

Examples of Threads Usage

- Input operations can take significant portions of the run-time, which may be mostly some sort of waiting, e.g., for a user input
- During the communication, the dedicated CPU time can be utilized for computationally demanding operations
- Interactions with Graphical User Interface (GUI)
  - Graphical interface requires immediate response for a pleasant user interaction with our application
  - User interaction generates events that affect the application
  - Computationally demanding tasks should not decrease interactivity of the application

Provide a nice user experience with our application

BE5B99CPL - Lecture 08: Multithreading programming

BE5B99CPL - Lecture 08: Multithreading programming

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

BE5B99CPL - Lecture 08: Multithreading programming

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

#### Threads and Processes

#### Process

- Computational flow
- Has own memory space
- Entity (object) of the OS.
- Synchronization using OS (IPC).
- CPU allocated by OS scheduler
- Time to create a process

#### Threads of a process

- Computational flow
- Running in the same memory space of the process
- User or OS entity
- Synchronization by exclusive access to variables
- CPU allocated within the dedicated time to the process
- + Creation is faster than creating a process

# Multi-thread and Multi-process Applications

- Multi-thread application
  - + Application can enjoy higher degree of interactivity
  - + Easier and faster communications between the threads using the
  - It does not directly support scaling the parallel computation to distributed computational environment with different computational systems (computers)
- Even on single-core single-processor systems, multi-thread application may better utilize the CPU

# Threads in the Operating System

- Threads are running within the process, but regarding the implementation, threads can be:
  - In the user space of the process threads are implemented by a user specified library
    - Threads do not need a special support from the OS
    - Threads are scheduled by the local scheduler provided by the library
    - Threads typically cannot utilize more processors (multi-core)
  - OS entities that are scheduled by the system scheduler
    - It may utilized multi-core or multi-processors computational resources

Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

9 / 60 Jan Faigl, 2017

10 / 60 Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

### Threads in the User Space


Combining User and OS Threads

**Processes** 


Library Scheduler

Library Scheduler

Library Scheduler



# Threads as Operating System Entities



Jan Faigl, 2017 BE5B99CPL - Lecture 08: Multithreading programming

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

### Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

Processors

#### When to use Threads

- Threads are advantageous whenever the application meets any of the following criteria:
  - It consists of several independent tasks
  - It can be blocked for a certain amount of time
  - It contains a computationally demanding part (while it is also desirable to keep interactivity)
  - It has to promptly respond to asynchronous events
  - It contains tasks with lower and higher priorities than the rest of the
  - The main computational part can be speeded up by a parallel algorithm using multi-core processors

# User Threads vs Operating System Threads

#### User Threads

- + Do not need support of the OS
- + Creation does need (expensive) system call
- Execution priority of threads is managed within the assigned process time
- Threads cannot run simultaneously (pseudo-parallelism)

### Operating System Threads

- + Threads can be scheduled in competition with all threads in the system
- + Threads can run simultaneously (on multi-core or multi-processor system - true parallelism)
- Thread creation is a bit more complex (system call)

A high number of threads scheduled by the OS may increase overhead. However, modern OS are using O(1) schedulers – scheduling a process is an independent on the number of processes. Scheduling algorithms based on complex heuristics.

an Faigl, 2017 BE5B99CPL - Lecture 08: Multithreading programming Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

## Typical Multi-Thread Applications

- Servers serve multiple clients simultaneously. It may require access to shared resources and many i/o operations.
- Computational application having multi-core or multi-processor system, the application runtime can be decreased by using more processors simultaneously
- Real-time applications we can utilize specific schedulers to meet real-time requirements. Multi-thread application can be more efficient than complex asynchronous programming; a thread waits for the event vs. explicit interrupt and context switching

 $\circ$ 

 $\Omega$ 

threads

Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

BE5B99CPL - Lecture 08: Multithreading programming

Operating System

Scheduler

 $\mathcal{O}$ 

 $\bigcirc$ 

BE5B99CPL - Lecture 08: Multithreading programming

BE5B99CPL - Lecture 08: Multithreading programming

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging


# Models of Multithreading Applications

# Models address creation and division of the work to particular

- Boss/Worker the main thread control division of the work to other threads
- Peer threads run in parallel without specified manager (boss)
- Pipeline data processing by a sequence of operations

It assumes a long stream of input data and particular threads works in parallel on different parts of the stream

### Boss/Worker Model



# Boss/Worker Model – Roles

- The main threads is responsible for managing the requests. It works in a cycle:
  - 1. Receive a new request
  - 2. Create a thread for serving the particular request

Or passing the request to the existing thread

- 3. Wait for a new request
- The output/results of the assigned request can be controlled by
  - Particular thread (worker) solving the request
  - The main thread using synchronization mechanisms (e.g., event queue)

Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

19 / 60

Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

20 / 60

Jan Faigl, 2017

## Example - Boss/Worker

```
1 // Boss
                                  1 // Task solvers
   while(1) {
                                     taskX()
     switch(getRequest()) {
       case taskX:
                                       solve the task //
          create_thread(taskX);
                                         synchronized usage of
                                       shared resources done;
          break;
       case taskY:
          create_thread(taskY);
          break;
                                     taskY()
10
11
                                       solve the task //
                                         synchronized usage of
                                         shared resources
                                 12 }
```

Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

Maximal number of the request in the queue of requests • Definition of the behavior if the queue is full and none of the threads

E.g., block the incoming requests

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

## Peer Model Properties and Example

- It does not contain the main thread
- The first thread creates all other threads and then
  - It becomes one of the other threads (equivalent)
  - It suspends its execution and waits to other threads
- Each thread is responsible for its input and output

Example:

```
// 1st thread
                                 1 // Task solvers
                                    task1()
2
     create_thread(task1);
3
     create_thread(task2);
                                      wait to be exectued
                                      solve the task // synchronized
                                        usage of shared resources
     start all threads;
     wait to all threads;
a }
                                    task2()
                                      wait to be exectued
                                12
                                      solve the task // synchronized
                                        usage of shared resources
                                13
                                      done:
                                14
```

BE5B99CPL - Lecture 08: Multithreading programming

Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

BE5B99CPL - Lecture 08: Multithreading programming

Mutex – A Locker of Critical Section

# Producer-Consumer Model

Passing data between units can be realized using a memory buffer Or just a buffer of references (pointers) to the particular data units

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

- Producer thread that passes data to other thread
- Consumer thread that receives data from other thread
- Access to the buffer must be synchronized (exclusive access)



Using the buffer does not necessary mean the data are copied

# The main thread creates threads upon new request is received

the Thread Pool with already created threads

Queue of Requests

Properties of the thread pool needs to consider

Number of pre-created threads

Thread pool

■ The created threads wait for new tasks

■ The overhead with creation of new threads can be decreased by


Workers

 $\circ$ 

000

Thread Pool


#### Peer Model



an Faigl, 2017 BE5B99CPL - Lecture 08: Multithreading programming

# Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging Data Stream Processing - Pipeline

# Program Part 3 Input



BE5B99CPL - Lecture 08: Multithreading programming

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

## Synchronization Mechanisms

- Synchronization of threads uses the same principles as synchronization of processes
  - Because threads share the memory space with the process, the main communication between the threads is through the memory and (global) variables
  - The crucial is the control of access to the same memory
  - Exclusive access to the critical section
- Basic synchronization primitives are
  - Mutexes/Lockers for exclusive access to critical section (mutexes
  - Condition variable synchronization of threads according to the value of the shared variable

A sleeping thread can be awakened by the signaling from another

Pipeline Model – Properties and Example

- A long input stream of data with a sequence of operations
  - Each input data unit must be processed by all parts of the processing pipeline
- At a particular time, different input data units are processed by individual processing parts - the input units must be independent

```
main()
                                      stage2()
  create_thread(stage1);
                                         while(input) {
                                           get next input from thread;
  create thread(stage2):
                                            process input;
                                            pass result to the next stage:
  wait // for all pipeline;
stage1()
                                      stageN()
   while(input) {
                                        while(input) {
      get next program input;
                                           get next input from thread;
      process input:
                                            process input;
      pass result to next the stage;
                                            pass result to output;
}
```

- Mutex is shared variable accessible from particular threads
- Basic operations that threads may performed on the mutex
  - Lock the mutex (acquired the mutex to the calling thread)
    - If the mutex cannot be acquired by the thread (because another thread holds it), the thread is blocked and waits for mutex release
  - Unlock the already acquired mutex
    - If there is one or several threads trying to acquired the mutex (by calling lock on the mutex), one of the thread is selected for mutex acquisition

Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

28 / 60

Jan Faigl, 2017

30 / 60

Example of using thread support from the TCL library

■ Lock/Unlock access to the critical section via drawingMtx mutex

Tcl\_ThreadQueueEvent(guiThread, ptr, TCL\_QUEUE\_TAIL);

Tcl\_Event \* ptr = (Tcl\_Event\*)Tcl\_Alloc(sizeof(Tcl\_Event));

Example – Mutex and Critical Section

Tcl MutexLock(&drawingMtx):

Tcl\_ThreadAlert(guiThread);

drawer->setCairo(cr);

manager.execute(drawer);

Tcl MutexUnlock(&drawingMtx);

■ Example of using a concept of ScopedLock

void CCanvasContainer::draw(cairo\_t \*cr)

drawer = new CCanvasDrawer(cr);

ptr->proc = MyEventProc;

ScopedLock 1k(mtx):

**if** (drawer == 0) {

void add\_drawing\_event(void)

- Under certain circumstances it may be advantageous to do not block the thread during acquisition of the mutex (lock), e.g.,
- Performing a simple operation on the shared data/variable on the system with true parallelism (using multi-core cpu)
- Blocking the thread, suspending its execution and passing the allocated CPU time to other thread may results a significant overhead
- During the locking, the thread actively tests if the lock is free It "wastes" the cpu time that can be used for productive computation elsewhere,
- instruction at the CPU level
- such a thread is not running

with pseudo-parallelism

# Spinlock

 Other threads quickly perform other operation on the data and thus, the shared resource would be quickly accessible

Similarly to a semaphore such a test has to be perform by TestAndSet

Adaptive mutex combines both approaches to use the spinlocks to access resources locked by currently running thread and block/sleep if

It does not make sense to use spinlocks on single-processor systems

BE5B99CPL - Lecture 08: Multithreading programming

but here it is desirable and intentional

# Recursive – the mutex can be locked multiple times by the same

- Try the lock operation immediately returns if the mutex cannot
- Timed limit the time to acquired the mutex
- Spinlock the thread repeatedly checks if the lock is available for the acquisition

Thread is not set to blocked mode if lock cannot be acquired

BE5B99CPL - Lecture 08: Multithreading programming

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

1k is destroyed at the end of the function call

The ScopedLock releases (unlocks) the mutex once the local variable

BE5B99CPL - Lecture 08: Multithreading programming

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

#### Condition Variable

} else {

8

9 10 }

Jan Faigl, 2017

#### ■ Condition variable allows signaling the thread from another thread

- The concept of condition variable allows the following synchronization operations
  - Wait the variable has been changed/notified
  - Timed waiting for signal from other thread
  - Signaling other thread waiting for the condition variable
  - Signaling all threads waiting for the condition variable

All threads are awakened, but the access to the condition variable is protected by the mutex that must be acquired and only one thread can lock the mutey

#### Example - Condition Variable

... // Critical section

UnLock(mtx);

Generalized Models of Mutex

be acquired

Jan Faigl, 2017

Example of using condition variable with lock (mutex) to allow exclusive access to the condition variable from different threads

```
Mutex mtx; // shared variable for both threads
CondVariable cond; // shared condition variable
// Thread 1
                                            // Thread 2
                                           Lock(mtx);
                                            ... // Critical section
// Before code, wait for Thread 2
CondWait(cond, mtx); // wait for cond
                                            // Signal on cond
```

#### Parallelism and Functions

- Regarding the parallel execution, functions called multiple times
  - Reentrant at a single moment, the same function can be executed multiple times simultaneously
  - Thread-Safe the function can be called by multiple threads simultaneously
- To achieve these properties
  - Reentrant function does not write to static data and does not work with global data
  - Thread-safe function strictly access to global data using synchronization primitives

BE5B99CPL - Lecture 08: Multithreading programming

BE5B99CPL - Lecture 08: Multithreading programming

CondSignal(cond, mtx);

UnLock(mtx);

BE5B99CPL - Lecture 08: Multithreading programming

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

# Main Issues with Multithreading Applications

#### ■ The main issues/troubles with multiprocessing application are related to synchronization

- Deadlock a thread wait for a resource (mutex) that is currently locked by other thread that is waiting for the resource (thread) already locked by the first thread
- Race condition access of several threads to the shared resources (memory/variables) and at least one of the threads does not use the synchronization mechanisms (e.g., critical section)

A thread reads a value while another thread is writting the value. If Reading/writting operations are not atomic, data are not valid.

## POSIX Thread Functions (pthread)

- POSIX threads library (<pthread.h> and -lpthread) is a set of functions to support multithreading programming
- The basic types for threads, mutexes, and condition variables are
  - pthread\_t type for representing a thread
  - pthread\_mutex\_t type for mutex
  - pthread\_cond\_t type for condition variable
- The thread is created by pthread\_create() function call, which immediately executes the new thread as a function passed as a pointer to the function

The thread calling the creation continues with the execution

- A thread may wait for other thread by pthread\_join()
- Particular mutex and condition variables has to be initialized using the library calls
  - Note, initialized shared variables before threads are created pthread\_mutex\_init() - initialize mutex variable
  - pthread\_cond\_init() initialize condition variable

Additional attributes can be set, see documentation

## POSIX Threads – Example 1/10

- Create an application with three active threads for
  - Handling user input function input\_thread()
    - User specifies a period output refresh of by pressing dedicated keys
  - Refresh output function output\_thread()
    - Refresh output only when the user interacts with the application or the alarm is signaling the period has been passed
  - Alarm with user defined period function alarm\_thread()
  - Refresh the output or do any other action
- For simplicity the program uses stdin and stdout with thread activity reporting to stderr
- Synchronization mechanisms are demonstrated using
  - pthread\_mutex\_t mtx for exclusive access to data\_t data
  - pthread\_cond\_t cond for signaling threads

The shared data consists of the current period of the alarm (alarm\_period), request to quit the application (quit), and number of alarm invocations (alarm\_counter)

Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

38 / 60

Jan Faigl, 2017

```
POSIX Threads - Example 2/10
                                                                                      POSIX Threads – Example 3/10
                                                                                                                                                                           POSIX Threads – Example 4/10

    Functions prototypes and initialize of variables and structures

    Including header files, defining data types, declaration of global

                                                                                      21 void call_termios(int reset); // switch terminal to raw mode
      variables

    Create threads and wait for terminations of all threads

                                                                                      22 void* input_thread(void*);
                                                                                      23
                                                                                          void* output_thread(void*);
 1 #include <stdio.h>
                                                                                                                                                                                   for (int i = 0; i < NUM_THREADS; ++i) {</pre>
                                                                                      24
                                                                                          void* alarm_thread(void*);
 2 #include <stdlib.h>
                                                                                                                                                                                      int r = pthread_create(&threads[i], NULL, thr_functions[i], &data);
                                                                                                                                                                            45
                                                                                      25
 3 #include <stdbool h>
                                                                                                                                                                                      fprintf(stderr, "Create thread '%s' %s\n", threads_names[i], ( r == 0
                                                                                      26
                                                                                          // - main function -----
 4 #include <termios.h>
                                                                                      27
                                                                                          int main(int argc, char *argv[])
 5 #include <unistd.h> // for STDIN_FILENO
                                                                                                                                                                            47
                                                                                      28
 6 #include <pthread.h>
                                                                                                                                                                            48
                                                                                             data t data = { .alarm period = 100, .alam counter = 0, .guit = false }:
                                                                                      29
                                                                                                                                                                            49
 8 #define PERIOD STEP 10
                                                                                      30
                                                                                                                                                                            50
                                                                                                                                                                                   for (int i = 0; i < NUM_THREADS; ++i) {</pre>
                                                                                      31
                                                                                             enum { INPUT, OUTPUT, ALARM, NUM_THREADS }; // named ints for the threads
    #define PERIOD_MAX 2000
                                                                                                                                                                           51
                                                                                                                                                                                      fprintf(stderr, "Call join to the thread %s\n", threads_names[i]);
                                                                                             const char *threads_names[] = { "Input", "Output", "Alarm" };
                                                                                      32
10 #define PERIOD_MIN 10
                                                                                                                                                                                      int r = pthread_join(threads[i], (void*)&ex);
                                                                                      33
                                                                                                                                                                                      fprintf(stderr, "Joining the thread %s has been %s - exit value %i\n"
                                                                                             void* (*thr_functions[])(void*) = { // array of thread functions
                                                                                      34
12 typedef struct {
                                                                                                                                                                                     , threads_names[i], (r == 0 ? "OK" : "FAIL"), ex);
                                                                                      35
                                                                                                 input_thread, output_thread, alarm_thread
        int alarm_period;
                                                                                                                                                                            54
                                                                                      36
        int alam counter:
14
                                                                                                                                                                            55
                                                                                      37
        bool quit;
                                                                                                                                                                                   call_termios(1); // restore terminal settings
                                                                                                                                                                            56
                                                                                             pthread_t threads[NUM_THREADS]; // array for references to created threads
                                                                                      38
    } data t:
16
                                                                                                                                                                            57
                                                                                                                                                                                   return EXIT SUCCESS:
                                                                                             pthread_mutex_init(&mtx, NULL); // init mutex with default attr.
                                                                                      39
                                                                                                                                                                            58 }
                                                                                      40
                                                                                             pthread_cond_init(&cond, NULL); // init cond with default attr.
18 pthread mutex t mtx:
                                                                                      41
19 pthread_cond_t cond;
                                                                                      42
                                                                                             call_termios(0); // switch terminal to raw mode
                              BE5B99CPL - Lecture 08: Multithreading programming
                                                                                                                   BE5B99CPL - Lecture 08: Multithreading programming
                                                                                                                                                                                                         BE5B99CPL - Lecture 08: Multithreading programming
Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging
                                                                                      Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging
                                                                                                                                                                           Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging
POSIX Threads – Example 5/10 (Terminal Raw Mode)
                                                                                      POSIX Threads – Example 6/10 (Input Thread 1/2)
                                                                                                                                                                           POSIX Threads – Example 7/10 (Input Thread 2/2)
                                                                                      73 void* input_thread(void* d)
                                                                                      74 {

    Switch terminal to raw mode

                                                                                      75
                                                                                             data_t *data = (data_t*)d;
                                                                                      76
                                                                                                                                                                               input_thread() - handle the user request to change period
    void call_termios(int reset)
                                                                                      77
                                                                                                                                                                            68 switch(c) {
                                                                                             while (( c = getchar()) != 'q') {
61
                                                                                      78
                                                                                                pthread_mutex_lock(&mtx);
62
        static struct termios tio, tioOld; // use static to preserve the initial
                                                                                      79
                                                                                                                                                                                      period -= PERIOD STEP:
                                                                                                 int period = data->alarm_period; // save the current period
                                                                                                                                                                            70
                                                                                                                                                                                      if (period < PERIOD_MIN) {</pre>
                                                                                                                                                                            71
        tcgetattr(STDIN_FILENO, &tio);
                                                                                      81
                                                                                                // handle the pressed key detailed in the next slide
                                                                                                                                                                                         period = PERIOD MIN:
                                                                                                                                                                            72
        if (reset) {
          tcsetattr(STDIN FILENO, TCSANOW, &tioOld):
                                                                                                if (data->alarm_period != period) { // the period has been changed
                                                                                                                                                                            73
                                                                                      82
                                                                                                   pthread_cond_signal(&cond); // signal the output thread to refresh
                                                                                                                                                                            74
                                                                                                                                                                                      break:
                                                                                      83
                                                                                                                                                                            75
          tioOld = tio: //backup
                                                                                      84
                                                                                                                                                                                      period += PERIOD_STEP;
          cfmakeraw(&tio);
                                                                                      85
                                                                                                 data->alarm_period = period;
                                                                                                                                                                            76
                                                                                                                                                                            77
                                                                                                                                                                                      if (period > PERIOD_MAX) {
          tio.c_lflag &= ~ECHO; // assure echo is disabled
                                                                                      86
                                                                                                pthread_mutex_unlock(&mtx);
                                                                                                                                                                            78
                                                                                                                                                                                         period = PERIOD_MAX;
          tio.c_oflag |= OPOST; // enable output postprocessing
                                                                                      87
          tcsetattr(STDIN FILENO, TCSANOW, &tio):
                                                                                                                                                                            79
                                                                                      88
71
                                                                                             r = 1:
                                                                                             pthread_mutex_lock(&mtx);
                                                                                                                                                                           80
                                                                                                                                                                                      break:
72
                                                                                      89
                                                                                                                                                                           81 }
73 }
                                                                                             data->quit = true:
                                                                                             pthread_cond_broadcast(&cond);
                 The caller is responsible for appropriate calling the function, e.g., to
                                                                                      92
                                                                                             pthread_mutex_unlock(&mtx);
                 preserve the original settings, the function must be called with the
                                                                                             fprintf(stderr, "Exit input thread %lu\n",
                                                                                      93
                 argument 0 only once
                                                                                                (unsigned long)pthread_self());
                                                                                      94
                                                                                             return &r:
                             BE5B99CPL - Lecture 08: Multithreading programming
                                                                                     lar95aigl} 2017
                                                                                                                   BE5B99CPL - Lecture 08: Multithreading programming
                                                                                                                                                                                                         BE5B99CPL - Lecture 08: Multithreading programming
Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging
                                                                                      Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging
                                                                                                                                                                            Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging
                                                                                      POSIX Threads - Example 9/10 (Alarm Thread)
                                                                                                                                                                           POSIX Threads - Example 10/10
POSIX Threads – Example 8/10 (Output Thread)
                                                                                      114 void* alarm_thread(void* d)
                                                                                                                                                                               ■ The example program lec08/threads.c can be compiled and run
                                                                                      115 {
97 void* output thread(void* d)
                                                                                             data t *data = (data t*)d:
                                                                                                                                                                                 clang -c threads.c -std=gnu99 -02 -pedantic -Wall -o threads.o
                                                                                     116
98
                                                                                     117
                                                                                             static int r = 0:
                                                                                                                                                                                 clang threads.o -lpthread -o threads
        data_t *data = (data_t*)d;
                                                                                     118
                                                                                             pthread_mutex_lock(&mtx);
                                                                                                                                                                               ■ The period can be changed by 'r' and 'p' keys.
        static int r = 0;
100
                                                                                     119
                                                                                             bool q = data->quit;
                                                                                             useconds_t period = data->alarm_period * 1000; // alarm_period is in ms
                                                                                                                                                                               ■ The application is terminated after pressing 'q
101
        bool q = false;
                                                                                     120
        while (!q) {
                                                                                             pthread_mutex_unlock(&mtx);
                                                                                     121
                                                                                                                                                                                  ./threads
          pthread_mutex_lock(&mtx);
                                                                                     122
                                                                                                                                                                                 Create thread 'Input' OK
          pthread_cond_wait(&cond, &mtx); // wait4next event
                                                                                     123
                                                                                             while (!q) {
                                                                                                                                                                                 Create thread 'Output' OK
105
          q = data->quit;
                                                                                      124
                                                                                                usleep(period);
                                                                                                                                                                                 Create thread 'Alarm' OK
          printf("\rAlarm time: %10i Alarm counter: %10i", data->alarm_period,
                                                                                                pthread mutex lock(&mtx):
                                                                                     125
                                                                                                                                                                                 Call join to the thread Input
         data->alam_counter);
                                                                                      126
                                                                                                                                                                                 Alarm time:
                                                                                                                                                                                                    110 Alarm counter:
                                                                                                                                                                                                                                 20Exit input thread
          fflush(stdout).
                                                                                     127
                                                                                                 data->alam counter += 1:
                                                                                                                                                                                      750871808
108
          pthread_mutex_unlock(&mtx);
                                                                                     128
                                                                                                period = data->alarm_period * 1000; // update the period is it has been
                                                                                                                                                                                                                                 20Exit output thread
                                                                                                                                                                                 Alarm time:
                                                                                                                                                                                                    110 Alarm counter:
109
        fprintf(stderr, "Exit output thread %lu\n", (unsigned long)pthread_self());
                                                                                                pthread_cond_broadcast(&cond);
                                                                                                                                                                                 Joining the thread Input has been OK - exit value 1
111
                                                                                      130
                                                                                                pthread mutex unlock(&mtx):
                                                                                                                                                                                 Call join to the thread Output
112 }
                                                                                     131
                                                                                                                                                                                 Joining the thread Output has been OK - exit value O
                                                                                             fprintf(stderr, "Exit alarm thread %lu\n", (unsigned long)pthread self());
                                                                                     132
                                                                                                                                                                                 Call join to the thread Alarm
                                                                                      133
                                                                                                                                                                                 Exit alarm thread 750874368
                                                                                      134 }
                                                                                                                                                                                 Joining the thread Alarm has been OK - exit value O
```

BE5B99CPL - Lecture 08: Multithreading programming

49 / 60 Jan Faigl, 2017

48 / 60 Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

lec08/threads.c

BE5B99CPL - Lecture 08: Multithreading programming

11

64

65

67

68

69

102

103

104

106

107

Jan Faigl, 2017

C11 Threads C11 Threads Example How to Debug Multi-Thread Applications

■ The previous example lec08/threads.c implemented with C11

Basically, the function calls are similar with different names and

■ Threads, mutexes, and condition variables are created/initialized

clang -std=c11 threads-c11.c -lstdthreads -o threads-c11

threads is in lec08/threads-c11.c

■ pthread mutex \*() → mxt \*()

 Thread body functions return int value ■ There is not pthread\_self() equivalent

thrd\_t is implementation dependent

without specification particular attributes

■ The program is linked with the -lstdthreads library

■ pthread\_cond\_\*() → cnd\_\*()

■ pthread\_\*() → thrd\_\*()

C11 provides a "wrapper" for the POSIX threads

E.g., see http://en.cppreference.com/w/c/thread

- The library is <threads.h> and -lstdthreads
- Basic types
  - thrd\_t type for representing a thread
  - mtx\_t type for mutex
  - cnd\_t type for condition variable
- Creation of the thread is thrd\_create() and the thread body function has to return an int value
- thrd join() is used to wait for a thread termination
- Mutex and condition variable are initialized (without attributes)
  - mtx init() initialize mutex variable
  - cnd init() initialize condition variable

Jan Faigl, 2017 BE5B99CPL - Lecture 08: Multithreading programming

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

Simplified interface

■ The best tool to debug a multi-thread application is to do not need to debug it

- It can be achieved by discipline and a prudent approach to shared
- Otherwise a debugger with a minimal set of features can be utilized

BE5B99CPL - Lecture 08: Multithreading programming

Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging Introduction Threads and OS Multithreading Models Synchronization POSIX Threads C11 Threads Debugging

#### Debugging Support

- Desired features of the debugger
  - List of running threads
  - Status of the synchronization primitives
  - Access to thread variables
  - Break points in particular threads

11db - http://11db.11vm.org; gdb - https://www.sourceware.org/gdb cgdb, ddd, kgdb, Code::Blocks or Eclipse, Kdevelop, Netbeans, CLion

SlickEdit - https://www.slickedit.com; TotalView - http://www.roguewave.com/products-services/totalview

- Logging can be more efficient to debug a program than manual debugging with manually set breakpoints
  - Deadlock is mostly related to the order of locking
  - Logging and analyzing access to the lockers (mutex) can help to find a wrong order of the thread synchronizing operations

### Comments – Race Condition

minor modifications

- Race condition is typically caused by a lack of synchronization
- It is worth of remember that
  - Threads are asynchronous

Do not relay that a code execution is synchronous on a single processor

■ When writing multi-threaded applications assume that the thread can be interrupted or executed at any time

> Parts of the code that require a particular execution order of the threads needs synchronization

- Never assume that a thread waits after it is created It can be started very soon and usually much sooner than you can
- Unless you specify the order of the thread execution, there is not

"Threads are running in the worst possible order". Bill Gallmeister

### Comments - Deadlock

- Deadlocks are related to the mechanisms of synchronization
  - Deadlock is much easier to debug than the race condition
  - Deadlock is often the *mutex deadlock* caused by the order of multiple mutex locking
  - Mutex deadlock can cannot occur if at any moment, each thread has (or it is trying to acquire) at most a single mutex
  - It is not recommended to call functions with a locked mutex, especially if the function is attempting to lock another mutex
  - It is recommended to lock the mutex for the shortest possible time

Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

Jan Faigl, 2017

BE5B99CPL - Lecture 08: Multithreading programming

BE5B99CPL - Lecture 08: Multithreading programming

Topics Discussed

# Topics Discussed

- Multithreading programming
  - Terminology, concepts, and motivations for multithreading programming
  - Models of multi-threaded applications
  - Synchronization mechanisms
  - POSIX and C11 thread libraries

Example of an application

- Comments on debugging and multi-thread issues with the race condition and deadlock
- Next: ANSI C. C99. C11 differences and extensions

Summary of the Lecture

BE5B99CPL - Lecture 08: Multithreading programming