

Jan Faigl, 2017

Means of Achieving the Course Goal

Course Goals Means of Achieving the Course Goals Evaluation and Exam	Course Goals Means of Achieving the Course Goals	Evaluation and Exam	Course Goals Means of Achieving the Course Goals Evaluation and Exam
Lectures – Spring Semester Academic Year 2016/2017	Teachers		Communicating Any Issues Related to the Course
	doc. Ing. Pavel Pačes, Ph.D.		
<ul> <li>Schedule for the academic year 2016/2017         http://www.fel.cvut.cz/en/education/calendar.html     </li> <li>Lectures:</li> </ul>	■ Bc. Otakar Jašek		<ul> <li>Ask the lab teacher or the lecturer</li> <li>Use e-mail for communication</li> </ul>
<ul> <li>Dejvice, Lecture Hall No. T2:D3-209, Tuesday, 14:30-16:00</li> <li>14 teaching weeks</li> </ul>	∎ Ing. Daniel Fišer		<ul> <li>Use e-mail for communication</li> <li>Use your faculty e-mail</li> <li>Put PRG or B3B36PRG to the subject of your message</li> <li>Send copy (Cc) to lecturer/teacher</li> </ul>
■ Tuesday 2.5.2017 – classes as on Monday	Ing. Petr Čížek	<b>7</b>	
	<ul> <li>Ing. Petr Váňa</li> <li>BRUTE Upload System</li> </ul>		
Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         12 / 81           Course Goals         Means of Achieving the Course Goals         Evaluation and Exam		Programming 13 / 80 Evaluation and Exam	Jan Faigl. 2017         B3B36PRG – Lecture 01: Introduction to C Programming         14 / 80           Course Goals         Means of Achieving the Course Goals         Evaluation and Exam
Computers and Development Tools	Services – Academic Network, FEE, CTU		Homeworks
<ul> <li>Network boot with home directories (NFS v4) Data transfer and file synchronizations - ownCloud, SSH, FTP, USB</li> <li>Compilers gcc or clang https://gcc.gnu.org or http://clang.llvm.org</li> </ul>	http://www.fel.cvut.cz/cz/user-info/index		7 homeworks for the workstation and 3 for the embedded Nucleo platform
<ul> <li>Project building make (GNU make)</li> <li>Examples of usage on lectures and labs</li> </ul>	Cloud storage ownCloud - https://owncloud.ce Sending large files - https://filesender.cesne		https://cw.fel.cvut.cz/wiki/courses/b3b36prg/hw/start 1. HW 01 - ASCII Art (3 points)
<pre>Text editor - gedit, atom, sublime, vim https://atom.io/, http://www.sublimetext.com/ http://www.root.cz/clanky/textovy-editor-vim-jako-ide C/C++ development environments - WARNING: Do Not Use An IDE http://c.learncodethehardway.org/book/ex0.html Debugging - gdb, cgdb, ddd Code::Blocks, CodeLite http://www.codeblocks.org, http://codelite.org</pre>	<ul> <li>Schedule, deadlines - FEL Portal, https://porta</li> <li>FEL Google Account - access to Google Apps for See http://google-ap</li> <li>Gitlab FEL - https://gitlab.fel.cvut.cz/</li> <li>Information resources (IEEE Xplore, ACM, Science)</li> </ul>	l.fel.cvut.cz pr Education ps.fel.cvut.cz/	<ol> <li>HW 01 - ASCH Art (3 points)</li> <li>HW 02 - Prime Factorization (3 points + 5 points optional)</li> <li>HW 03 - Caesar Cipher (3 points + 3 points optional)</li> <li>HW 04 - Text Search (3 points + 4 points optional)</li> <li>HW 05 - Matrix Calculator (2 points + 3 points optional + 5 points bonus)</li> <li>HW 06 - Linked List Queue with Priorities (2 points + 3 points optional)</li> <li>HW 07 - Circular Buffer (2 points + 2 points optional)</li> </ol>
<pre>NetBeans 8.0 (C/C++), Eclipse-CDT CLion - https://www.jetbrains.com/clion Embedded development for the Nucleo</pre>		s://dialog.cvut.cz //download.cvut.cz letaCentrum	<ol> <li>8. HW 08 - Nucleo - LED and Button (2 points)</li> <li>9. HW 09 - Nucleo - Single Byte Serial Communication (2 points)</li> <li>10. HW 10 - Nucleo - Computation and Communication: (3 points)</li> </ol>
ARMmbed - https://developer.mbed.org/platforms/ST-Nucleo-F446RE     System Workbench for STM32 (based on Eclipse)     Direct cross-compiling using makefiles     Jan Faigl, 2017 B3B36PRG - Lecture 01: Introduction to C Programming 15 / 80	http://www.metacentrum.e	cz/cs/index.html Programming 16 / 80	
Course Goals Means of Achieving the Course Goals Evaluation and Exam Semester Project	Course Goals Means of Achieving the Course Goals Course Evaluation	Evaluation and Exam	Course Goals Means of Achieving the Course Goals Evaluation and Exam Grading Scale
	Points Maximum Required	Minimum	Grade Points Mark Evaluation

- A combination of application for workstation (multi-threading / communication / interaction ) and program for the Nucleo STM32F446
- Computation on the embedded platform via control application
- Mandatory task can be awarded up to 20 points
- Bonus part can be awarded for additional 10 points
  - Up to 30 points in the total for the project
  - Distributed computation using several Nucleo STM32F446 boards
- Minimum required points: 10

Deadline – best before 27.5.2017

## Exam test 20 Implementation exam 10 Total 110 points

Homeworks

Semestr Project

**30** points from the homeworks and 10 points from the project are required for awarding ungraded assessment

Points

50

30

- The course can be passed with ungraded assessment and exam
- All homeworks must be submitted and they have to pass the mandatory assessment

$ \begin{array}{c c c c c c c c c c c c c c c c c c c $
C 70–79 2 Good D 60–69 2,5 Satisfactory
D 60–69 2,5 Satisfactory
E 50–59 3 Sufficient
<b>F</b> <50 4 Fail

- of them with optional Gain around 40 points out of 50 points
- Semestral project for up 30 points
  - In an average, gain around 15 points or 25 with bonus part
- Exam: test (20 points) and implementation (10 points)
- Around 85 points (B Very Good)
- Bonus tasks needed for around 95 points (A Excellent) With few imperfections

Jan Faigl, 2017

B3B36PRG - Lecture 01: Introduction to C Programming

18 / 80 Jan Faigl, 2017

B3B36PRG - Lecture 01: Introduction to C Programming

Points

40 points is F!

30

10

10

0

20 / 80

Jan Faigl, 2017

B3B36PRG - Lecture 01: Introduction to C Programming

21 / 80

Course Goals Means of Achieving the Course Goals Evaluation and Exam	Program in C Values and Variables Expressions Standard Input/Output	Program in C Values and Variables Expressions Standard Input/Output
Overview of the Lectures		C Programming Language
1. Course information, Introduction to C programming		Low-level programming language
K. K. King: chapters 1, 2, and 3		<ul> <li>System programming language (operating system)</li> </ul>
2. Writing your program in C, control structures (loops), expressions K. K. King: chapters 4, 5, 6, and 20		Language for (embedded) systems — MCU, cross-compilation
3. Data types, arrays, pointer, memory storage classes, function call K. K. King: chapters 7, 8, 9, 10, 11, and 18	Part II	A user (programmer) can do almost everything
<ol> <li>Data types: arrays, strings, and pointers K. K. King: chapters 8, 11, 12, 13, and 17</li> </ol>		Initialization of the variables, release of the dynamically allocated memory, etc. Very close to the hardware resources of the computer
<ol> <li>Data types: Struct, Union, Enum, Bit fields. Preprocessor and Large Programs. K. K. King: chapters 10, 14, 15, 16, and 20</li> </ol>	Part 2 – Introduction to C Programming	Direct calls of OS services, direct access to registers and ports
6. Input/Output - reading/writting from/to files and other communication channels,		Dealing with memory is crucial for correct behaviour of the program
Standard C library – selected functions K. K. King: chapters 21, 22, 23, 24, 26, and 27		One of the goals of the PRG course is to acquire fundamental principles that can
7. Parallel and multi-thread programming - methods and synchronizations primitives		be further generalized for other programming languages. The C programming language provides great opportunity to became familiar with the memory model
<ol> <li>Multi-thread application models, POSIX threads and C11 threads</li> <li>Examples - C programming language wrap up</li> </ol>		and key elements for writting efficient programs.
<ol> <li>ANSI C, C99, C11 and differences between C and C++. Introduction to object oriented</li> </ol>		It is highly recommended to have compilation of your
programming in C++. 11. Object oriented programming in C++: classes, objects, encapsulation, inheritance,		program fully under control.
and polymorphism		It may look difficult at the beginning, but it is relatively easy and straight- forward. Therefore, we highly recommend to use fundamental tools for your
12. Version Control Systems (VCS)		program compilation. After you acquire basic skills, you can profit from them also in more complex development environments.
Jan Faigl, 2017         B3B36PRG - Lecture 01: Introduction to C Programming         22 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         23 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         25 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output
Writing Your C Program	Valid Characters for Writing Source Codes in C	Writing Identifiers in C
	Lowercase and uppercase letters, numeric characters, symbols and separators     ASCII – American Standard Code for Information Interchange	<ul> <li>Identifiers are names of variables (custom types and functions)</li> </ul>
Source code of the C program is written in text files	■ a-z A-Z 0—9	Types and functions, viz further lectures
Header files usually with the suffix .h	■ ! " # % & ' ( ) * + , / : ; < = > ? [ \ ] ^ _ {   } ~	Rules for the identifiers
Sources files usually named with the suffix .c	<ul> <li>space, tabular, new line</li> <li>Escape sequences for writting special symbols</li> </ul>	<ul> <li>Characters a–z, A–Z, 0–9 a _</li> <li>The first character is not a numeral</li> </ul>
	■ \'-', \"-", \?-?, \\-\	Case sensitive
<ul> <li>Header and source files together with declaration and definition (of functions) support</li> </ul>	Escape sequences for writting numeric values in a text string	<ul> <li>Length of the identifier is not limited</li> <li>First 31 characters are significant – depends on the implementation / compiler</li> </ul>
<ul> <li>Organization of sources into several files (modules) and libraries</li> </ul>	<ul> <li>\o, \oo, where o is an octal numeral</li> <li>\xh, \xhh, where h is a hexadecimal numeral</li> </ul>	<ul> <li>Keywords<sub>32</sub></li> </ul>
Modularity – Header file declares a visible interface to others	1  int  i = 'a';	auto break case char const continue default do
A description (list) of functions and their arguments without particular implementation	2 int h = 0x61; 3 int o = 0141;	double else enum extern float for goto if int long
Reusability	4 5 printf("i: ½i h: ½i o: ½i c: ½c\n", i, h, o, i);	register return short signed sizeof static struct
<ul> <li>Only the "interface" declared in the header files is need to use functions from available binary libraries</li> </ul>	6 printf("oct: \141 hex: \x61\n");	switch typedef union unsigned void volatile while
	<i>E.g.</i> , $141$ , $x61$ lec01/esqdho.c • $0$ – character reserved for the end of the text string (null	C99 introduces, e.g., inline, restrict, _Bool, _Complex, _Imaginary
	character)	C11 further adds, e.g., _Alignas, _Alignof, _Atomic, _Generic, _Static_assert, _Thread_local
Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 26 / 80	Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 27 / 80	Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 28 / 80
Program in C Values and Variables Expressions Standard Input/Output	Program in C Values and Variables Expressions Standard Input/Output	Program in C Values and Variables Expressions Standard Input/Output
Writing Codes in C	Simple C Program	Program Compilation and Execution
	<pre>1 #include <stdio.h></stdio.h></pre>	Source file program.c is compiled into runnable form by the
Each executable program must have at least one function and the	2	compiler, e.g., clang or gcc
function has to be main()	3 int main(void)	Clang program.c There is a new file a.out that can be executed, e.g.,
The run of the program starts at the beginning of the function	4 {	./a.out
main(), e.g.,	<pre>5 printf("I like B3B36PRG!\n");</pre>	Alternatively the program can be run only by a.out in the case the
1 #include <stdio.h></stdio.h>	7 return 0;	actual working directory is set in the search path of executable files The program prints the argument of the function printf()
3 int main(void) 4 {	8 }	./a.out
<pre>5 printf("I like B3B36PRG!\n"); 6</pre>	<ul> <li>Source files are compiled by the compiler to the so-called object</li> </ul>	I like B3B36PRG!
7 return 0; 8 }	files usually with the suffix .o	If you prefer to run the program just by a.out instead of ./a.out you need
The form of the main() function is prescribed.	Object code contains relative addresses and function calls or just ref-	to add your actual working directory to the search paths defined by the
See further examples in this lecture	<ul> <li>erences to function without known implementations.</li> <li>The final executable program is created from the object files by</li> </ul>	environment variable PATH export PATH="\$PATH:'pwd'"
	the linker	Notice, this is not recommended, because of potentially many working directories.
		The command pwd prints the actual working directory, see man pwd
Jan Faigl, 2017 B3B36PRG - Lecture 01: Introduction to C Programming 29 / 80	Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 30 / 80	Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 31 / 80

Program in C         Values and Variables         Expressions         Standard Input/Output	Program in C Values and Variables Expressions Standard Input/Output	Program in C         Values and Variables         Expressions         Standard Input/Output
Structure of the Source Code – Commented Example	Program Building: Compiling and Linking	Compilation and Linking Programs
Commented source file program.c		Program development is editing of the source code (files with suf-
<pre>1 /* Comment is inside the markers (two characters) 2 and it can be split to multiple lines */ 3 // In C99 - you can use single line comment</pre>	The previous example combines three particular steps of the pro- gram building in a single call of the command (clang or gcc). The particular steps can be performed individually	fixes .c and .h); Human readable Compilation of the particular source files (.c) into object files (.o or
<pre>4 #include <stdio.h> /* The #include direct causes to</stdio.h></pre>		<ul> <li>.obj);</li> <li>Machine readable</li> <li>Linking the compiled files into executable binary file;</li> </ul>
include header file stdio.h from the C standard library */	<ol> <li>Text preprocessing by the preprocessor, which utilizes its own macro language (commands with the prefix #)</li> <li>All referenced header files are included into a single source file</li> </ol>	<ul> <li>Execution and debugging of the application and repeated editing of the source code.</li> </ul>
5	2. Compilation of the source file into the object file	.c .h .a/.lib
<pre>6 int main(void) // simplified declaration 7 { // of the main function</pre>	Names of the object files usually have the suffix .o	Source file Header files Lib files
<pre>8 printf("I like B3B36PRG!\n"); /* calling printf()</pre>	clang -c program.c -o program.o	Preprocesor Linker a.out
function from the stdio.h library to print string	The command combines preprocessor and compiler.	Compiler Executable binary file
to the standard output. \n denotes a new line */	<ol> <li>Executable file is linked from the particular object files and referenced libraries by the linker (linking), e.g.,</li> </ol>	Object Object files
<pre>9 return 0; /* termination of the function. Return value 0 to the operating system */</pre>	clang program.o -o program	File .o/.obj
10 }		.o/.obj
Jan Faigl, 2017         B3B36PRG - Lecture 01: Introduction to C Programming         32 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         33 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         34 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output
Steps of Compiling and Linking	Compilers of C Program Language	Functions, Modules, and Compiling and Linking
Preprocessor – allows to define macros and adjust compilation the	In PRG, we mostly use compilers from the families of compilers:	Function is the fundamental building block of the modular
particular environment	■ gcc – GNU Compiler Collection	programming language Modular program is composed of several modules/source files
The output is text ("source") file.	https://gcc.gnu.org clang - C language family frontend for LLVM	<ul> <li>Function definition consists of the</li> </ul>
<ul> <li>Compiler – Translates source (text) file into machine readable form Native (machine) code of the platform, bytecode, or assembler alternatively</li> </ul>	http://clang.llvm.org	■ Function header
<ul> <li>Linker – links the final application from the object files</li> </ul>	Under Win, two derived environments can be utilized: cygwin https://www.cygwin.com/ or MinGW http://www.mingw.org/	<b>Function body</b> Definition is the function implementation.
Under OS, it can still reference library functions (dynamic libraries linked		Function prototype (declaration) is the function header to
during the program execution), it can also contains OS calls (libraries).	<ul> <li>Basic usage (flags and arguments) are identical for both compilers clang is compatible with gcc</li> </ul>	provide information how the function can be called It allows to use the function prior its definition, i.e., it allows to compile
Particular steps preprocessor, compiler, and linker are usually implemented by a "single" program that is called with appropriate	Example	the code without the function implementation, which may be located in
arguments.	■ compile: gcc -c main.c -o main.o	other place of the source code, or in other module.  Declaration is the function header and it has the form
E.g., clang or gcc	■ link: gcc main.o -o main	type function_name(arguments);
Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         35 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         36 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         37 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output
Functions in C	Example of Program / Module	Program Starting Point - main()
Function definition inside other function is not allowed in C.		Each executable program must contain at least one definition of
Function names can be exported to other modules	<pre>1 #include <stdio.h> /* header file */ 2 #define NUMBER 5 /* symbolic constatnt */</stdio.h></pre>	<pre>the function and that function must be the main()   The main() function is the starting point of the program</pre>
Module is an independent file (compiled independently)	<pre>4 int compute(int a); /* function header/prototype */</pre>	<ul> <li>The main() function is the starting point of the program</li> <li>The main() has two basic forms</li> </ul>
Function are implicitly declared as extern, i.e., visible	<pre>4 int compute(int a); /* function neader/prototype */ 5 6 int main(int argc, char *argv[])</pre>	1. Full variant for programs running under an Operating System (OS)
Using the static specifier, the visibility of the function can be limited to the particular module	7 { /* main function */	<pre>int main(int argc, char *argv[]) {</pre>
	<pre>8 int v = 10; /* variable declaration */ 9 int r;</pre>	· · · ·
Function arguments are local variables initialized by the values passed to the function	<pre>10 r = compute(v); /* function call */ 11 return 0; /* termination of the main function */</pre>	} It can be alternatively written as
C allows recursions – local variables are automatically allocated	12 } 13	<pre>int main(int argc, char **argv)</pre>
at the stack Further details about storage classes in next lectures.	<pre>14 int compute(int a) 15 { /* definition of the function */</pre>	{ 
<ul> <li>Arguments of the function are not mandatory – void arguments</li> </ul>	<pre>16 int b = 10 + a; /* function body */</pre>	}
fnc(void)	<pre>17 return b; /* function return value */ 18 }</pre>	<ol> <li>For embedded systems without OS int main(void)</li> </ol>
The return type of the function can be void, i.e., a function without return value - void fnc(void);		1nt main(void) {
Jan Faigl, 2017 B3B36PRG - Lecture 01: Introduction to C Programming 38 / 80	Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 39 / 80	Jan Faigl, 2017 } B3B36PRG – Lecture 01: Introduction to C Programming 40 / 80

Program in C Values and Variables Expressions Standard Input/Output	Program in C Values and Variables Expressions Standard Input/Output	Program in C Values and Variables Expressions Standard Input/Output
Arguments of the main() Function	Example of Compilation and Program Execution	Example – Program Execution under Shell
<ul> <li>During the program execution, the OS passes to the program the number of arguments (argc) and the arguments (argv) In the case we are using OS</li> <li>The first argument is the name of the program <ol> <li>int main(int argc, char *argv[])</li> <li>{</li> <li>int v;</li> <li>v = 10;</li> <li>v = v + 1;</li> <li>return argc;</li> <li>}</li> </ol> </li> <li>The program is terminated by the return in the main() function</li> <li>The returned value is passed back to the OS and it can be further use, e.g., to control the program execution.</li> </ul>	<ul> <li>Building the program by the clang compiler – it automatically joins the compilation and linking of the program to the file a.out clang var.c</li> <li>The output file can be specified, e.g., program file var clang var.c - o var</li> <li>Then, the program can be executed ./var</li> <li>The compilation and execution can be joined to a single command clang var.c - o var; ./var</li> <li>The execution can be conditioned to successful compilation clang var.c - o var &amp;&amp;&amp; ./var</li> <li>The execution can be conditioned to successful compilation clang var.c - o var &amp;&amp; ./var</li> <li>Dregrams return value — 0 means OK Logical operator &amp;&amp; depends on the command interpret, e.g., sh, bash, zsh.</li> </ul>	<ul> <li>The return value of the program is stored in the variable \$? <ul> <li>sh, bash, zsh</li> </ul> </li> <li>Example of the program execution with different number of arguments <ul> <li>/var</li> <li>/var; echo \$?</li> </ul> </li> <li>/var 1 2 3; echo \$?</li> <li>4 <ul> <li>/var a; echo \$?</li> </ul> </li> </ul>
Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         41 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         42 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         43 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output
Example – Processing the Source Code by Preprocessor	Example – Compilation of the Source Code to Assembler	Example – Compilation to Object File
<pre>Using the -E flag, we can perform only the preprocessor step gcc -E var.c / # 1 "var.c" # 1 "<built-in>" # 1 "<command-line>" # 1 "var.c" int main(int argc, char **argv) { int w; v = 10; v = v + 1; return argc; } </command-line></built-in></pre>	Using the -S flag, the source code can be compiled to Assembler clang -S var.c -o var.s          .file "var.c"       19       movq %rsi, -16(%rbp)         .text       20       movl \$10, -20(%rbp)         .align 16, 0x90       21       movl -20(%rbp), %edi         .align 16, 0x90       22       addl \$1, %edi         .type main,@function       23       movl -20(%rbp)         .timp:       # @main       24         .cfi_startproc       25       popq %rbp         .fi_endproc       26       ret         .itmp2:       .size main, .Ltmp5-main       .cfi_endproc         .itmp3:       .size main, .Ltmp5-main       .cfi_endproc         .ident "FreeBSD clang       version 3.4.1 (tags/         .cfi_def_cfa_register %rbp       33       .section ".note.GNU-stack","         .section ".note.GNU-stack","       ",@progbits	<ul> <li>The souce file is compiled to the object file clang -c var.c -o var.o % clang -c var.c -o var.o % file var.o var.o: ELF 64-bit LSB relocatable, x86-64, version 1 (FreeBSD), not stripped</li> <li>Linking the object file(s) provides the executable file clang var.o -o var % clang var.o -o var % file var var: ELF 64-bit LSB executable, x86-64, version 1 ( FreeBSD), dynamically linked (uses shared libs), for FreeBSD 10.1 (1001504), not stripped dynamically linked not stripped</li> </ul>
Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         44 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         45 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         46 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output
<pre>Example - Executable File under OS 1/2 By default, executable files are "tied" to the C library and OS services The dependencies can be shown by 1dd var Idd var Idd var Idd - list dynamic object dependencies var: libc.so.7 =&gt; /lib/libc.so.7 (0x2c41d000) The so-called static linked can be enabled by the static option clang -static var.o -o var % ldd var % file var var: ELF 64-bit LSB executable, x86-64, version 1 ( FreeBSD), statically linked, for FreeBSD 10.1 (1001504), not stripped % ldd var</pre>	Example – Executable File under OS 2/2 The compiled program (object file) contains symbolic names (by default) E.g., usable for debugging. clang var.c -o var wc -c var 7240 var wc - word, line, character, and byte count -c - byte count Symbols can be removed by the tool (program) strip strip var wc -c var 4888 var	Writting Values of the Numeric Data Types – Literals   Values of the data types are called literals  C has 6 type of constants (literals)  Integer Rational  We cannot simply write irrational numbers  Characters Text strings Enumerated Enum Symbolic – #define NUMBER 10  Preprocessor
ldd: var: not a dynamic ELF executable Check the size of the created binary files! Jan Faigl, 2017 B3B36PRG - Lecture 01: Introduction to C Programming 47 / 80	Alternatively, you can show size of the file by the command ls -1 Jan Faigl, 2017 B3B36PRG - Lecture 01: Introduction to C Programming 48 / 80	Jan Faigl, 2017 B3B36PRG - Lecture 01: Introduction to C Programming 50 / 80

Program in C Values and Variables Expressions Standard Input/Output	Program in C Values and Variables Expressions Standard Input/Output	Program in C Values and Variables Expressions Standard Input/Output
Integer Literals	Literals of Rational Numbers	Character Literals
<ul> <li>Integer values are stored as one of the integer type (keywords): int, long, short, char and their signed and unsigned variants <i>Further integer data types are possible</i></li> <li>Integer values (literals)         <ul> <li>Decimal</li> <li>123 450932</li> <li>Hexadecimal</li> <li>0x12 0xFAFF (starts with 0x or 0X)</li> <li>Octal</li> <li>0123 0567 (starts with 0)</li> <li>unsigned</li> <li>12345U (suffix U or u)</li> <li>long</li> <li>12345L (suffix L or 1)</li> <li>unsigned long</li> <li>12345LL (suffix L or 11)</li> </ul> </li> <li>Without suffix, the literal is of the type typu int</li> </ul>	<ul> <li>Rational numbers can be written <ul> <li>with floating point - 13.1</li> <li>or with mantissa and exponent - 31.4e-3 or 31.4E-3 </li> <li>Scientific notation</li> </ul> </li> <li>Floating point numeric types depends on the implementation, but they usually follow IEEE-754-1985 <ul> <li>Data types of the rational literals: <ul> <li>double - by default, if not explicitly specified to be another type</li> <li>float - suffix F or f <ul> <li>long double - suffix L or 1</li> </ul> </li> </ul></li></ul></li></ul>	<ul> <li>Format - single (or multiple) character in apostrophe 'A', 'B' or '\n'</li> <li>Value of the single character literal is the code of the character '0'~ 48, 'A'~ 65 Value of character out of ASCII (greater than 127) depends on the compiler.</li> <li>Type of the character constant (literal)</li> <li>character constant is the int type</li> </ul>
Jan Faigl, 2017         B3B36PRG - Lecture 01: Introduction to C Programming         51 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         52 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         53 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output
Stying literals	Constants of the Enumerated Tune	Symbolic Constant Hacting
String literals	Constants of the Enumerated Type <ul> <li>Format</li> </ul>	Symbolic Constant - #define
<ul> <li>Format – a sequence of character and control characters (escape sequences) enclosed in guotation (citation) marks</li> </ul>	By default, values of the enumerated type starts from 0 and each	<ul> <li>Format – the constant is established by the preprocessor command #define</li> </ul>
"This is a string constant with the end of line character $n$ "	other item increase the value about one Values can be explicitly prescribed	It is macro command without argument
<ul> <li>String constants separated by white spaces are joined to single</li> </ul>	enum { enum {	Each #define must be on a new line #define SCORE 1
constant, e.g.,	SPADES, SPADES = 10, CLUBS, CLUBS, /* the value is 11 */	Usually written in uppercase
"String literal" "with the end of the line character\n"	HEARDS, HEARDS = 15,	Symbolic constants can express constant expressions
is concatenate into	DIAMONDS DIAMONDS = 13 }; };	<pre>#define MAX_1 ((10*6) - 3) </pre> Symbolic constants can be nested
"String literal with end of the line character\n" Type	The enumeration values are usually written in uppercase.	#define MAX_2 (MAX_1 + 1)
String literal is stored in the array of the type char terminated by the null character '\0'	<ul> <li>Type – enumerated constant is the int type</li> </ul>	Preprocessor performs the text replacement of the define
E.g., String literal "word" is stored as	<ul> <li>Value of the enumerated literal can be used in loops</li> </ul>	constant by its value
, <sup>m</sup> , ,o, ,L, ,q, ,/0,	<pre>enum { SPADES = 0, CLUBS, HEARDS, DIAMONDS, NUM_COLORS };</pre>	<pre>#define MAX_2 (MAX_1 + 1)</pre>
The size of the array must be about 1 item longer to store $0!$	<pre>for (int i = SPADES; i &lt; NUM_COLORS; ++i) {</pre>	It is highly recommended to use brackets to ensure correct evaluation of the expression, e.g., the symbolic constant 5*MAX_1 with the outer brackets
More about text strings in the following lectures and labs	}	is 5*((10*6) - 3)=285 vs 5*(10*6) - 3=297.
Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         54 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         55 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         56 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output
Variable with a constant value	Example: Sum of Two Values	Example of Sum of Two Variables
modifier (keyword) (const)	<pre>1 #include <stdio.h></stdio.h></pre>	
	2	1 #include <stdio.h></stdio.h>
	3 int main(void)	<pre>3 int main(void) 4 {</pre>
	<pre>4 { 5 int sum; // definition of local variable of the int type</pre>	<pre>5 int var1; 6 int var2 = 10; /* inicialization of the variable */</pre>
<ul> <li>Using the keyword const, a variable can be marked as constant Compiler checks assignment and do not allow to set a new value to the variable.</li> </ul>		7 int sum;
A constant value can be defined as follows	<pre>7 sum = 100 + 43; /* set value of the expression to sum */</pre>	9 var1 = 13; 10 11 sum = var1 + var2;
const float pi = 3.14159265;	<pre>8 printf("The sum of 100 and 43 is %i\n", sum); 9 /* %i formatting commend to print integer number */</pre>	printf("The sum of %i and %i is %i\n", var1, var2, sum);
In contrast to the symbolic constant #define PI 3.14159265	10 return 0;	14 15 return 0;
<ul> <li>Constant values have type, and thus it supports type checking</li> </ul>	11 }	16 }
Constant values have type, and thus it supports type checkling	The variable sum of the type int represents an integer number. Its value is stored in the memory	Variables var1, var2 and sum represent three different locations in the memory (allocated automatically), where three integer values
	sum is selected symbolic name of the memory location, where the integer value (type int) is stored	are stored.
Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 57 / 80	Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 58 / 80	Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 59 / 80

Program in C Values and Variables Expressions Standard Input/Output	Program in C Values and Variables Expressions Standard Input/Output	Program in C Values and Variables Expressions Standard Input/Output
Variable Declaration	Assignment, Variables, and Memory – Visualization	Assignment, Variables, and Memory – Visualization int
<ul> <li>The variable declaration has general form declaration-specifiers declarators;</li> <li>Declaration specifiers are: <ul> <li>Storage classes: at most one of the auto, static, extern, register</li> <li>Type quantifiers: const, volatile, restrict Zero or more type quantifiers are allowed</li> </ul> </li> <li>Type specifiers: void, char, short, int, long, float, double, signed, unsigned. In addition, struct and union type specifiers can be used. Finally, own types defined by typedef can be used as well. </li> </ul>	<pre>unsigned char unsigned char var1; unsigned char var2; unsigned char sum;    Each variable allocate 1 byte Content of the memory is not de- fined after allocation Name of the variable "refer- ences" to the particular memory location Value of the variable is the con- tent of the memory location  Value of the variable is the con- tent of the</pre>	<pre>1 int var1; 2 int var2; 3 int sum; 4 5 // 00 00 00 13 6 var1 = 13; 7 8 // x00 x00 x01 xF4 9 var2 = 500; 10 11 sum = var1 + var2; 50 (dec) is 0x01F4 (hex) For Intel x86 and x86-64 architectures, the values (of multi-byte types) are stored in the little-endian order.</pre> • Variables of the int types allocate 4 bytes Size can be find out by the operator sizeof(int) • Memory content is not defined after the definition of the variable to the memory • Var1 var2 13 0 0 0 0 0xf4 0x01 0x00 0x00 0x1 0x2 0x0 0x0 0xC 0xD 0xE 0xF 500 (dec) is 0x01F4 (hex) 513 (dec) is 0x0201 (hex)
Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         60 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         61 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output	Jan Faigl, 2017         B3B36PRG – Lecture 01: Introduction to C Programming         62 / 80           Program in C         Values and Variables         Expressions         Standard Input/Output
Expressions • Expression prescribes calculation value of some given input • Expression is composed of operands, operators, and brackets • Expression can be formed of • literals • unary and binary operators • variables • variables • constants • brackets • The order of operation evaluation is prescribed by the operator precedence and associativity. Example 10 + x + y // order of the evaluation $10 + (x + y)10 + x + y$ // order of the evaluation $10 + (x + y)10 + x + y$ // order of the evaluation $10 + (x + y)* has higher priority than ++ is associative from the left-to-right$	<ul> <li>Operators</li> <li>Operators are selected characters (or a sequences of characters) dedicated for writting expressions</li> <li>Five types of binary operators can be distinguished</li> <li>Arithmetic operators – additive (addition/subtraction) and multiplicative (multiplication/division)</li> <li>Relational operators – comparison of values (less than, greater than,)</li> <li>Logical operators – logical AND and OR</li> <li>Bitwise operators – bitwise AND, OR, XOR, bitwise shift (left, right)</li> <li>Assignment operator = – a variables (l-value) is on its left side</li> <li>Unary operators</li> <li>Indicating positive/negative value: + and –</li></ul>	<ul> <li>Variables, Assignment Operator, and Assignment Statement</li> <li>Variables are defined by the type and name</li> <li>Name of the variable are in lowercase</li> <li>Multi-word names can be written with underscore _</li> <li>Each variable is defined at new line         <sup>int n</sup>;         <sup>int number_of_items;         <sup>int number_of_items;         <sup>int numberOfItems;</sup></sup></sup></li> <li>Assignment is setting the value to the variable, i.e., the value is stored at the memory location referenced by the variable name</li> <li>Assignment operator         <pre>                                     </pre></li></ul>
Program in C       Values and Variables       Expressions       Standard Input/Output         Basic Arithmetic Expressions <ul> <li>For an operator of the numeric types int and double, the following operators are defined</li> <li>Also for char, short, and float numeric types.</li> <li>Unary operator for changing the sign –</li> <li>Binary addition + and subtraction –</li> <li>Binary multiplication * and division /</li> </ul> <li>For integer operator, there is also         <ul> <li>Binary module (integer reminder) %</li> <li>If both operands are of the same type, the results of the arithmetic operation is the same type</li> <li>In a case of combined data types int and double, the data type int is converted to double and the results is of the double type.</li> </ul> </li>	<pre>Program in C Values and Variables Expressions Standard Input/Output Example - Arithmetic Operators 1/2      int a = 10;     int b = 3;     int c = 4;     int d = 5;     int result;     result = a - b; // subtraction     printf("a - b = %i\n", result);     result = a / b; // integer divison     printf("a / b = %i\n", result);     result = a / b; // integer divison     printf("a / b = %i\n", result);     result = a + b * c; // priority of the operators     rprintf("a * b + c * d = %i\n", a * b + c * d); // -&gt; 50     printf("a * (b + c) * d = %i\n", a * (b + c) * d); // -&gt; 350     lecol/arithmetic_operators.c</pre>	<pre>Jan Faipl, 2017 BB380PRG - Lecture 01: Introduction to C Programming 66 / 80 Program in C Values and Variables Expressions Standard Input/Output  Example - Arithmetic Operators 2/2      #include <stdio.h>     a int main(void)     {         f int x1 = 1;         double y1 = 2.2357;         f float x2 = 2.5343f;         double y2 = 2;         printf("P1 = (%i, %f)\n", x1, y1);         printf("P1 = (%i, %f)\n", x1, (int)y1);         printf("P1 = (%i, %f)\n", x2, y2);         f double dx = (x1 - x2); // implicit data conversion to float         double dy = (y1 - y2); // and finally to double         printf("P1 - P2]=(%.3f, %0.3f)\n", dx, dy);         printf("P1 - P2]=2*.25(n", dx * dx + dy * dy);         return 0;         B3B30PRG - Lecture 01: Introduction to C Programming</stdio.h></pre>

Program in C values and variables Expressions Standard input/Output	riogrammic values and variables Expressions Standard input/output	Frogram in C values and variables Expressions Standard input/ output
Standard Input and Output	Formatted Output - printf()	Formatted Input - scanf()
<ul> <li>An executed program within Operating System (OS) environments has assigned (usually text-oriented) standard input (stdin) and output (stdout) Programs for MCU without OS does not have the them</li> <li>The stdin and stdout streams can be utilized for communication with a user</li> <li>Basic function for text-based input is getchar() and for the output putchar() both are defined in the standard C library <stdie.h></stdie.h></li> <li>For parsing numeric values the scanf() function can be utilized</li> <li>The function printf() provides formatted output, e.g., a number of decimal places They are library functions, not keywords of the C language.</li> </ul>	<ul> <li>Numeric values can be printed to the standard output using printf() man printf or man 3 printf</li> <li>The first argument is the format string that defines how the values are printed</li> <li>The conversion specification starts with the character '%'</li> <li>Text string not starting with % is printed as it is</li> <li>Basic format strings to print values of particular types are char %c _Bool %i, %u int %i, %x, %o float %f, %e, %g, %a double %f, %e, %g, %a</li> <li>Specification of the number of digits is possible, as well as an alignment to left (right), etc. Further options in homeworks and lab exercises.</li> </ul>	<pre>Numeric values from the standard input can be read using the scanf() function</pre>
Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 71 / 80	Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 72 / 80	Jan Faigl, 2017 B3B36PRG – Lecture 01: Introduction to C Programming 73 / 80
Program in C     Values and Variables     Expressions     Standard Input/Output       Example:     Program with Output to the stdout 1/2	Program in C     Values and Variables     Expressions     Standard Input/Output       Example:     Program with Output to the stdout 2/2	Program in C Values and Variables Expressions Standard Input/Output Extended Variants of the main() Function
<pre>Instead of printf() we can use fprintf() with explicit output stream stdout, or alternatively stderr; both functions from the</pre>	<ul> <li>Notice, using the header file <stdio.h>, several other files are included as well to define types and functions for input and output. <i>Check by</i>, e.g., clang -E print_args.c</stdio.h></li> <li>clang print_args.c -o print_args</li> <li>./print_args first second</li> <li>My first program in C!</li> <li>Its name is "./print_args"</li> <li>It has been run with 3 arguments</li> <li>The arguments are:</li> <li>Arg: 1 is "first"</li> <li>Arg: 2 is "second"</li> </ul>	<ul> <li>Extended declaration of the main() function provides access to the environment variables</li></ul>
Jan Faigl, 2017 B3B36PRG - Lecture 01: Introduction to C Programming 74 / 80 Part III Part 3 - Assignment HW 01 Jan Faigl, 2017 B3B36PRG - Lecture 01: Introduction to C Programming 77 / 80	<ul> <li>HW 01 – Assignment</li> <li>Topic: ASCII art <ul> <li>Mandatory: 3 points; Optional: none; Bonus : none</li> </ul> </li> <li>Motivation: Have a fun with loops and user parametrization of the program.</li> <li>Goal: Acquire experience using loops and inner loops</li> <li>Assignment: <ul> <li>https://cw.fel.cvut.cz/wiki/courses/b3b36prg/hv/hv01</li> <li>Read parameters specifying a picture of small house using selected ASCII chars <ul> <li>https://en.wikipedia.org/wiki/ASCII_art</li> </ul> </li> <li>Assesment of the input values</li> <li>Deadline: 04.03.2017, 23:59:59 PST</li> </ul></li></ul>	Jan Faigl, 2017 B3B36PRG - Lecture 01: Introduction to C Programming 76 / 80 Topics Discussed Summary of the Lecture Jan Faigl, 2017 B3B36PRG - Lecture 01: Introduction to C Programming 79 / 80

