ARO Homework 1: Maximum likelihood identification of the torque-to-velocity model

Karel Zimmermann

Forward velocity v of a tracked robot often depends non-linearly on input motor torque u. Since the velocity depends also on other unknown quantities such as terrain-robot friction coefficient or robots pitch angle, resulting model is probabilistic. Identify unknown parameter a of the torque-to-velocity model defined as the following normal distribution of velocities v for a given torque uand parameter a

$$p(v|u,a) = \mathcal{N}(1 - \frac{a}{1 + e^u}, \sigma^2),$$

where σ^2 is constant unknown variance. Input to your parameter identification algorithm is a set of i.i.d. measurements $(u_1, v_1, \ldots, u_n, v_n)$. The output is estimated parameter a^* , which maximize joint likelihood of measured data defined as $L(a) = \prod_{i=1}^{n} p(v_i|u_i, a)$.

- 1. Find matrix **A** and vector **b** such that the L(a) maximization is transformed to the searching of L_2 solution of the overdetermined set of linear equations, i.e. such that $a^* = \arg \max_a L(a) = \arg \min_a ||\mathbf{A}a \mathbf{b}||_2$
- 2. Download ML_u_v.mat data file, with measurements $(u_1, v_1, \ldots u_n, v_n)$ and find a^* by solving the overdetermined set of linear equations.
- 3. Draw (i) the mean velocity $v(u) = 1 \frac{a^*}{1+e^u}$ as a function of torque u and (ii) measurements $(u_1, v_1, \dots u_n, v_n)$ into a common figure.
- 4. **Bonus:** Derive and implement and visualize the ML estimate of the unknown variance σ^2 .