

# ALG 08

**Merge sort**







**Heap Sort**

**Priority queue                      implemented with binary heap**

# Merge sort







## Merge two sorted arrays

## Compared elements









## Merge sort

Merge two sorted arrays - cont.



## Merge sort


Merge two sorted arrays - cont.




## Merge sort

Merge two sorted arrays - cont.


Copy the rest



Sorted



# Divide and conquer! Divide et impera!



# Merge sort

Unsorted

K	Z	U	B	M	T	E	A	J	R	D	O
---	---	---	---	---	---	---	---	---	---	---	---

Divide!

K	Z	U	B	M	T
---	---	---	---	---	---

E	A	J	R	D	O
---	---	---	---	---	---

Process separately

Sort!

Sort!

B	K	M	T	U	Z
---	---	---	---	---	---

A	D	E	J	O	R
---	---	---	---	---	---

Conquer!



Merge!

Sorted





A	B	D	E	J	K	M	O	R	T	U	Z
---	---	---	---	---	---	---	---	---	---	---	---

# Merge sort

Unsorted



Divide!



Divide!





Divide!

.....  
.....

... ..



Merge!

Merge!



Merge!

Sorted





## Merge sort

```
def merge (inArr, outArr, low, high):  
    half = (low+high) // 2  
    i1 = low  
    i2 = half + 1  
    j = low;  
    # compare and merge  
    while i1 <= half and i2 <= high:  
        if inArr[i1] <= inArr[i2]:  
            outArr[j] = inArr[i1]; i1 += 1  
        else:  
            outArr[j] = inArr[i2]; i2 += 1  
        j += 1  
    # copy the rest  
    while i1 <= half:  
        outArr[j] = inArr[i1]; i1 += 1; j += 1  
    while i2 <= high:  
        outArr[j] = inArr[i2]; i2 += 1; j += 1
```

## Merge sort

```
def _mergeSort (arr, auxArr, low, high):  
  
    if low >= high: return      # too small!  
    half = (low+high) // 2  
  
    # sort to auxArr  
    _mergeSort(arr, auxArr, low, half)      # left half  
    _mergeSort(arr, auxArr, half+1, high) # right half  
    merge(arr, auxArr, low, high)  
  
    # copy back from auxArr  
    for i in range(low, high+1):  
        arr[i] = auxArr[i]
```

## Merge sort - improved use of auxArr

```
def _mergeSortX (arr, auxArr, low, high, depth):  
  
    if low >= high: return      # too small!  
    half = (low+high) // 2  
  
    _mergeSortX(arr, auxArr, low,      half, depth+1)  
    _mergeSortX(arr, auxArr, half+1, high, depth+1)  
  
    # note the swaping of arr and auxArr  
    if depth%2 == 0: merge(auxArr, arr, low, high)  
    else:                merge(arr, auxArr, low, high)  
  
def mergeSortX (arr):  
    auxArr = arr[:] # auxArr = copy(arr)  
    _mergeSortX(arr, auxArr, 0, len(arr)-1, 0)
```

## Merge sort

### Asymptotic complexity

Divide! .....  $\log_2(n)$  times  $\Rightarrow$   
 $\Rightarrow$  Merge! .....  $\log_2(n)$  times

Divide! .....  $\Theta(1)$  operations

Merge! .....  $\Theta(n)$  operations

---

Total .....  $\Theta(n) \cdot \Theta(\log_2(n)) = \Theta(n \cdot \log_2(n))$  operations

**Asymptotic complexity of Merge sort is  $\Theta(n \cdot \log_2(n))$**

## Merge sort

### Stability

**Divide! .....** Does not move the elements.


**Merge! .....** “ if ( $in[i1] \leq in[i2]$ ) {  $out[j] = in[i1]$ ; ...”

**When the two compared and merged elements are equal, merge the left one first.**


**Merge sort is stable.**

# Heap sort

## Heap




## Heap property.



$$a \leq b \ \&\& \ a \leq c$$


# Heap sort

## Terminology



**a** ..... predecessor, parent of **b** **c**


**b**, **c** ..... successor, child of **a**





**A** ..... (heap) top

# Heap sort


Heap stored in an array



children



children






## Heap repair

Top removed (1)


① Remove top



②

last  $\longrightarrow$  first

③ Put at the top




$U > B, U > D, \underline{B < D}$   
 $\Rightarrow$  swap  $B \leftrightarrow U$


## Heap repair

Top removed (2)

③ Put at the top - cont...



$$U > M, U > J, \underline{J < M}$$

$$\Rightarrow \text{swap } J \leftrightarrow U$$



$$U > K, U > R, \underline{K < R}$$

$$\Rightarrow \text{swap } K \leftrightarrow U$$

## Heap repair

Top removed (3)

③ Put at the top  
- done.




New heap

## Heap repair


## Top removed II (1)

①  
Remove  
top



②  
last  $\longrightarrow$  first

③  
Put at  
the top




$R > J, R > D, \underline{D < J}$   
 $\Rightarrow$  swap  $D \leftrightarrow R$

## Heap repair

Top removed II (2)

③

Put at the top - cont.




$R < T, R > E$   
 $\Rightarrow$  swap  $E \leftrightarrow R$

Top removed II (3)

③

Put at the top  
 - done.




New heap

# Heap sort


**I**

Unsorted




**II**

Make a heap




**III**

for (i = 0; i < n; i++)  
a[i] = "remove top";





**IV**

Sorted



## Recursive property of "Being a heap"



Is a heap




is a heap and



is a heap.


## Make one bigger heap from two smaller ones




$Z > A$  or  $Z > B$   
 $\Rightarrow$  swap:  $Z \leftrightarrow \min(A, B)$



## Make one bigger heap from two smaller ones




## Create a heap





Make a heap in ① ...  
 ... make a heap in ② ...  
 ... make a heap in ③ ...  
 ... make a heap in ④ ...  
 ... make a heap in ⑤ ...  
 ... make a heap in ⑥ ...  
 ... and the whole heap  
 is complete.

# Heap in an array


## Heap stored in an array



children



children




# Heap in an array

## Array

⑥	1	R
⑤	2	J
④	3	U
③	4	Z
②	5	B
①	6	T
	7	E
	8	M
	9	O
	10	K
	11	A
	12	D

## Array elements ordered randomly

## Not a heap




# Heap in an array

Array

⑥	1	R
⑤	2	J
④	3	U
③	4	Z
②	5	B
①	6	D
	7	E
	8	M
	9	O
	10	K
	11	A
	12	T

➡   Currently created heap

⋯➡ Moves




# Heap in an array

Array

⑥	1	R
⑤	2	J
④	3	U
③	4	Z
②	5	A
①	6	D
	7	E
	8	M
	9	O
	10	K
	11	B
	12	T

Earlier heap(s)  
 Currently created heap  
 Moves




# Heap in an array

Array

⑥	1	R
⑤	2	J
④	3	U
③	4	M
②	5	A
①	6	D
	7	E
	8	Z
	9	O
	10	K
	11	B
	12	T

Earlier heap(s)  
 Currently created heap  
 Moves




# Heap in an array

Array

⑥	1	R
⑤	2	J
④	3	D
③	4	M
②	5	A
①	6	T
	7	E
	8	Z
	9	O
	10	K
	11	B
	12	U

Earlier heap(s)  
 Currently created heap

→  
 Moves






# Heap in an array


Array

⑥	1	R
⑤	2	A
④	3	D
③	4	M
②	5	B
①	6	T
	7	E
	8	Z
	9	O
	10	K
	11	J
	12	U

Earlier heap(s)  
 Currently created heap  
 Moves




# Heap in an array






# Heap sort

Heap




Step1 1



Heap

# Heap sort

Step k



## Heap sort

```
# beware! array is arr[1] ... arr[n]

def heapSort (arr):
    n = len(arr)-1

    # create a heap
    for i in range(n//2, -1, -1): # progress backwards!
        repairTop(arr, i, n)

    for i in range(n, 1, -1):      # progress backwards!
        swap(arr, 1, i)
        repairTop(arr, 1, i-1)
```

## Heap sort

```
def repairTop (arr, top, bottom):  
    i = top      # arr[2*i] and arr[2*i+1]  
    j = i*2     # are successors of arr[i]  
    topVal = arr[top]  
  
    # try to find a successor < topVal  
    if j < bottom and arr[j] > arr[j+1]: j += 1  
  
    # while successors < topVal move successors up  
    while j <= bottom and topVal > arr[j]:  
        arr[i] = arr[j]  
        i = j; j = j*2      # move to next successor  
        if j < bottom and arr[j] > arr[j+1]: j += 1  
  
    # put topVal to its correct place  
    arr[i] = topVal
```

## Heap sort

repairTop operation worst case ...  $\log_2(n)$  ( $n = \text{heap size}$ )

make a heap ...  $n/2$  repairTop calls

$$\log_2(n/2) + \log_2(n/2+1) + \dots + \log_2(n) \leq (n/2)(\log_2(n)) = \underline{\underline{O(n \cdot \log_2(n))}}$$

sort the heaps ...  $n-1$  repairTop calls, worst case:

$$\log_2(n) + \log_2(n-1) + \dots + 1 \leq n \cdot \log_2(n) = O(n \cdot \log_2(n))$$

surprisingly, also the best case =  $\underline{\underline{\Theta(n \cdot \log_2(n))}}$

total ... make a heap + sort the heap =  $\underline{\underline{\Theta(n \cdot \log_2(n))}}$

**Asymptotic complexity of Heap sort is  $\Theta(n \cdot \log_2(n))$ .**


**Heap sort is not stable.**

## Priority queue

### Operations

- Insert or Enqueue
- Front, Top, Peek -- read topmost element
- Dequeue, Pop, Poll -- delete topmost element.

The element with the smallest value (biggest value in max-heaps) of all elements in the heap is always at the top.



Priority queue might be implemented using a heap.

Officially:

"A *binary* heap".



## Priority queue implemented with binary heap -- operations


Read the topmost element (Front, Top, Peek, ...) .

Obvious.

Delete the topmost element (Dequeue, Pop, Poll, ...) =  
Remove the top and repair the heap.

As before.

Insert an element to the queue (Insert, Enqueue, ... )




Insert the element  
at the end of the queue  
(end of the heap).

In most cases, this  
violates the heap property


and the heap has to be  
repaired.

## Priority queue implemented with binary heap -- Insert

Insert A




Heap property is violated,  
swap the element with its parent.




Heap property is still violated,  
swap the element with its parent.

## Priority queue implemented with binary heap -- Insert

Inserting A





Heap property is still violated,  
swap the element with its parent.



Heap property is respected,  
the inserted element has found  
its place in the queue (heap).

## Binary heap -- Insert element more effectively

### Insert A



Do not insert the element at the end of the queue.  
First, find its place and while searching move down other elements encountered in the search.

Finally, store the inserted element at its correct position.

## Binary heap – Insert

```

# beware!  array is arr[1] ... arr[n]
# bottom == ndx of last elem
def heapInsert(arr, x, bottom):
    bottom += 1    # expand the heap space
    j = bottom
    i = j/2        # parent index

    while i > 0 and arr[i] > x:
        arr[j] = arr[i]    # move elem down the heap
        j = i; i /= 2      # move indices up the heap

    arr[i] = x          # put inserted elem to its place
    return bottom

```

## Insert -- Complexity

Inserting represents a traversal in a binary tree from a leaf to the root in the worst case. Therefore, the Insert complexity is  $O(\log_2(n))$ .