

Agent Architectures and Programming

Michal Pechoucek & Branislav Bošanský

[AE4M36MAS Autumn 2016](#)

O I OTEVŘENÁ
INFORMATIKA



Where are we?

Agent architectures (inc. BDI architecture)

Logics for MAS

Non-cooperative game theory


Coalition game theory

Mechanism design

Auctions

Social choice

Distributed constraint reasoning
(satisfaction and optimization)




Introduction to Agents

Agent Architectures



Implementing the Agent

How should one implement the agent function?



Concern 1: Rationality

Concern 2: Computability and tractability



Hierarchy of Agents

The key challenge for AI is to find out how to write programs that produce rational behaviour from a small amount of code rather than from a large number of table entries.

4+1 basic types of agents in the order of increasing capability:

1. simple reactive agents
2. model-based agents with state
3. goal-based agents
4. utility-based agents
5. learning agents

There is a link between the complexity of the task and the minimum agent architecture required to implement a rational agent.



Running Example: Robotic Taxi


Task specification

- Performance measure: the overall profit (= passenger revenues - fines)
- Environment: road network with traffic signs, passengers
- Actions (actuators): driving between junctions, picking up and dropping out passengers
- Percepts (sensors): current GPS location, junction layout, traffic signs, passengers



Simple Reactive Agents

Simple reactive/reflex agent chooses the next action on the basis of the current percept only.



Simple Reactive Agent

Condition-action rules provide a way to present common regularities appearing in input/output associations, *example*:

```
If car-in-front-is-braking  
=> initialize-braking
```

```
Function SIMPLE-REACTIVE-AGENT(percept)  
  rule <= RULE-MATCHING(rules)  
  action <= rule.ACTION  
  Return action
```

```
Function RULE-MATCHING(state, rules) ...
```



Simple Reactive Agent for Robotic Taxi

Simple program:

```
If a passenger at your location  
=> pickup the passenger  
else Continue in the left-most direction possible
```

More sophisticated program:

```
Turn-directions depend on the current GPS location (can  
implement specific fixed route through the city)
```



Issues with Reactive Agents

Robotic taxi

- driving to a given destination
- respecting traffic signs (e.g. speed limits)
- getting stuck in loops

Reactive agents are simple but of limited intelligence, rational if

1. the environment is fully observable and
2. the decision can be made based solely on the current percept

otherwise may leads to suboptimal action choices, infinite loops.



Issues with Reactive Agents

Robotic taxi

- driving to a given destination
- respecting traffic signs (e.g. speed limits)
- getting stuck in loops

Reactive agents are simple but of limited intelligence, rational if

1. the environment is fully observable and
2. the decision can be made based solely on the current percept

otherwise may leads to suboptimal action choices, infinite loops.


→ It can be advantageous

to **store information about the world** in the agent.




Model-based Agent

Keeps track of the world by extracting relevant information from percepts and storing it in its memory.



Model-based Agent

Keeps track of the world by extracting relevant information from percepts and storing it in its memory.



Model-based Agent

```
Function SIMPLE-REACTIVE-AGENT(percept)
  state <=
    UPDATE-STATE(state, action, percept, model)
  rule <= RULE-MATCHING(state, rules)
  action <= rule.ACTION
  Return action
```

States tracked in the model

- passengers' destinations
- traffic signs
- visited locations (to avoid cycles)
- pickup locations (=> learning)



Model-based Reactive Taxi Agent

States tracked in the model

- passengers' destinations
- traffic signs
- visited locations (to avoid cycles)
- pickup locations (=> learning)



Issues with Model-based Agents

Taxi agent: How to get to a destination?


- Always move towards the destination location
 - can end-up in dead end streets
- Hard-code routes between all locations
 - » *memory demanding and of limited intelligence*
 - » *e.g. requires reprogramming the agent if street network changes*

Cause:

- *whats* and *hows* tightly coupled (impossible to tell the agent what to do)
- the agent does not anticipate the effects of its actions (only finds out the result after having executed the action)



Goal-based Agents




Goal-based agents are more flexible

Problem: goals are not necessarily achievable by a single action:

→ search and planning



Goal-based Agents



Goal-based agents are more flexible

Problem: goals are not necessarily achievable by a single action:

→ search and planning



Goal-based Taxi Agent

Uses planning

- Uses a map to find a sequence of movement actions that brings the taxi to the destination reliably

Issue

- will not choose the fastest route
- will not balance revenue vs. fees/fines

Cause: goals alone are not sufficient for decision making:

1. there may be multiple ways of achieving them;
2. agents may have several conflicting goals that cannot be achieved simultaneously.



Utility-based Agents

Goals only a very crude (binary) distinction between “happy” and “unhappy” states.

We introduce the concept of utility:

- utility is a function that maps a state onto a real number; it captures “quality” of a state
- if an agent prefers one world state to another state then the former state has higher utility for the agent.


Utility can be used for:

1. choosing the best plan
2. resolving conflicts among goals
3. estimating the successfulness of an agent if the outcomes of actions are uncertain.




Utility-based Agents

Utility-based agent use the utility function to choose the most desirable action/course of actions to take



Utility-based Agents

Utility-based agent use the utility function to choose the most desirable action/course of actions to take



Utility-based Taxi Agent

Uses optimizing planning

- searches for the plan that leads to the maximum utility

There are still issues

- irreducible preference orderings
- non-deterministic environment (→ Markov decision processes)



Deductive Reasoning Agents Architecture



Symbolic Reasoning Agents

- The classical approach to building agents is to view them as a particular type of knowledge-based system, and bring all the associated methodologies of such systems to bear.
 - This paradigm is known as symbolic AI.
- We define a deliberative agent or agent architecture to be one that:
 - contains an explicitly represented, symbolic model of the world;
 - makes decisions (for example about what actions to perform) via symbolic reasoning.



Two issues

The Transduction Problem

Identifying objects is hard!!!




The transduction problem is that of translating the real world into an accurate, adequate symbolic description, in time for that description to be useful.

This has led onto research into vision, speech understanding, learning...

The Representation/Reasoning Problem

Representing objects is harder!



How to symbolically represent information about complex real-world entities and processes, and how to get agents to reason with this information in time for the results to be useful.

This has led onto research into knowledge representation, automated reasoning, planning...

Most researchers accept that neither problem is anywhere near solved.



The representation / reasoning problem

- The underlying problem with knowledge representation/ reasoning lies with the complexity of symbol manipulation algorithms.
 - In general many (most) search-based symbol manipulation algorithms of interest are *highly intractable*.
 - Hard to find *compact representations*.
- Because of these problems, some researchers have looked to alternative techniques for building agents; we look at these later.



Deductive Reasoning Agents

- How can an agent decide what to do using theorem proving?
 - Basic idea is to use logic to encode a theory stating the best action to perform in any given situation.
- Let:
 - ρ be this theory (typically a set of rules);
 - Δ be a logical database that describes the current state of the world;
 - Ac be the set of actions the agent can perform;
 - $\Delta \vdash_{\rho} \varphi$ means that φ can be proved from Δ using ρ .



Deductive Reasoning Agents

- How does this fit into the abstract description we talked about last time?

- The perception function is as before:

$$see : E \rightarrow Per$$

- of course, this is (much) easier said than done.

- The next state function revises the database Δ :

$$next : \Delta \times Per \rightarrow \Delta$$

- And the action function?

- Well a possible action function is on the next slide.



Action Function

```
for each  $\alpha \in Ac$  do      /* try to find an action explicitly prescribed */
  if  $\Delta \vdash_{\rho} Do(\alpha)$  then
    return  $\alpha$ 
  end-if
end-for

for each  $\alpha \in Ac$  do      /* try to find an action not excluded */
  if  $\Delta \not\vdash_{\rho} \neg Do(\alpha)$  then
    return  $\alpha$ 
  end-if
end-for

return null                /* no action found */
```



An example: The Vacuum World

The Vacuum World

The goal is for the robot to clear up all the dirt.

Uses 3 domain predicates in this exercise:

$In(x,y)$ agent is at (x,y)


$Dirt(x,y)$ there is dirt at (x,y)

$Facing(d)$ the agent is facing direction d


Possible Actions:

$Ac = \{turn, forward, suck\}$

Note: turn means “turn right”



The Vacuum World



With the system as depicted above, here are some possible ways that the system might run.



The Vacuum World

- Rules ρ for determining what to do:

$$In(0,0) \wedge Facing(north) \wedge \neg Dirt(0,0) \longrightarrow Do(forward)$$

$$In(0,1) \wedge Facing(north) \wedge \neg Dirt(0,1) \longrightarrow Do(forward)$$

$$In(0,2) \wedge Facing(north) \wedge \neg Dirt(0,2) \longrightarrow Do(turn)$$

$$In(0,2) \wedge Facing(east) \longrightarrow Do(forward)$$

- ... and so on!

- Using these rules (+ other obvious ones), starting at $(0, 0)$ the robot will clear up dirt.

Uses 3 domain predicates in this exercise:

$In(x,y)$ agent is at (x,y)


$Dirt(x,y)$ there is dirt at (x,y)

$Facing(d)$ the agent is facing direction d

Possible Actions:

$Ac = \{turn, forward, suck\}$

Note: turn means "turn right"



The Vacuum World

- Problems:
 - how to convert video camera input to *Dirt(0, 1)*?
 - decision making assumes a static environment:
 - *calculative rationality*.
 - decision making using first-order logic is *undecidable*!
- Typical solutions:
 - weaken the logic;
 - use symbolic, non-logical representations;
 - shift the emphasis of reasoning from *run time* to *design time*.



Agent-oriented programming

- Yoav Shoham introduced “agent-oriented programming” in 1990:

“... new programming paradigm, based on a societal view of computation ...”

- The key idea:
 - directly programming agents in terms of intentional notions
 - like belief, desire, and intention
 - Adopts the same abstraction as humans
 - Resulted in the Agent0 programming language



Agent0

- AGENT0 is implemented as an extension to LISP.
 - Each agent in AGENT0 has 4 components:
 - a set of *capabilities* (things the agent can do);
 - a set of *initial beliefs*;
 - a set of *initial commitments* (things the agent will do); and
 - a set of *commitment rules*.
- The key component, which determines how the agent acts, is the commitment rule set.
 - Each commitment rule contains
 - a *message condition*;
 - a *mental condition*; and
 - an *action*.



Agent0 Decision Cycle

On each decision cycle . . .

- The message condition is matched against the messages the agent has received;
 - The mental condition is matched against the beliefs of the agent.
 - If the rule fires, then the agent becomes committed to the action (the action gets added to the agents commitment set).

Actions may be . . .

- Private
 - An externally executed computation
- Communicative
 - Sending messages

Messages are constrained to be one of three types . . .

- requests
 - To commit to action
- unrequests
 - To refrain from action
- Informs
 - Which pass on information



Commitment Rules

- This rule may be paraphrased as follows:
 - if I receive a message from *agent* which requests me to do *action* at *time*, and I believe that:
 - *agent* is currently a friend;
 - I can do the *action*;
 - at *time*, I am not committed to doing any other *action*,
 - then commit to doing *action* at *time*.

A commitment Rule


```
COMMIT(  
  ( agent, REQUEST, DO(time, action)  
  ), ;;; msg condition  
  ( B,  
    [now, Friend agent] AND  
    CAN(self, action) AND  
    NOT [time, CMT(self, anyaction)]  
  ), ;;; mental condition  
  self,  
  DO(time, action)  
)
```




BDI Agent Architecture




Basic Agent Architectures




Reflex agent



Model-based agent




Goal-based agent




Utility-based agent

Basic Agent Architectures



Goal-based
agent

Goal-based agents



How to go from goals to actions effectively?



Practical Reasoning


Conceptualizing rational action



Practical Reasoning

- ▶ Practical reasoning is reasoning **directed towards actions** — the process of figuring out what to do.
- ▶ Principles of practical reasoning applied to agents largely derive from work of philosopher **Michael Bratman (1990)**:

“Practical reasoning is a matter of weighing conflicting considerations for and against competing options, where the relevant considerations are provided by what the agent desires/values/cares about and what the agent believes.”



- ▶ Distinguish practical reasoning from **theoretical reasoning**.



Theoretical vs Practical Reasoning

“In theory, there is no difference between theory and practice. But, in practice, there is.” – Jan L. A. van de Snepscheut

- 1 **Theoretical reasoning** is reasoning **directed towards beliefs** — concerned with deciding **what to believe**.
 - ▶ Tries to assess the way things are.
 - ▶ Process by which you change your beliefs and expectations;.
 - ▶ **Example:** you believe q if you believe p and you believe that if p then q .

- 2 **Practical reasoning** is reasoning **directed towards actions** — concerned with deciding **what to do**.
 - ▶ Decides how the world should be and what individuals should do.
 - ▶ Process by which you change your choices, plans, and intentions.
 - ▶ **Example:** you go to class, if you must go to class.



The Components of Practical Reasoning

Human practical reasoning consists of two activities:

strategic

1 Deliberation: deciding **what** state of affairs we want to achieve.

- ▶ considering preferences, choosing goals, etc.;
- ▶ balancing alternatives (decision-theory);
- ▶ the outputs of deliberation are **intentions**;
- ▶ interface between deliberation and means-end reasoning.

tactical

2 Means-ends reasoning: deciding **how** to achieve these states of affairs:

- ▶ thinking about suitable actions, resources and how to “organize” activity;
- ▶ building courses of action (planning);
- ▶ the outputs of means-ends reasoning are **plans**.


Fact: agents are **resource-bounded** & world is **dynamic!**

The key: To combine **deliberation** & **means-ends reasoning** appropriately.

Deliberation

How does an agent **deliberate**?

- 1 Begin by trying to understand what the **options** available to you are:
 - ▶ options available are **desires**.
- 2 **Choose** between them, and **commit** to some:
 - ▶ chosen options are then **intentions**.



Desires

- ▶ Desires describe the states of affairs that are considered for achievement, i.e., **basic preferences** of the agent.
- ▶ Desires are much **weaker** than intentions; not directly related to activity:

*“My **desire** to play basketball this afternoon is **merely a potential influence** of my conduct this afternoon. It must vie with my other relevant desires [...] before it is settled what I will do. In contrast, once I **intend** to play basketball this afternoon, **the matter is settled**: I normally need not continue to weigh the pros and cons. When the afternoon arrives, I will normally just proceed to execute my intentions.”*

(Bratman 1990)



Intentions


- ▶ In ordinary speech: intentions refer to **actions** or to **states of mind**;
 - ▶ here we consider the latter!
 - ▶ E.g., I may adopt/have the intention to be an academic.
- ▶ Focus on **future-directed** intentions i.e. **pro-attitudes** leading to actions.
 - ▶ Intentions are about the (desired) future.
- ▶ We make **reasonable attempts to fulfill** intentions once we form them, but they may change if circumstances do.
 - ▶ Behavior arises to fulfill intentions.
 - ▶ Intentions affect action choice.



Functional Components of Deliberation

Option Generation agent generates a set of possible alternatives; via a function, *options*, which takes the agent's current beliefs and intentions, and from them determines a set of options/desires.

Filtering in which the agent chooses between competing alternatives, and commits to achieving them. In order to select between competing options, an agent uses a *filter* function.



Properties of Intentions

1. Intentions drive means-end reasoning.
2. Intentions constrain future deliberation (i.e., provide a “filter”).
3. Intentions persist.
4. Intentions influence beliefs concerning future practical reasoning.
5. Agents believe their intentions are possible.
6. Agents do not believe they will not bring about their intentions.
7. Under certain circumstances, agents believe they will bring about their intentions.
8. Agents need not intend all the expected side effects of their intentions.




Plans

Human practical reasoning consists of two activities:

- 1 **Deliberation**: deciding **what** to do. Forms **intentions**.
- 2 **Means-ends reasoning**: deciding **how** to do it. Forms plans. Forms **plans**.

Intentions drive means-ends reasoning: *If I adopt an intention, I will attempt to achieve it, this affects action choice.*



Commitments

We may think that deliberation and planning are sufficient to achieve desired behavior, unfortunately things are more complex...

After filter function, agent makes a **commitment** to chosen option:

- ▶ Commitment: *an agreement or pledge to do something in the future*;
- ▶ \therefore it implies temporal persistence.

Questions:


- 1 how long should an intention persist?
- 2 what is the commitment on?



Commitments to Ends and Means

An agent has commitment both to **ends** (intentions), and **means** (plans).

- ▶ I am committed to meet/see my friend John this week (an intention);
- ▶ I am committed to drop-by John's place on Thursday afternoon (a mean).



Degrees of Commitments

Rao and Georgeff (1991) described the following **commitment strategies**:

Blind/Fanatical commitment A blindly committed agent will continue to maintain an intention until it believes the intention has actually been achieved.


Single-minded commitment A single-minded agent will continue to maintain an intention until it believes that either the intention has been achieved, or else that it is no longer possible to achieve the intention.

Open-minded commitment An open-minded agent will maintain an intention until until achieved as long as it is still believed possible.



BDI Programming

Operationalizing practical reasoning



BDI Programming

Objective: a **programming language** that can provide:

autonomy: does not require continuous external control;

pro-activity: pursues goals over time; goal directed behavior;


situatedness: observe & act in the environment;

reactivity: perceives the environment and responds to it.

flexibility: achieve goals in several ways.

robustness: will try hard to achieve goals.


And also: **modular scalability & adaptability!**



An Example: Gold Mining Game

2 teams competing to collect and drop gold in the depot

- ▶ dynamic
- ▶ complex
- ▶ unknown information
- ▶ failing actions
- ▶ failing sensors
- ▶ multi-agents



A dalsi, dalsi p

TODO: Learn a
game



Some Constraints / Requirements

We want to **program intelligent systems** under the following constraints:

- 1** The agent **interacts** with an external environment.
 - ▶ A grid world with gold pieces, obstacles, and other agents.
- 2** The environment is (highly) **dynamic**; may change in unexpected ways.
 - ▶ Gold pieces appear randomly.
- 3** Things can go wrong; plans and strategies may **fail**.
 - ▶ A path may end up being blocked.
- 4** Agents have **dynamic** and **multiple** objectives.
 - ▶ Explore, collect, be safe, communicate, etc.
 - ▶ Motivations/goals/desires may come and go.




Key Features of BDI Agent-oriented Systems

Beliefs: information about the world.

Events: goals/desires to resolve; internal or external.

Plan library: recipes for handling goals-events.

Intentions: partially uninstantiated programs with commitment.



Key Features of BDI Agent-oriented Systems

In the gold-mining game:

Beliefs: current location & location of depot.

static vs. dynamic

size of grid, # of gold pieces carrying, etc.

Events: a gold piece is observed east;

external vs. internal

player3 communicates its location;

the coordinator requests to explore the grid;

we formed the *internal goal* to travel to *loc*(10, 22)

Plan library: if I see gold here & I am not full, collect it.


if I hit an obstacle, go around it.

if I don't know of any gold, explore grid.

if I see gold around, move there and collect.

Intentions: I am currently traveling to the depot.

I am informing my team-mates of new obstacles I find.



Intentions

- 1 Agent's intentions are determined **dynamically** by the agent at **runtime** based on its known facts, current goals, and available plans.
- 2 An intention is just a **partially executed** strategy:
 - ▶ comes from the plan library when resolving events.
- 3 An intention represent a **focus of attention**:
 - ▶ something the agent is currently working on;
 - ▶ actions/behavior arises as a consequence of executing intentions.
- 4 An agent may have **several intentions** active at one time.
 - ▶ different simultaneous focuses of attention;
- 5 A **new intention is created** when an external event is addressed.
- 6 An intention may create/post an **internal event**:
 - ▶ the intention will be updated when this event is addressed.



AgentSpeak (L)

Developed by A. S. Rao and has been influential in the design of other agent programming languages.

Programming language for **implementing BDI architectures**.

Extended to make it a practical agent programming language (R. Bordini).

AgentSpeak programs can be executed by the **Jason interpreter** (R. Bordini et al.).

– <http://jason.sourceforge.net/>

Based on **logic programming (Prolog)** using restricted first-order language with events and actions.

– There are also non-logic-based agent programming languages.



AgentSpeak: Beliefs

The **belief language** is based on first-order literals.

- $p(t_1, \dots, t_n), \neg p(t_1, \dots, t_n) \in \text{beliefs}$
- if $\phi, \psi \in \text{beliefs}$, then $\phi \wedge \psi \in \text{beliefs}$

The **belief base** of an AgentSpeak(L) program is a ground subset of the belief language

- e.g. $pos(r2,2,2) \wedge adjacent(a, b)$



AgentSpeak: Desires / Goals

Desires are based on **first order atomic formulae**.

- A **goal** is a desire that has been adopted for active pursuit by the agent.

Achievement goals: $!g(t_1, \dots, t_n)$

- state that the agent wants to achieve a state of the world where the associated predicate is true.
- initiate the execution of *subplans*
- e.g. $!location(robot1, a)$

Test goals: $?g(t_1, \dots, t_n)$

- returns a unification for the associated predicate with one of the agent's beliefs; it fails if no unification is found.
- e.g. $?location(robot1, X)$



AgentSpeak: Events

Events initiate the execution of a plan.

Types of plan triggering events:

- +b* (belief addition)
- b* (belief deletion)
- +!g* (achievement-goal addition)
- !g* (achievement-goal deletion)
- +?g* (test-goal addition)
- ?g* (test-goal deletion)

External events generated from belief updates as a result of perceiving the environment or communication from other agents

Internal events generated from the agent's own execution of a plan



AgentSpeak: Plans

Plans are **context-sensitive** and **event-invoked recipes** to fulfil goals:

TriggeringEvent: Context ← *PlanBody*

- *TriggeringEvent* denotes the purpose of the plan
- *Context* is a conjunction of beliefs representing circumstances in which the plan can be used; context must be a logical consequence of that agent's current beliefs for the plan to be applicable.
- *PlanBody* a sequence of basic actions or (sub)goals that the agent has to achieve (or test) when the plan, if applicable, is chosen for execution



Example

Triggering
event

Context

```
+concert (A,V) : likes(A) <- !  
  book_tickets(A,V).
```

Achievement
goal added

```
+!book_tickets(A, V) :
```

```
  ¬busy(phone)
```

```
  <- call(V);
```

```
  ...;
```

```
    !choose seats(A,V).
```

Basic action

Tohle možná odporuje principum
retezen, viz níže.



Plan Example

```
+!at(Coords)
  : not at(Coords) & safe_path(Coords)
  ← move_towards(Coords); !at(Coords).
+!at(Coords)
  : not at(Coords) & no_safe_path(Coords) & not storm
  ← fly_towards(Coords); !at(Coords).
+!at(Coords)
  : not at(Coords) & very_bad_weather
  ← ask_for_teleport(Coords); .....
```

A plan failure triggers a **goal-deletion event**:

```
-!at(Coords)
  : very_bad_weather
  ← !wait_for_good_weather.
```

QST: goal-deletion zavolana
automaticky?



AgentSpeak: Intentions Execution

Intentions are executed **one step at a time**.

A step can

- query or change the beliefs
- perform actions on the external world
- suspend the execution until a certain condition is met
- submit new goals.

The operations performed by a step may generate new events, which, in turn, may start new intentions.

An intention succeeds when all its steps have been completed. It fails when certain conditions are not met or actions being performed report errors.



AgentSpeak: Semantics

AgentSpeak(L) has an operational semantics defined in terms of agent configuration

$$\langle B, P, E, A, I, S_e, S_o, S_I \rangle$$

where

- B is a set of beliefs
- P is a set of plans
- E is a set of events (external and internal)
- A is a set of actions that can be performed in the environment
- I is a set of intentions each of which is a stack of partially instantiated plans
- S_e, S_o, S_I are selection functions for events, options, and intentions




AgentSpeak: Selection functions

- S_e selects an events from E . The set of events is generated either by requests from users, from observing the environment, or by executing an intention
- S_o selects an option from P for a given event. An option is an applicable plan for an event, i.e. a plan whose triggering event is unifiable with event and whose condition is derivable from the belief base
- S_i selects an intention from I to execute.



AgentSpeak Interpretation Cycle



AgentSpeak: Example



ALICE

- During lunch time, forward all calls to Carla.
- When I am busy, incoming calls from colleagues should be



AgentSpeak: Example Beliefs

```
user(alice).
```

```
user(bob).
```

```
user(carla).
```

```
user(denise).
```

```
~status(alice, idle).
```

```
status(bob, idle).
```

```
colleague(bob).
```

```
lunch_time("11:30").
```



AgentSpeak Example Plans

```
user(alice).  
user(bob).  
user(carla).  
user(denise).  
~status(alice, idle).  
status(bob, idle).  
colleague(bob).  
lunch_time("11:30").
```

```
+invite(X, alice) :  
    lunch_time(t) ← !call_forward(alice, X, carla).           (p1)
```

```
+invite(X, alice) :  
    colleague(X) ← call_forward_busy(alice,X,denise).         (p2)
```

```
+invite(X, Y):  
    true ← connect(X,Y).                                       (p3)
```

```
+!call_forward(X, From, To) :  
    invite(From, X) ← +invite(From, To), - invite(From,X)     (p4)
```

```
+!call_forward_busy(Y, From, To) :  
    invite(From, Y)& not(status(Y, idle))  
    ← +invite(From, To), - invite(From,Y).
```



Execution - 1

A new event is sensed from the environment, `+invite(Bob, Alice)` (there is a call for Alice from Bob).

There are three relevant plans for this event (p1, p2 and p3)

- the event matches the triggering event of those three plans.

Relevant Plans	Unifier
p1: <code>+invite(X, alice) : lunch_time(t)</code> <code>←!call_forward(alice, X, carla)</code>	
p2: <code>+invite(X, alice) : colleague(Bob)</code> <code>← !call_forward_busy(alice, X, denise).</code>	<code>{X=bob}</code>
p3 : <code>+invite(X, Y): true ← connect(X,Y).</code>	<code>{Y=alice,</code> <code>X=bob}</code>



Execution - 2

Context of plan p2 is satisfied - `colleague(bob)` => p2 is *applicable*.

A new intention based on this plan is created in the set of intentions, because the event was external, generated from the perception of the environment.

The plan starts to be executed. It adds a new event, this time an internal event: `!call_forward_busy(alice,bob,denise)`.

Intention ID	Intention Stack	Unifier
1	<code>+invite(X,alice):colleague(X)</code> <code><- !call_forward_busy(alice,X,denise)</code>	<code>{X=bob}</code>



Execution - 3

A plan relevant to this new event is found (p5):

Relevant Plans	Unifier
p5: <code>+!call_forward_busy(Y, From, To) :</code> <code>invite(From, Y) & not(status(Y, idle))</code> <code>← +invite(From, To),</code> <code>- invite(From, Y).</code>	{From=bob, Y=alice, To=denise}

p5 has the context condition true, so it becomes an *applicable* plan and it is pushed on top of *intention 1* (it was generated by an internal event)

Intention ID	Intention Stack	Unifier
2	<code>+!call_forward_busy(Y,From,To) :</code> <code>invite(From,Y) & not status(Y,idle)</code> <code><- +invite(From,To); -invite(From,Y)</code>	{From=bob, Y=alice, To=denise}
1	<code>+invite(X,alice) : colleague(X)</code> <code><- !call_forward_busy(alice,X,denise)</code>	{X=bob}



Execution - 4

A new internal event is created, **+invite(bob, denise)**.

three relevant plans for this event are found, p1, p2 and p3.

However, only plan p3 is applicable in this case, since the others don't have the context condition true.

The plan is pushed on top of the existing intention.

Intention ID	Intension Stack	Unifier
3	<code>+invite(X,Y) : <- connect(X,Y)</code>	<code>{Y=denise, X=bob}</code>
2	<code>+!call_forward_busy(Y,From,To) : invite(From,Y) & not status(Y,idle) <- +invite(From,To); -invite(From,Y)</code>	<code>{From=bob, Y=alice, To=denise}</code>
1	<code>+invite(X,alice) : colleague(X) <- !call_forward_busy(alice,X,denise)</code>	<code>{X=bob}</code>



Execution - 5

On top of the intention is a plan whose body contains an action.

The action is executed, `connect(bob, denise)` and is removed from the intention.

When all formulas in the body of a plan have been removed (i.e., have been executed), the whole plan is removed from the intention, and so is the achievement goal that generated it.

Intention ID	Intension Stack	Unifier
1	<code>+!call_forward_busy(Y,From,To) :</code> <code>invite(From,Y) & not status(Y,idle)</code> <code><- -invite(From,Y)</code>	{From=bob, Y=alice, To=denise}
	<code>+invite(X,alice) : colleague(X)</code> <code><- !call_forward_busy(alice,X,denise)</code>	{X=bob}

- The only thing that remains to be done is `-invite(bob, alice)` (this event is removed from the beliefs base).
- This ends a cycle of execution, and the process starts all over again, checking the state of the environment and reacting to events.



BDI Summary

Practical way to implement **goal-oriented agents**.

Based on the theory of practical reasoning that human appear to use in their daily lives.

Programming using mentalistic concepts of beliefs, desires and intentions.

BDI languages and executors/intepreters exist for implementation of BDI agents

- logic-based AgentSpeak language together with Jason interpreters probably the best known

Reading

- [BDI agent programming in AgentSpeak using Jason](#) Sections 1-3
- [BDI lecture notes](#) (Tambe/Greenstadt)

