



**OPPA European Social Fund  
Prague & EU: We invest in your future.**

---

# Description Logics

Petr Křemen  
petr.kremen@fel.cvut.cz

FEL ČVUT

Towards Description Logics

*ALC* Language

# Towards Description Logics

# Let's review our knowledge about FOPL <sup>2</sup>

- What is a *term, axiom/formula, theory, model, universal closure, resolution, logical consequence* ?
- What is an open-world assumption (OWA)/closed-world assumption (CWA) ?
- What is the difference between a predicate (relation) and a predicate symbol ?
- What does it mean, when saying that FOPL is *undecidable* ?
- What does it mean, when saying that FOPL is *monotonic* ?
- What is the idea behind *Deduction Theorem, Soundness, Completeness* ?

---

<sup>2</sup>First Order Predicate Logic

# Isn't FOPL enough ?


- Why do we speak about modal logics, description logics, etc. ?
  - ☹ FOPL is undecidable – many logical consequences cannot be verified in finite time.
    - We often do not need full expressiveness of FOL.
- Well, we have Prolog – wide-spread and optimized implementation of FOPL, right ?
  - ☹ Prolog is not an implementation of FOPL – OWA vs. CWA, negation as failure, problems in expressing disjunctive knowledge, etc.
- Well, relational databases are also not enough ?
  - RDBMS accept CWA and support just finite domains.
  - RDBMS are not flexible enough – DB model change is complicated that adding/removing an axiom from an ontology.

# Technologies sketched so far aren't enough ?

- Semantic networks and Frames
  - Lack well defined (declarative) semantics
  - What is the semantics of a “slot” in a frame (relation in semantic networks) ? The slot **must/might** be filled **once/multiple times** ?
- Conceptual graphs are beyond FOPL (thus undecidable).
- What are description logics (DLs)?
  - logic-based languages for modeling *terminological knowledge, incomplete knowledge*. Almost exclusively, DLs are decidable subsets of FOPL.
  - první jazyky vznikly jako snaha o formalizaci sémantických sítí a rámců. První implementace v 80's – systémy KL-ONE, KAON, Classic .

# What are Description Logics ?

- family of logic-based languages for modeling *terminological knowledge*, *incomplete knowledge*. Almost exclusively, DLs are decidable subsets of FOPL.
- first languages emerged as an experiment of giving formal semantics to semantic networks and frames. First implementations in 80's – KL-ONE, KAON, Classic.
- 90's *ALC*
- 2004 *SHOIN(D)* – OWL
- 2009 *SROIQ(D)* – OWL 2





# *ALC* Language

# Concepts and Roles

- Basic building blocks of DLs are :
  - (atomic) concepts - representing (named) *unary predicates* / classes, e.g. *Parent*, or  $Person \sqcap \exists hasChild \cdot Person$ .
  - (atomic) roles - represent (named) *binary predicates* / relations, e.g. *hasChild*
  - individuals - represent ground terms / individuals, e.g. *JOHN*
- Theory  $\mathcal{K}$  (in OWL referred as Ontology) of DLs consists of a
  - TBOX  $\mathcal{T}$  - representing axioms generally valid in the domain, e.g.  $\mathcal{T} = \{Man \sqsubseteq Person\}$
  - ABOX  $\mathcal{A}$  - representing a particular relational structure (data), e.g.  $\mathcal{A} = \{Man(JOHN)\}$
- DLs differ in their expressive power (concept/role constructors, axiom types).

- as  $\mathcal{ALC}$  is a subset of FOPL, let's define semantics analogously (and restrict interpretation function where applicable):
- **Interpretation** is a pair  $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$ , where  $\Delta^{\mathcal{I}}$  is an interpretation domain and  $\cdot^{\mathcal{I}}$  is an interpretation function.
- Having *atomic* concept  $A$ , *atomic* role  $R$  and individual  $a$ , then

$$\begin{aligned}A^{\mathcal{I}} &\subseteq \Delta^{\mathcal{I}} \\R^{\mathcal{I}} &\subseteq \Delta^{\mathcal{I}} \times \Delta^{\mathcal{I}} \\a^{\mathcal{I}} &\in \Delta^{\mathcal{I}}\end{aligned}$$

# $\mathcal{ALC}$ (= attributive language with complements)

Having concepts  $C$ ,  $D$ , atomic concept  $A$  and atomic role  $R$ , then for interpretation  $\mathcal{I}$  :

	<i>concept</i>	<i>concept</i> <sup><math>\mathcal{I}</math></sup>	<i>description</i>
	$\top$	$\Delta^{\mathcal{I}}$	(universal concept)
	$\perp$	$\emptyset$	(unsatisfiable concept)
	$\neg C$	$\Delta^{\mathcal{I}} \setminus C^{\mathcal{I}}$	(negation)
	$C \sqcap D$	$C^{\mathcal{I}} \cap D^{\mathcal{I}}$	(intersection)
	$C \sqcup D$	$C^{\mathcal{I}} \cup D^{\mathcal{I}}$	(union)
	$\forall R \cdot C$	$\{a \mid \forall b ((a, b) \in R^{\mathcal{I}} \Rightarrow b \in C^{\mathcal{I}})\}$	(universal restriction)
	$\exists R \cdot C$	$\{a \mid \exists b ((a, b) \in R^{\mathcal{I}} \wedge b \in C^{\mathcal{I}})\}$	(existential restriction)
	<i>axiom</i>	$\mathcal{I} \models$ axiom iff	<i>description</i>
TBOX	$C \sqsubseteq D$	$C^{\mathcal{I}} \subseteq D^{\mathcal{I}}$	(inclusion)
	$C \equiv D$	$C^{\mathcal{I}} = D^{\mathcal{I}}$	(equivalence)
ABOX	(UNA = unique name assumption <sup>3</sup> )		
	<i>axiom</i>	$\mathcal{I} \models$ axiom iff	<i>description</i>
	$C(a)$	$a^{\mathcal{I}} \in C^{\mathcal{I}}$	(concept assertion)
	$R(a, b)$	$(a^{\mathcal{I}}, b^{\mathcal{I}}) \in R^{\mathcal{I}}$	(role assertion)

<sup>3</sup>two different individuals denote two different domain elements

For an arbitrary set  $S$  of axioms (resp. theory  $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ , where  $S = \mathcal{T} \cup \mathcal{A}$ ), then

- $\mathcal{I} \models S$  if  $\mathcal{I} \models \alpha$  for all  $\alpha \in S$  ( $\mathcal{I}$  is a model of  $S$ , resp.  $\mathcal{K}$ )
- $S \models \beta$  if  $\mathcal{I} \models \beta$  whenever  $\mathcal{I} \models S$  ( $\beta$  is a logical consequence of  $S$ , resp.  $\mathcal{K}$ )
- $S$  is consistent, if  $S$  has at least one model

## Example


Consider an information system for genealogical data. Information integration from various sources is crucial – databases, information systems with *different data models*. As an integration layer, let's use a description logic theory. Let's have atomic concepts *Person*, *Man*, *GrandParent* and atomic role *hasChild*.

- How to express a set of persons that have just men as their descendants, if any ?
  - $Person \sqcap \forall hasChild \cdot Man$
- How to define concept *GrandParent* ?
  - $GrandParent \equiv Person \sqcap \exists hasChild \cdot \exists hasChild \cdot \top$
- How does the previous axiom look like in FOPL ?

$$\forall x (GrandParent(x) \equiv (Person(x) \wedge \exists y (hasChild(x, y) \wedge \exists z (hasChild(y, z))))))$$

## Example

- Consider an ontology  $\mathcal{K}_1 = (\{GrandParent \equiv Person \sqcap \exists hasChild \cdot \exists hasChild \cdot \top\}, \{GrandParent(JOHN)\})$ ,  
modelem  $\mathcal{K}_1$  může být např. interpretace  $\mathcal{I}_1$  :
  - $\Delta^{\mathcal{I}_1} = Man^{\mathcal{I}_1} = Person^{\mathcal{I}_1} = \{John, Phillipe, Martin\}$
  - $hasChild^{\mathcal{I}_1} = \{(John, Phillipe), (Phillipe, Martin)\}$
  - $GrandParent^{\mathcal{I}_1} = \{John\}$
  - $JOHN^{\mathcal{I}_1} = \{John\}$
- this model is finite and has the form of a tree with the root in the node *Jan* :



The last example revealed several important properties of DL models:

**TMP** (tree model property), if every satisfiable concept<sup>4</sup>  $C$  of the language has a model in the shape of a *rooted tree*.

**FMP** (finite model property), if every consistent theory  $\mathcal{K}$  of the language has a *finite model*.

Both properties represent important characteristics of a DL that directly influence inferencing (see next lecture).

In particular (generalized) TMP is a characteristics that is shared by most DLs and significantly reduces their computational complexity.

---

<sup>4</sup>Concept is satisfiable, if at least one model interprets it as a non-empty set



# Example

## Example

primitive concept

defined concept

*Woman*  $\equiv$  *Person*  $\sqcap$  *Female*

*Man*  $\equiv$  *Person*  $\sqcap$   $\neg$ *Woman*

*Mother*  $\equiv$  *Woman*  $\sqcap$   $\exists$ *hasChild*  $\cdot$  *Person*

*Father*  $\equiv$  *Man*  $\sqcap$   $\exists$ *hasChild*  $\cdot$  *Person*

*Parent*  $\equiv$  *Father*  $\sqcup$  *Mother*

*Grandmother*  $\equiv$  *Mother*  $\sqcap$   $\exists$ *hasChild*  $\cdot$  *Parent*

*MotherWithoutDaughter*  $\equiv$  *Mother*  $\sqcap$   $\forall$ *hasChild*  $\cdot$   $\neg$ *Woman*

*Wife*  $\equiv$  *Woman*  $\sqcap$   $\exists$ *hasHusband*  $\cdot$  *Man*


# Example – CWA × OWA

## Example

**ABOX**

$hasChild(JOCASTA, OEDIPUS)$	$hasChild(JOCASTA, POLYNEIKES)$
$hasChild(OEDIPUS, POLYNEIKES)$	$hasChild(POLYNEIKES, THERSANDROS)$
$Patricide(OEDIPUS)$	$\neg Patricide(THERSANDROS)$

Edges represent role assertions of *hasChild*; colors distinguish concepts instances – *Patricide* a  $\neg Patricide$



**Q1**  $(\exists hasChild \cdot (Patricide \sqcap \exists hasChild \cdot \neg Patricide))(JOCASTA)$ ,

$JOCASTA \longrightarrow \bullet \longrightarrow \bullet$

**Q2** Find individuals  $x$  such that  $\mathcal{K} \models C(x)$ , where  $C$  is

$\neg Patricide \sqcap \exists hasChild^- \cdot (Patricide \sqcap \exists hasChild^-) \cdot \{JOCASTA\}$

What is the difference, when considering CWA ?

$JOCASTA \longrightarrow \bullet \longrightarrow \times$



**OPPA European Social Fund  
Prague & EU: We invest in your future.**

---