

Multiagent Systems

Two Lectures on Coalitional Game Theory

Tomáš Kroupa

Faculty of Electrical Engineering
Czech Technical University in Prague

Game Forms

1. Normal (Strategic)
2. Extensive
3. Coalitional

Coalitional games – assumptions

- Players maximizing their utility are allowed to form coalitions
- Coalitions are sets of players coordinating their strategies in order to maximize the utility of the coalition
- Strategic aspects of coalitional games are unimportant, since they are implicitly part of the deal among players

Which Situations Are Captured by Coalitional Games?

- Transactions among buyers and sellers in a market
- Voting in committees
- Cost-sharing in large investment projects

Applications

- Google Analytics
- Explainable AI algorithms
- Analysis of voting procedures
- Genetic analysis

Players and Coalitions

- **Player set** $N := \{1, \dots, n\}$, where $n \in \mathbb{N}$
- **Coalition** is a subset $A \subseteq N$
- \emptyset empty coalition, N **grand coalition**
- **Powerset** $\mathcal{P}(N)$ is the set of all coalitions:

$$\mathcal{P}(N) := \{A \mid A \subseteq N\}$$

Coalitional Game

Definition

Coalitional game is a pair (N, v) , where v is a function

$$v: \mathcal{P}(N) \rightarrow \mathbb{R} \quad \text{such that } v(\emptyset) = 0.$$

- Number $v(A)$ is called the **worth** of A and it can be interpreted as a utility/cost associated with the formation of A
- When N is fixed, we will identify a coalitional game (N, v) with function v and call v simply a game
- Denote by Γ the set of all games with a fixed player set N

Example 1

Gin & Tonic

5 friends arrive at a party, 3 of whom with a bottle of gin apiece. Each of the other 2 friends has 5 bottles of tonic. A price of cocktails made from 1 gin bottle and 5 tonic bottles is 2000 CZK.

$$G = \{1, 2, 3\}, \quad T = \{4, 5\}, \quad N = G \cup T$$

$$v(A) = 2000 \cdot \min\{|A \cap G|, |A \cap T|\}, \quad A \subseteq N$$

Example 2

Security Council

UN Security Council has 5 permanent and 10 non-permanent members. The decision is approved by all the permanent members together with at least 4 non-permanent members.

$$N = \{1, \dots, 5, 6, \dots, 15\}$$

$$v(A) = \begin{cases} 1 & \text{if } A \supset \{1, \dots, 5\} \text{ and } |A| \geq 9, \\ 0 & \text{otherwise.} \end{cases}$$

Properties of Games

Definition

We say that a coalitional game v is

- **monotone** if $v(A) \leq v(B)$ for all $A \subseteq B$,
- **superadditive** if $v(A \cup B) \geq v(A) + v(B)$ for all $A \cap B = \emptyset$,
- **supermodular** if $v(A \cup B) + v(A \cap B) \geq v(A) + v(B)$,
- **additive** if $v(A \cup B) = v(A) + v(B)$ for all $A \cap B = \emptyset$.

- Additive games are trivial, since the worth of A is

$$v(A) = \sum_{i \in A} v(\{i\})$$

- Supermodular (convex) games have very convenient computational properties

Coalitional games – questions

1. **Which** coalitions will form?
2. **What** is a worth allocation among individual players?
3. **How** to justify such a worth allocation?

Possible answers

1. It is extremely difficult (conceptually and computationally) to answer this question
2. We often assume that the grand coalition N was formed. This means that all the players eventually reach some agreement to distribute the worth $v(N)$
3. The problem of justification can be solved by adopting several basic principles, which determine the resulting allocation

Definition

Allocation is a vector $x = (x_1, \dots, x_n) \in \mathbb{R}^n$. Define

$$x(A) := \sum_{i \in A} x_i, \quad A \subseteq N.$$

An allocation x in a coalitional game v is

- **efficient** if $x(N) = v(N)$
- **coalitionally rational** if $x(A) \geq v(A)$ for all $A \subseteq N$
- **individually rational** if $x_i \geq v(\{i\})$ for all $i \in N$

Definition

Solution is a mapping

$$\sigma: \Gamma \rightarrow \mathcal{P}(\mathbb{R}^n),$$

where $\mathcal{P}(\mathbb{R}^n)$ is the family of all subsets of \mathbb{R}^n .

- The set $\sigma(v)$ contains allocation vectors $x = (x_1, \dots, x_n)$
- Solution reflects various aspects of economic rationality, fairness assumptions, or stability
- Solutions can be single-valued or multi-valued

We will discuss the following solution concepts:

- Shapley value
- Core
- Nucleolus

Shapley value

Value of Coalitional Games

Definition

Value is a mapping

$$\varphi = (\varphi_1, \dots, \varphi_n): \Gamma \rightarrow \mathbb{R}^n.$$

Value of player $i \in N$ is the number $\varphi_i(v)$.

What should be the properties (axioms) of value?

- Distribute the total utility available
- The same reward for the same working contribution
- “He who does not work, neither shall he eat”

Definition

We say that a value φ

- is **efficient**, if $\sum_{i \in N} \varphi_i(v) = v(N)$ for each game v
- is **symmetric**, if $\varphi_i(v) = \varphi_j(v)$, for each game v and players $i, j \in N$ fulfilling the condition $v(A \cup \{i\}) = v(A \cup \{j\})$, for each coalition A not containing $\{i, j\}$
- satisfies the **null player property**, if $\varphi_i(v) = 0$, for each game v and each $i \in N$ such that $v(A \cup \{i\}) = v(A)$, for all $A \subseteq N$
- is **additive**, if $\varphi(u + v) = \varphi(u) + \varphi(v)$, for $u, v \in \Gamma$

Theorem (Shapley, 1953)

There is a unique value $\varphi^S : \Gamma \rightarrow \mathbb{R}^n$, which is efficient, additive, symmetric, and satisfies the null player property.

The value of player $i \in N$ is

$$\varphi_i^S(v) = \sum_{A \subseteq N \setminus \{i\}} \frac{|A|!(n - |A| - 1)!}{n!} \cdot (v(A \cup \{i\}) - v(A)).$$

Interpretation of Formula for Shapley Value

$$\varphi_i^S(v) = \sum_{A \subseteq N \setminus \{i\}} \frac{1}{n \binom{n-1}{|A|}} \cdot \underbrace{(v(A \cup \{i\}) - v(A))}_{\text{marginal contribution of } i \text{ to } A}$$

- The Shapley value of player i is the **expected value** of the player's marginal contribution to every possible coalition
- The probability $\frac{1}{n \binom{n-1}{|A|}}$ is determined as follows:
 1. Player i randomly selects one of the sizes $0, 1, \dots, n-1$ of a coalition to enter
 2. A coalition A of this size is then randomly chosen

Shapley Value as a Power Index

A game v is **simple** if

- $v(A) \in \{0, 1\}$
- v is monotone and $v(N) = 1$

Coalition $A \subseteq N$ is **winning** if $v(A) = 1$, and **losing** if $v(A) = 0$.

Shapley–Shubik Index

$$\varphi_i^S(v) = \sum_{\substack{A \subseteq N \\ A \text{ losing} \\ A \cup \{i\} \text{ winning}}} \frac{|A|!(n - |A| - 1)!}{n!}, \quad i \in N.$$

Examples

Simple Majority Game

$$v(A) = \begin{cases} 1 & |A| > \frac{n}{2}, \\ 0 & \text{otherwise,} \end{cases} \quad A \subseteq N.$$

Efficiency and symmetry yield $\varphi_i^S(v) = \frac{1}{n}$ for each $i \in N$.

UN Security Council With $N = \{1, \dots, 15\}$

We assume that $1, \dots, 5$ are permanent members.

$v(A) = 1$ if $A \supset \{1, \dots, 5\}$ and $|A| \geq 9$,

$v(A) = 0$ otherwise.

If $6 \leq i \leq 15$, we get $\varphi_i^S(v) = \binom{9}{3} \cdot \frac{8! \cdot 6!}{15!} \approx 0.0019$.

If $1 \leq j \leq 5$, we can proceed as follows:

$$\varphi_j^S(v) = \frac{1}{5}(1 - 10\varphi_i^S(v)) \approx 0.1963.$$

Power Indices for Voting

- The number of **swings** for player i in a simple game v is

$$s_i(v) := |\{A \subseteq N \mid v(A \cup \{i\}) - v(A) = 1\}|$$

- The Shapley-Shubik index uses the probability of a swing A proportional to its size, but there are alternative choices

Definition

Normalized Banzhaf index of player i is

$$\beta_i(v) = \frac{s_i(v)}{\sum_{i \in N} s_i(v)}$$

and **Banzhaf index** of player i is

$$\varphi_i^B(v) = \frac{s_i(v)}{2^{n-1}}$$

Example – UN Security Council

Old and new voting system with 5 permanent members

O 11 members, approval by at least 7 votes

N 15 members, approval by at least 9 votes

Shapley–Shubik indices:

O $\varphi_1^S(v) = 0.1974$, $\varphi_6^S(v) = 0.0022$ ratio 90 : 1

N $\varphi_1^S(v) = 0.1963$, $\varphi_6^S(v) = 0.0019$ ratio 100 : 1

Normalized Banzhaf indices:

O $\beta_1(v) = \frac{19}{105}$, $\beta_6(v) = \frac{1}{63}$ ratio 11 : 1

N $\beta_1(v) = \frac{106}{635}$, $\beta_6(v) = \frac{21}{1270}$ ratio 10 : 1

Random Order Approach

Let Π be the set of all **permutations** π of the player set N . Each number $\ell \in N$ is a ranking of player $\pi(\ell) \in N$.

Definition

- For each $\pi \in \Pi$ define

$$A_0^\pi := \emptyset, \quad A_\ell^\pi := \{\pi(1), \dots, \pi(\ell)\}, \quad \ell \in N.$$

- **Marginal vector** for a game v and a permutation π is an allocation vector $x^\pi \in \mathbb{R}^n$ with coordinates

$$x_i^\pi := v(A_{\pi^{-1}(i)}^\pi) - v(A_{\pi^{-1}(i)-1}^\pi), \quad i \in N.$$

Shapley Value From Random Order

$$\varphi_i^S(v) = \sum_{\pi \in \Pi} \frac{1}{n!} \cdot x_i^\pi$$

- The Shapley value $\varphi_i^S(v)$ of player i is an expected value of the marginal vectors of player i
- All the orders of players are equiprobable
- This formula becomes important for the approximate computation of Shapley value based on sampling

Estimation of the Shapley Value

Algorithm

Input: Coalitional game v and player i

1. Determine the size of the random sample $m \leq n!$
2. Sample (with replacement) permutations (π_1, \dots, π_m) from Π with uniform probability $\frac{1}{n!}$
3. Estimate the Shapley value by

$$\widehat{\varphi}_i^S(v) := \frac{1}{m} \sum_{k=1}^m x_i^{\pi_k}$$

The algorithm is polynomial, if the worth $v(A)$ of each coalition A can be calculated in polynomial time.

Core

Definition

Core of a game v is the set of all efficient and coalitionally rational allocation vectors,

$$\mathcal{C}(v) := \{x \in \mathbb{R}^n \mid x(N) = v(N), x(A) \geq v(A), A \subseteq N\}.$$

The core of a game is convex polytope of dimension at most $n - 1$.

Core – Example

Glove Game

Alice has a left glove. Bob and Cyril have one glove each.
The number of pairs of gloves collected by a coalition is its worth.

$$N = \{1, 2, 3\}$$

$$v(A) = \begin{cases} 1 & A = \{\{1, 2\}, \{1, 3\}, N\}, \\ 0 & \text{otherwise.} \end{cases}$$

Game v is monotone and superadditive, but not supermodular.
The core of v is

$$\mathcal{C}(v) = \{(1, 0, 0)\}.$$

Majority voting

Three players vote by majority. This determines a game with the player set $N = \{1, 2, 3\}$, where

$$v(A) = \begin{cases} 1 & |A| \geq 2, \\ 0 & \text{otherwise.} \end{cases}$$

There is no stable allocation in this game, $\mathcal{C}(v) = \emptyset$.

Core of Supermodular Games

Proposition

Let $v \in \Gamma$. These assertions are equivalent.

1. v is supermodular
2. $x^\pi \in \mathcal{C}(v)$ for all $\pi \in \Pi$
3. $\mathcal{C}(v) = \text{conv} \{x^\pi \mid \pi \in \Pi\}$

$$v(A) = \begin{cases} 0 & |A| = 1, \\ 1 & |A| = 2, \\ 3 & |A| = 3. \end{cases}$$

