



# Sequential decisions under uncertainty Markov Decision Processes (MDP)

Tomáš Svoboda

Vision for Robots and Autonomous Systems, Center for Machine Perception  
Department of Cybernetics  
Faculty of Electrical Engineering, Czech Technical University in Prague

April 1, 2020

# Unreliable actions in observable grid world



States  $s \in \mathcal{S}$ , actions  $a \in \mathcal{A}$

(Transition) Model  $T(s, a, s') \equiv p(s'|s, a)$  = probability that  $a$  in  $s$  leads to  $s'$

2 / 28

## Notes

Beginning of semester – search – *deterministic* and (fully) *observable* environment

Now:



- Observable – we keep for now – agent knows where it is.
- Deterministic – We introduce “imperfect” agent that does not always obey the command – *stochastic action outcomes*.

There is a treasure (desired goal/end state) but there is also some danger (unwanted goal/end state).

The danger state: think about a mountainous area with safer but longer and shorter but more dangerous paths – a dangerous node may represent a chasm.

Notation note: calligraphic letters like  $\mathcal{S}, \mathcal{A}$  will denote the set(s) of all states/actions.

# Unreliable actions in observable grid world



States  $s \in \mathcal{S}$ , actions  $a \in \mathcal{A}$

(Transition) Model  $T(s, a, s') \equiv p(s'|s, a) =$  probability that  $a$  in  $s$  leads to  $s'$

2 / 28

---

## Notes

Beginning of semester – search – *deterministic* and (fully) *observable* environment

Now:

- Observable – we keep for now – agent knows where it is.
- Deterministic – We introduce “imperfect” agent that does not always obey the command – *stochastic action outcomes*.

There is a treasure (desired goal/end state) but there is also some danger (unwanted goal/end state).

The danger state: think about a mountainous area with safer but longer and shorter but more dangerous paths – a dangerous node may represent a chasm.

Notation note: calligraphic letters like  $\mathcal{S}, \mathcal{A}$  will denote the set(s) of all states/actions.

# Unreliable actions



---

## Notes

Actions: go over a glacier bridge or around?

# Plan? Policy

► In deterministic world: **Plan** – sequence of actions from **Start** to **Goal**.

- MDPs, we need a *policy*  $\pi : \mathcal{S} \rightarrow \mathcal{A}$ .
- An action for each possible state. Why *each*?
- What is the *best* policy?

|      |      |      |      |
|------|------|------|------|
| 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 |      | 0.00 | 0.00 |
| 0.00 | 0.00 | 0.00 | 0.00 |

---

## Notes

Ignore the 0.00 numbers in the cells.

Unlike in deterministic environment (also search problems), with stochastic action outcomes, we can end up in any state. Thus, in any state, the robot/agent has to know what to do.

What is the best policy? We will come to that in a minute, ...

# Plan? Policy

- ▶ In deterministic world: **Plan** – sequence of actions from **Start** to **Goal**.
- ▶ MDPs, we need a **policy**  $\pi : \mathcal{S} \rightarrow \mathcal{A}$ .
- ▶ An action for each possible state. Why *each*?
- ▶ What is the *best* policy?

|      |      |      |      |
|------|------|------|------|
| 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 |      | 0.00 | 0.00 |
| 0.00 | 0.00 | 0.00 | 0.00 |

|   |   |   |      |
|---|---|---|------|
| > | > | > | None |
| ∧ |   | ∧ | None |
| ∧ | > | ∧ | <    |

---

## Notes

Ignore the 0.00 numbers in the cells.

Unlike in deterministic environment (also search problems), with stochastic action outcomes, we can end up in any state. Thus, in any state, the robot/agent has to know what to do.

What is the best policy? We will come to that in a minute, ...

# Plan? Policy

- ▶ In deterministic world: **Plan** – sequence of actions from **Start** to **Goal**.
- ▶ MDPs, we need a **policy**  $\pi : \mathcal{S} \rightarrow \mathcal{A}$ .
- ▶ An action for each possible state. Why *each*?
- ▶ What is the *best* policy?

|      |      |      |      |
|------|------|------|------|
| 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 |      | 0.00 | 0.00 |
| 0.00 | 0.00 | 0.00 | 0.00 |

|   |   |   |      |
|---|---|---|------|
| > | > | > | None |
| ∧ |   | ∧ | None |
| ∧ | > | ∧ | <    |

---

## Notes

Ignore the 0.00 numbers in the cells.

Unlike in deterministic environment (also search problems), with stochastic action outcomes, we can end up in any state. Thus, in any state, the robot/agent has to know what to do.

What is the best policy? We will come to that in a minute, ...

# Rewards

|       |       |       |       |
|-------|-------|-------|-------|
| -0.04 | -0.04 | -0.04 | 1.00  |
| -0.04 |       | -0.04 | -1.00 |
| -0.04 | -0.04 | -0.04 | -0.04 |

**Reward** : Robot/Agent takes an action  $a$  and it is **immediately** rewarded.

**Reward function**  $r(s)$  (or  $r(s, a)$ ,  $r(s, a, s')$ )

$$= \begin{cases} -0.04 & \text{(small penalty) for nonterminal states} \\ \pm 1 & \text{for terminal states} \end{cases}$$

5 / 28

---

## Notes

What do the rewards express? Reward to an agent to be/dwell in that state? Obviously we want the robot to go to the goal and do not stay too long in the maze. The negative reward of  $-0.04$  gives the agent an incentive to reach the goal state quickly, so our environment is a *stochastic generalization of the search problems*.

**Thinking about Reward:** Robot/Agent takes an action  $a$  and it is immediately rewarded for this. The reward may depend on

- current state  $s$ ,
- the action taken  $a$
- the next state  $s'$  - result of the action.



**Rewards for terminal states** can be understood in a way: there is only one action:  $a = \text{exit}$ . We will come to this soon.

The **reward function** is a property of (is related to) the problem.

**Notation remark:** lowercase letters will be used for functions like  $p, r, v, f, \dots$



# Markov Decision Processes (MDPs)



States  $s \in \mathcal{S}$ , actions  $a \in \mathcal{A}$

Model  $T(s, a, s') \equiv p(s'|s, a) =$  probability that  $a$  in  $s$  leads to  $s'$

Reward function  $r(s)$  (or  $r(s, a)$ ,  $r(s, a, s')$ )

$$= \begin{cases} -0.04 & \text{(small penalty) for nonterminal states} \\ \pm 1 & \text{for terminal states} \end{cases}$$


---

## Notes


States:  $x, y$  or  $r, c$  coordinates of the position

Actions: UP, LEFT, RIGHT or N,W,E

# Markov Decision Processes (MDPs)



(a)



(b)

States  $s \in \mathcal{S}$ , actions  $a \in \mathcal{A}$

**Model**  $T(s, a, s') \equiv p(s'|s, a)$  = probability that  $a$  in  $s$  leads to  $s'$

**Reward function**  $r(s)$  (or  $r(s, a)$ ,  $r(s, a, s')$ )

$$= \begin{cases} -0.04 & \text{(small penalty) for nonterminal states} \\ \pm 1 & \text{for terminal states} \end{cases}$$

---

## Notes

States:  $x, y$  or  $r, c$  coordinates of the position

Actions: UP, LEFT, RIGHT or N,W,E

# Markovian property

- ▶ Given the present state, the future and the past are independent.
- ▶ MDP: Markov means action depends only on the current state.
- ▶ In search: successor function (transition model) depends on the current state only.

---

## Notes

- Properties are somewhat obvious, reasonable.
- However, you may break it if wrongly formalized.
- Always check, before you go (do the calculations)

# Optimal(?) policies

On-line demos.

▶  $r(s) = \{-0.04, 1, -1\}$

▶  $r(s) = \{-2, 1, -1\}$

▶  $r(s) = \{-0.01, 1, -1\}$

How to measure quality of a policy?

---

## Notes

We run `mdp_agents.py` changing reward functions.

# Optimal(?) policies

On-line demos.

▶  $r(s) = \{-0.04, 1, -1\}$

▶  $r(s) = \{-2, 1, -1\}$

▶  $r(s) = \{-0.01, 1, -1\}$

How to measure quality of a policy?

---

## Notes

We run `mdp_agents.py` changing reward functions.

# Optimal(?) policies

On-line demos.

▶  $r(s) = \{-0.04, 1, -1\}$

▶  $r(s) = \{-2, 1, -1\}$

▶  $r(s) = \{-0.01, 1, -1\}$

How to measure quality of a policy?

---

## Notes

We run `mdp_agents.py` changing reward functions.

# Optimal(?) policies

On-line demos.

▶  $r(s) = \{-0.04, 1, -1\}$

▶  $r(s) = \{-2, 1, -1\}$

▶  $r(s) = \{-0.01, 1, -1\}$

How to measure quality of a policy?

We run `mdp_agents.py` changing reward functions.

# Utilities of sequences

- ▶ State reward at time/step  $t$ ,  $R_t$ .
- ▶ State at time  $t$ ,  $S_t$ . State sequence  $[S_0, S_1, S_2, \dots, ]$

Typically, consider stationary preferences on reward sequences:

$$[R, R_1, R_2, R_3, \dots] \succ [R, R'_1, R'_2, R'_3, \dots] \Leftrightarrow [R_1, R_2, R_3, \dots] \succ [R'_1, R'_2, R'_3, \dots]$$

If stationary preferences :

Utility ( $h$ -history)

$$U_h([S_0, S_1, S_2, \dots, ]) = R_1 + R_2 + R_3 + \dots$$

If the horizon is finite - limited number of steps - preferences are nonstationary (depends on how many steps left).

---

## Notes

We consider discrete time  $t$ .  $S_t, R_t$  notation emphasises the time sequence - not a sequence of particular states. The reward is for an action (transition)

Finite vs non-finite horizon. Think about the simple  $3 \times 4$  grid from the last slides and having limited budget of 3,4,5 steps.



# Utilities of sequences

- ▶ State reward at time/step  $t$ ,  $R_t$ .
- ▶ State at time  $t$ ,  $S_t$ . State sequence  $[S_0, S_1, S_2, \dots]$

Typically, consider **stationary preferences** on reward sequences:

$$[R, R_1, R_2, R_3, \dots] \succ [R, R'_1, R'_2, R'_3, \dots] \Leftrightarrow [R_1, R_2, R_3, \dots] \succ [R'_1, R'_2, R'_3, \dots]$$

If stationary preferences :

Utility ( $h$ -history)

$$U_h([S_0, S_1, S_2, \dots]) = R_1 + R_2 + R_3 + \dots$$

If the horizon is finite - limited number of steps - preferences are **nonstationary** (depends on how many steps left)

---

## Notes

We consider discrete time  $t$ .  $S_t, R_t$  notation emphasises the time sequence - not a sequence of particular states. The reward is for an action (transition)

Finite vs non-finite horizon. Think about the simple  $3 \times 4$  grid from the last slides and having limited budget of 3,4,5 steps.

# Utilities of sequences

- ▶ State reward at time/step  $t$ ,  $R_t$ .
- ▶ State at time  $t$ ,  $S_t$ . State sequence  $[S_0, S_1, S_2, \dots, ]$

Typically, consider **stationary preferences** on reward sequences:

$$[R, R_1, R_2, R_3, \dots] \succ [R, R'_1, R'_2, R'_3, \dots] \Leftrightarrow [R_1, R_2, R_3, \dots] \succ [R'_1, R'_2, R'_3, \dots]$$

If **stationary preferences** :

Utility ( $h$ -history)

$$U_h([S_0, S_1, S_2, \dots, ]) = R_1 + R_2 + R_3 + \dots$$

If the horizon is finite - limited number of steps - preferences are **nonstationary** (depends on how many steps left).

---

## Notes

We consider discrete time  $t$ .  $S_t, R_t$  notation emphasises the time sequence - not a sequence of particular states. The reward is for an action (transition)

Finite vs non-finite horizon. Think about the simple  $3 \times 4$  grid from the last slides and having limited budget of 3,4,5 steps.

# Returns and Episodes


- ▶ Executing policy - sequence of states and **rewards**.
- ▶ **Episode** starts at  $t$ , ends at  $T$  (ending in a terminal state).
- ▶ **Return** (Utility) of the episode (policy execution)

$$G_t = R_{t+1} + R_{t+2} + R_{t+3} + \dots + R_T$$

10 / 28

---

## Notes



Solid square – *absorbing state* – end of an episode.

(transitions only to itself and generates only rewards of zero)

Allows to unify two formulations of return ( $G_t$ ) as a finite and infinite sum of rewards.

# Comparing policies; Finite vs infinite horizon

Problem: Infinite lifetime  $\Rightarrow$  additive utilities are infinite.

► Finite horizon: termination at a fixed time  $\Rightarrow$  nonstationary policy,  $\pi(s)$  depends on the time left.

► Discounted return,  $\gamma < 1, R_t \leq R_{\max}$

$$G_t = R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \dots = \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \leq \frac{R_{\max}}{1-\gamma}$$


► Absorbing (terminal) state.

Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

## Notes

Discounting is quite natural choice. Think about your preferences/rewards. Go to pub with friends tonight, studying (for the far future reward of getting A in the course)?



Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

Solid square – *absorbing state* – end of an episode.

(transitions only to itself and generates only rewards of zero)

Allows to unify two formulations of return ( $G_t$ ) as a finite and infinite sum of rewards.

# Comparing policies; Finite vs infinite horizon

Problem: Infinite lifetime  $\Rightarrow$  additive utilities are infinite.

- ▶ Finite horizon: termination at a fixed time  $\Rightarrow$  nonstationary policy,  $\pi(s)$  depends on the time left.

- ▶ Discounted return,  $\gamma < 1, R_t \leq R_{\max}$

$$G_t = R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \dots = \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \leq \frac{R_{\max}}{1-\gamma}$$


- ▶ Absorbing (terminal) state.

Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

## Notes

Discounting is quite natural choice. Think about your preferences/rewards. Go to pub with friends tonight, studying (for the far future reward of getting A in the course)?



Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

Solid square – *absorbing state* – end of an episode.

(transitions only to itself and generates only rewards of zero)

Allows to unify two formulations of return ( $G_t$ ) as a finite and infinite sum of rewards.

# Comparing policies; Finite vs infinite horizon

Problem: Infinite lifetime  $\Rightarrow$  additive utilities are infinite.

- ▶ Finite horizon: termination at a fixed time  $\Rightarrow$  nonstationary policy,  $\pi(s)$  depends on the time left.
- ▶ **Discounted return** ,  $\gamma < 1, R_t \leq R_{\max}$

$$G_t = R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \dots = \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \leq \frac{R_{\max}}{1-\gamma}$$

- ▶ Absorbing (terminal) state.


Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

11 / 28

## Notes

Discounting is quite natural choice. Think about your preferences/rewards. Go to pub with friends tonight, studying (for the far future reward of getting A in the course)?



Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

Solid square – *absorbing state* – end of an episode.

(transitions only to itself and generates only rewards of zero)

Allows to unify two formulations of return ( $G_t$ ) as a finite and infinite sum of rewards.

# Comparing policies; Finite vs infinite horizon

Problem: Infinite lifetime  $\Rightarrow$  additive utilities are infinite.

- ▶ Finite horizon: termination at a fixed time  $\Rightarrow$  nonstationary policy,  $\pi(s)$  depends on the time left.
- ▶ Discounted return ,  $\gamma < 1, R_t \leq R_{\max}$

$$G_t = R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \dots = \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \leq \frac{R_{\max}}{1-\gamma}$$

- ▶ Absorbing (terminal) state.


Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

11 / 28

## Notes

Discounting is quite natural choice. Think about your preferences/rewards. Go to pub with friends tonight, studying (for the far future reward of getting A in the course)?



Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

Solid square – *absorbing state* – end of an episode.

(transitions only to itself and generates only rewards of zero)

Allows to unify two formulations of return ( $G_t$ ) as a finite and infinite sum of rewards.

# Comparing policies; Finite vs infinite horizon

Problem: Infinite lifetime  $\Rightarrow$  additive utilities are infinite.

► Finite horizon: termination at a fixed time  $\Rightarrow$  nonstationary policy,  $\pi(s)$  depends on the time left.

► Discounted return ,  $\gamma < 1, R_t \leq R_{\max}$

$$G_t = R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \dots = \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \leq \frac{R_{\max}}{1-\gamma}$$

► Absorbing (terminal) state.


Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

11 / 28

## Notes

Discounting is quite natural choice. Think about your preferences/rewards. Go to pub with friends tonight, studying (for the far future reward of getting A in the course)?



Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

Solid square – *absorbing state* – end of an episode.

(transitions only to itself and generates only rewards of zero)

Allows to unify two formulations of return ( $G_t$ ) as a finite and infinite sum of rewards.



# Comparing policies; Finite vs infinite horizon

Problem: Infinite lifetime  $\Rightarrow$  additive utilities are infinite.

- ▶ Finite horizon: termination at a fixed time  $\Rightarrow$  nonstationary policy,  $\pi(s)$  depends on the time left.
- ▶ Discounted return ,  $\gamma < 1, R_t \leq R_{\max}$

$$G_t = R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \dots = \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \leq \frac{R_{\max}}{1-\gamma}$$

- ▶ Absorbing (terminal) state.


Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

---

## Notes

Discounting is quite natural choice. Think about your preferences/rewards. Go to pub with friends tonight, studying (for the far future reward of getting A in the course)?



Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

Solid square – *absorbing state* – end of an episode.

(transitions only to itself and generates only rewards of zero)

Allows to unify two formulations of return ( $G_t$ ) as a finite and infinite sum of rewards.

# Comparing policies; Finite vs infinite horizon

Problem: Infinite lifetime  $\Rightarrow$  additive utilities are infinite.

- ▶ Finite horizon: termination at a fixed time  $\Rightarrow$  nonstationary policy,  $\pi(s)$  depends on the time left.
- ▶ Discounted return ,  $\gamma < 1, R_t \leq R_{\max}$

$$G_t = R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \dots = \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \leq \frac{R_{\max}}{1-\gamma}$$

- ▶ Absorbing (terminal) state.

Returns are successive steps related to each other


$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

11 / 28

---

## Notes

Discounting is quite natural choice. Think about your preferences/rewards. Go to pub with friends tonight, studying (for the far future reward of getting A in the course)?



Returns are successive steps related to each other

$$\begin{aligned} G_t &= R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \dots \\ &= R_{t+1} + \gamma(R_{t+2} + \gamma R_{t+3} + \gamma^2 R_{t+4} + \dots) \\ &= R_{t+1} + \gamma G_{t+1} \end{aligned}$$

Solid square – *absorbing state* – end of an episode.

(transitions only to itself and generates only rewards of zero)

Allows to unify two formulations of return ( $G_t$ ) as a finite and infinite sum of rewards.

# MDPs recap

## Markov decision processes (MDPs):

- ▶ Set of states  $\mathcal{S}$
- ▶ Set of actions  $\mathcal{A}$
- ▶ Transitions  $p(s'|s, a)$  or  $T(s, a, s')$
- ▶ Reward function  $r(s, a, s')$ ; and discount  $\gamma$

## MDP quantities:

- ▶ (deterministic) Policy  $\pi(s)$  – choice of action for each state
- ▶ Return (Utility) of an episode (sequence) – sum of (discounted) rewards.

---

### Notes

Think about what is given and what we want to compute.

# MDPs recap

## Markov decision processes (MDPs):

- ▶ Set of states  $\mathcal{S}$
- ▶ Set of actions  $\mathcal{A}$
- ▶ Transitions  $p(s'|s, a)$  or  $T(s, a, s')$
- ▶ Reward function  $r(s, a, s')$ ; and discount  $\gamma$

## MDP quantities:

- ▶ (deterministic) Policy  $\pi(s)$  – choice of action for each state
- ▶ Return (Utility) of an episode (sequence) – sum of (discounted) rewards.

---

### Notes

Think about what is given and what we want to compute.

# Value functions

- ▶ Executing policy  $\pi \rightarrow$  sequence of states (and rewards).
- ▶ Utility of a state sequence.
  - ▶ But actions are unreliable - environment is stochastic.
  - ▶ Expected return of a policy  $\pi$ .

Starting at time  $t$ , i.e.  $S_t$ ,

$$U^\pi(S_t) = E^\pi \left[ \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \right]$$

## Value function

$$v^\pi(s) = E^\pi [G_t | S_t = s] = E^\pi \left[ \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \mid S_t = s \right]$$


## Action-value function (q-function)

$$q^\pi(s, a) = E^\pi [G_t | S_t = s, A_t = a] = E^\pi \left[ \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \mid S_t = s, A_t = a \right]$$

13 / 28

---

### Notes



Contrast *return* of a particular episode vs. *value* – expected utility of a state sequence in general – *expected return*  
Expected value can be also computed by running (executing) the policy many times and then computing average  
- Monte Carlo simulation methods.

# Value functions

- ▶ Executing policy  $\pi \rightarrow$  sequence of states (and rewards).
- ▶ Utility of a state sequence.
- ▶ But actions are unreliable - environment is stochastic.
  - ▶ Expected return of a policy  $\pi$ .

Starting at time  $t$ , i.e.  $S_t$ ,

$$U^\pi(S_t) = E^\pi \left[ \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \right]$$


## Value function

$$v^\pi(s) = E^\pi [G_t | S_t = s] = E^\pi \left[ \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \mid S_t = s \right]$$

## Action-value function (q-function)

$$q^\pi(s, a) = E^\pi [G_t | S_t = s, A_t = a] = E^\pi \left[ \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \mid S_t = s, A_t = a \right]$$

### Notes



Contrast *return* of a particular episode vs. *value* – expected utility of a state sequence in general – *expected return*  
Expected value can be also computed by running (executing) the policy many times and then computing average  
- Monte Carlo simulation methods.

# Value functions

- ▶ Executing policy  $\pi \rightarrow$  sequence of states (and rewards).
- ▶ Utility of a state sequence.
- ▶ But actions are unreliable - environment is stochastic.
- ▶ **Expected return** of a policy  $\pi$ .

Starting at time  $t$ , i.e.  $S_t$ ,

$$U^\pi(S_t) = E^\pi \left[ \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \right]$$

## Value function

$$v^\pi(s) = E^\pi [G_t | S_t = s] = E^\pi \left[ \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \mid S_t = s \right]$$


## Action-value function (q-function)

$$q^\pi(s, a) = E^\pi [G_t | S_t = s, A_t = a] = E^\pi \left[ \sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \mid S_t = s, A_t = a \right]$$

13 / 28

---

### Notes



Contrast *return* of a particular episode vs. *value* – expected utility of a state sequence in general – *expected return*  
Expected value can be also computed by running (executing) the policy many times and then computing average  
- Monte Carlo simulation methods.

# Optimal policy $\pi^*$ , and optimal value $v^*(s)$

$v^*(s)$  = expected (discounted) sum of rewards (until termination) assuming *optimal* actions.

---

## Notes

Showing cases for

- $r(s) = \{-0.04, 1, -1\}$ ,  $\gamma = 0.999999$ ,  $\epsilon = 0.03$
- $r(s) = \{-0.01, 1, -1\}$ ,  $\gamma = 0.999999$ ,  $\epsilon = 0.03$

What is the difference in the optimal policy? Try to explain why it happened.

We still do not know *how* to compute the optimality, ... right?



# Optimal policy $\pi^*$ , and optimal value $v^*(s)$

$v^*(s)$  = expected (discounted) sum of rewards (until termination) assuming *optimal* actions.

|   |      |      |      |       |   |
|---|------|------|------|-------|---|
|   | 0    | 1    | 2    | 3     |   |
| 0 | 0.88 | 0.92 | 0.96 | 1.00  | 0 |
| 1 | 0.84 |      | 0.92 | -1.00 | 1 |
| 2 | 0.80 | 0.84 | 0.88 | 0.84  | 2 |
|   | 0    | 1    | 2    | 3     |   |

|   |          |   |          |      |   |
|---|----------|---|----------|------|---|
|   | 0        | 1 | 2        | 3    |   |
| 0 | >        | > | >        | None | 0 |
| 1 | $\wedge$ |   | $\wedge$ | None | 1 |
| 2 | $\wedge$ | > | $\wedge$ | <    | 2 |
|   | 0        | 1 | 2        | 3    |   |

$$r(s) = \{-0.04, 1, -1\}, \gamma = 0.999999, \epsilon = 0.03, \text{ Robot } \textit{deterministic}$$

## Notes

Showing cases for

- $r(s) = \{-0.04, 1, -1\}, \gamma = 0.999999, \epsilon = 0.03$
- $r(s) = \{-0.01, 1, -1\}, \gamma = 0.999999, \epsilon = 0.03$

What is the difference in the optimal policy? Try to explain why it happened.

We still do not know *how* to compute the optimality, ... right?

# Optimal policy $\pi^*$ , and optimal value $v^*(s)$

$v^*(s)$  = expected (discounted) sum of rewards (until termination) assuming *optimal* actions.

|   |      |      |      |       |   |
|---|------|------|------|-------|---|
|   | 0    | 1    | 2    | 3     |   |
| 0 | 0.81 | 0.87 | 0.92 | 1.00  | 0 |
| 1 | 0.76 |      | 0.66 | -1.00 | 1 |
| 2 | 0.71 | 0.66 | 0.61 | 0.39  | 2 |
|   | 0    | 1    | 2    | 3     |   |

|   |          |   |          |      |   |
|---|----------|---|----------|------|---|
|   | 0        | 1 | 2        | 3    |   |
| 0 | >        | > | >        | None | 0 |
| 1 | $\wedge$ |   | $\wedge$ | None | 1 |
| 2 | $\wedge$ | < | <        | <    | 2 |
|   | 0        | 1 | 2        | 3    |   |

$r(s) = \{-0.04, 1, -1\}$ ,  $\gamma = 0.999999$ ,  $\epsilon = 0.03$ , Robot *non-deterministic*

## Notes

Showing cases for

- $r(s) = \{-0.04, 1, -1\}$ ,  $\gamma = 0.999999$ ,  $\epsilon = 0.03$
- $r(s) = \{-0.01, 1, -1\}$ ,  $\gamma = 0.999999$ ,  $\epsilon = 0.03$

What is the difference in the optimal policy? Try to explain why it happened.

We still do not know *how* to compute the optimality, ... right?


# Optimal policy $\pi^*$ , and optimal value $v^*(s)$

$v^*(s)$  = expected (discounted) sum of rewards (until termination) assuming *optimal* actions.

|   |      |      |      |       |
|---|------|------|------|-------|
|   | 0    | 1    | 2    | 3     |
| 0 | 0.95 | 0.96 | 0.98 | 1.00  |
| 1 | 0.94 |      | 0.89 | -1.00 |
| 2 | 0.92 | 0.91 | 0.90 | 0.80  |
|   | 0    | 1    | 2    | 3     |

|   |   |   |   |       |
|---|---|---|---|-------|
|   | 0 | 1 | 2 | 3     |
| 0 | 0 | > | > | 1.00  |
| 1 | 1 | ^ | < | -1.00 |
| 2 | 2 | ^ | < | V     |
|   | 0 | 1 | 2 | 3     |

$$r(s) = \{-0.01, 1, -1\}, \gamma = 0.999999, \epsilon = 0.03,$$



## Notes

Showing cases for

- $r(s) = \{-0.04, 1, -1\}, \gamma = 0.999999, \epsilon = 0.03$
- $r(s) = \{-0.01, 1, -1\}, \gamma = 0.999999, \epsilon = 0.03$

What is the difference in the optimal policy? Try to explain why it happened.  
We still do not know *how* to compute the optimality, ... right?


# MDP search tree

The value of a  $q$ -state  $(s, a)$ :

$$q^*(s, a) = \sum_{s'} p(s'|a, s) [r(s, a, s') + \gamma v^*(s')]$$

The value of a state  $s$ :

$$v^*(s) = \max_a q^*(s, a)$$



---

## Notes

$$\begin{aligned} v^\pi(s) &= \mathbb{E}^\pi [G_t \mid S_t = s] \\ &= \mathbb{E}^\pi [R_{t+1} + \gamma G_{t+1} \mid S_t = s] \\ &= \sum_{s'} p(s'|a, s) [r(s, a, s') + \gamma \mathbb{E}^\pi [G_{t+1} \mid S_{t+1} = s']] \end{aligned}$$

Recall Expectimax algorithm from the last lecture.

How to compute  $V(s)$ ? Well, we could solve the expectimax search - but it grows quickly. We can see  $R(s)$  as the price for leaving the state  $s$  just anyhow.


# MDP search tree

The value of a  $q$ -state  $(s, a)$ :

$$q^*(s, a) = \sum_{s'} p(s'|a, s) [r(s, a, s') + \gamma v^*(s')]$$

The value of a state  $s$ :

$$v^*(s) = \max_a q^*(s, a)$$



---

## Notes

$$\begin{aligned} v^\pi(s) &= \mathbb{E}^\pi [G_t \mid S_t = s] \\ &= \mathbb{E}^\pi [R_{t+1} + \gamma G_{t+1} \mid S_t = s] \\ &= \sum_{s'} p(s'|a, s) [r(s, a, s') + \gamma \mathbb{E}^\pi [G_{t+1} \mid S_{t+1} = s']] \end{aligned}$$

Recall Expectimax algorithm from the last lecture.

How to compute  $V(s)$ ? Well, we could solve the expectimax search - but it grows quickly. We can see  $R(s)$  as the price for leaving the state  $s$  just anyhow.


# MDP search tree

The value of a  $q$ -state  $(s, a)$ :

$$q^*(s, a) = \sum_{s'} p(s'|a, s) [r(s, a, s') + \gamma v^*(s')]$$

The value of a state  $s$ :

$$v^*(s) = \max_a q^*(s, a)$$



---

## Notes

$$\begin{aligned} v^\pi(s) &= \mathbb{E}^\pi [G_t \mid S_t = s] \\ &= \mathbb{E}^\pi [R_{t+1} + \gamma G_{t+1} \mid S_t = s] \\ &= \sum_{s'} p(s'|a, s) [r(s, a, s') + \gamma \mathbb{E}^\pi [G_{t+1} \mid S_{t+1} = s']] \end{aligned}$$


Recall Expectimax algorithm from the last lecture.

How to compute  $V(s)$ ? Well, we could solve the expectimax search - but it grows quickly. We can see  $R(s)$  as the price for leaving the state  $s$  just anyhow.

# Bellman (optimality) equation

$$v^*(s) = \max_{a \in A(s)} \sum_{s'} p(s'|a, s) [r(s, a, s') + \gamma v^*(s')]$$

|   |       |   |           |   |
|---|-------|---|-----------|---|
| 0 |       |   | <b>+1</b> |   |
| 1 |       |   | <b>-1</b> |   |
| 2 | START |   |           |   |
|   | 0     | 1 | 2         | 3 |




---

### Notes

$v$  computation on the table - one row for each action. We got  $n$  equations for  $n$  unknown -  $n$  states. But max is a non-linear operator!

$$v^*(s) = \max_{a \in A(s)} \sum_{s'} p(s'|a, s) [r(s, a, s') + \gamma v^*(s')]$$




---

**Notes**

Space for on-line drawing ...



$$v^*(s) = \max_{a \in A(s)} \sum_{s'} p(s'|a, s) [r(s, a, s') + \gamma v^*(s')]$$



---

**Notes**

Space for on-line drawing ...

# Value iteration

- ▶ Start with arbitrary  $V_0(s)$  (except for terminals)
- ▶ Compute Bellman update (one ply of expectimax from each state)

$$V_{k+1}(s) \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} p(s'|s, a) V_k(s')$$

- ▶ Repeat until convergence

The idea: Bellman update makes local consistency with the Bellmann equation. Everywhere locally consistent  $\Rightarrow$  globally optimal.

---

## Notes

What is the complexity of each iteration?  $O(S^2A)$

# Value iteration

- ▶ Start with arbitrary  $V_0(s)$  (except for terminals)
- ▶ Compute **Bellman update** (one ply of expectimax from each state)

$$V_{k+1}(s) \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} p(s'|s, a) V_k(s')$$

- ▶ Repeat until convergence

The idea: Bellman update makes local consistency with the Bellmann equation. Everywhere locally consistent  $\Rightarrow$  globally optimal.

---

## Notes

What is the complexity of each iteration?  $O(S^2A)$

# Value iteration

- ▶ Start with arbitrary  $V_0(s)$  (except for terminals)
- ▶ Compute **Bellman update** (one ply of expectimax from each state)

$$V_{k+1}(s) \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} p(s'|s, a) V_k(s')$$

- ▶ Repeat until convergence

The idea: Bellman update makes local consistency with the Bellmann equation. Everywhere locally consistent  $\Rightarrow$  globally optimal.

---

## Notes

What is the complexity of each iteration?  $O(S^2A)$

# Value iteration

- ▶ Start with arbitrary  $V_0(s)$  (except for terminals)
- ▶ Compute **Bellman update** (one ply of expectimax from each state)

$$V_{k+1}(s) \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} p(s'|s, a) V_k(s')$$

- ▶ Repeat until convergence

The idea: Bellman update makes local consistency with the Bellmann equation. Everywhere locally consistent  $\Rightarrow$  globally optimal.

---

## Notes

What is the complexity of each iteration?  $O(S^2A)$

# Convergence

$$V_{k+1}(s) \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s'|s, a) V_k(s')$$

$$\gamma < 1$$

$$-R_{\max} \leq R(s) \leq R_{\max}$$

Max norm:

$$\|V\| = \max_s |V(s)|$$

$$U([s_0, s_1, s_2, \dots, s_\infty]) = \sum_{t=0}^{\infty} \gamma^t R(s_t) \leq \frac{R_{\max}}{1-\gamma}$$

---

## Notes

Keep in mind that  $V$  is a vector of all state values. If the problem has 12 states ( $3 \times 4$  grid) then it is a 12-dim vector.

# Convergence

$$V_{k+1}(s) \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s'|s, a) V_k(s')$$

$$\gamma < 1$$

$$-R_{\max} \leq R(s) \leq R_{\max}$$

Max norm:

$$\|V\| = \max_s |V(s)|$$

$$U([s_0, s_1, s_2, \dots, s_\infty]) = \sum_{t=0}^{\infty} \gamma^t R(s_t) \leq \frac{R_{\max}}{1 - \gamma}$$

---

## Notes

Keep in mind that  $V$  is a vector of all state values. If the problem has 12 states ( $3 \times 4$  grid) then it is a 12-dim vector.

## Convergence cont'd

$V_{k+1} \leftarrow BV_k \dots B$  as the Bellman update  $V_{k+1}(s) \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} p(s'|s, a) V_k(s')$

$$\|BV_k - BV'_k\| \leq \gamma \|V_k - V'_k\|$$

$$\|BV_k - V_{\text{true}}\| \leq \gamma \|V_k - V_{\text{true}}\|$$

Rewards are bounded, at the beginning then Value error is

$$\|V_0 - V_{\text{true}}\| \leq \frac{2R_{\text{max}}}{1-\gamma}$$

We run  $N$  iterations and reduce the error by factor  $\gamma$  in each and want to stop the error is below  $\epsilon$ :

$$\gamma^N 2R_{\text{max}} / (1-\gamma) \leq \epsilon \text{ Taking logs, we find: } N \geq \frac{\log(2R_{\text{max}}/\epsilon(1-\gamma))}{\log(1/\gamma)}$$

To stop the iteration we want to find a bound relating the error to the size of *one* Bellman update for any given iteration.

We stop if

$$\|V_{k+1} - V_k\| \leq \frac{\epsilon(1-\gamma)}{\gamma}$$

then also:  $\|V_{k+1} - V_{\text{true}}\| \leq \epsilon$  Proof on the next slide

---

### Notes

Try to prove that:

$$\|\max f(a) - \max g(a)\| \leq \max \|f(a) - g(a)\|$$



## Convergence cont'd

$\|V_{k+1} - V_{\text{true}}\| \leq \epsilon$  is the same as  $\|V_{k+1} - V_{\infty}\| \leq \epsilon$

Assume  $\|V_{k+1} - V_k\| = \text{err}$

In each of the following iteration steps we reduce the error by the factor  $\gamma$  (because  $\|BV_k - V_{\text{true}}\| \leq \gamma\|V_k - V_{\text{true}}\|$ ). Till  $\infty$ , the total sum of reduced errors is:

$$\text{total} = \gamma \text{err} + \gamma^2 \text{err} + \gamma^3 \text{err} + \gamma^4 \text{err} + \dots = \frac{\gamma \text{err}}{(1 - \gamma)}$$

We want to have  $\text{total} < \epsilon$ .

$$\frac{\gamma \text{err}}{(1 - \gamma)} < \epsilon$$

From it follows that

$$\text{err} < \frac{\epsilon(1 - \gamma)}{\gamma}$$

Hence we can stop if  $\|V_{k+1} - V_k\| < \epsilon(1 - \gamma)/\gamma$

# Value iteration demo

$$V_{k+1}(s) \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s'|s, a) V_k(s')$$

|   | 0    | 1    | 2    | 3     |   |
|---|------|------|------|-------|---|
| 0 | 0.81 | 0.87 | 0.92 | 1.00  | 0 |
| 1 | 0.76 |      | 0.66 | -1.00 | 1 |
| 2 | 0.71 | 0.66 | 0.61 | 0.39  | 2 |
|   | 0    | 1    | 2    | 3     |   |

---

## Notes

Run `mdp_agents.py` and try to compute next state value in advance. Remind the  $R(s) = -0.04$  and  $\gamma = 1$  in order to simplify computation. Then discuss the course of the Values.

# Value iteration algorithm

**function** VALUE-ITERATION( $\text{env}, \epsilon$ ) **returns:** state values  $V$

**input:** env - MDP problem,  $\epsilon$

$V' \leftarrow 0$  in all states

**repeat**

$V \leftarrow V'$

$\delta \leftarrow 0$

**for each state**  $s$  **in**  $S$  **do**

$V'[s] \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s'|s, a) V(s')$

**if**  $|V'[s] - V[s]| > \delta$  **then**  $\delta \leftarrow |V'[s] - V[s]|$

**end for**

**until**  $\delta < \epsilon(1 - \gamma)/\gamma$

**end function**

▷ iterate values until convergence

▷ keep the last known values

▷ reset the max difference

# Value iteration algorithm

**function** VALUE-ITERATION( $\text{env}, \epsilon$ ) **returns:** state values  $V$

**input:**  $\text{env}$  - MDP problem,  $\epsilon$

$V' \leftarrow 0$  in all states

**repeat**

$V \leftarrow V'$

$\delta \leftarrow 0$

**for each state**  $s$  **in**  $S$  **do**

$V[s] \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s'|s, a) V(s')$

**if**  $|V'[s] - V[s]| > \delta$  **then**  $\delta \leftarrow |V'[s] - V[s]|$

**end for**

**until**  $\delta < \epsilon(1 - \gamma)/\gamma$

**end function**

▷ iterate values until convergence

▷ keep the last known values

▷ reset the max difference

# Value iteration algorithm

**function** VALUE-ITERATION( $\text{env}, \epsilon$ ) **returns:** state values  $V$

**input:**  $\text{env}$  - MDP problem,  $\epsilon$

$V' \leftarrow 0$  in all states

**repeat**

$V \leftarrow V'$

$\delta \leftarrow 0$

for each state  $s$  in  $S$  do

$V'[s] \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s'|s, a) V(s')$

if  $|V'[s] - V[s]| > \delta$  then  $\delta \leftarrow |V'[s] - V[s]|$

end for

until  $\delta < \epsilon(1 - \gamma)/\gamma$

end function

▷ iterate values until convergence

▷ keep the last known values

▷ reset the max difference

# Value iteration algorithm

**function** VALUE-ITERATION( $\text{env}, \epsilon$ ) **returns:** state values  $V$

**input:** env - MDP problem,  $\epsilon$

$V' \leftarrow 0$  in all states

**repeat**

$V \leftarrow V'$

$\delta \leftarrow 0$

**for each** state  $s$  **in**  $S$  **do**

$V'[s] \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s'|s, a) V(s')$

**if**  $|V'[s] - V[s]| > \delta$  **then**  $\delta \leftarrow |V'[s] - V[s]|$

**end for**

*until*  $\delta < \epsilon(1 - \gamma)/\gamma$

*end function*

▷ iterate values until convergence

▷ keep the last known values

▷ reset the max difference

# Value iteration algorithm

**function** VALUE-ITERATION( $\text{env}, \epsilon$ ) **returns:** state values  $V$

**input:**  $\text{env}$  - MDP problem,  $\epsilon$

$V' \leftarrow 0$  in all states

**repeat**

$V \leftarrow V'$

$\delta \leftarrow 0$

**for each** state  $s$  **in**  $S$  **do**

$V'[s] \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s'|s, a) V(s')$

**if**  $|V'[s] - V[s]| > \delta$  **then**  $\delta \leftarrow |V'[s] - V[s]|$

**end for**

**until**  $\delta < \epsilon(1 - \gamma)/\gamma$

**end function**

▷ iterate values until convergence

▷ keep the last known values

▷ reset the max difference

# Sync vs. async Value iteration

**function** VALUE-ITERATION( $\text{env}, \epsilon$ ) **returns:** state values  $V$

**input:**  $\text{env}$  - MDP problem,  $\epsilon$

$V' \leftarrow 0$  in all states

**repeat**

$V \leftarrow V'$

$\delta \leftarrow 0$

**for each** state  $s$  **in**  $S$  **do**

$V'[s] \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s'|s, a) V(s')$

**if**  $|V'[s] - V[s]| > \delta$  **then**  $\delta \leftarrow |V'[s] - V[s]|$

**end for**

**until**  $\delta < \epsilon(1 - \gamma)/\gamma$

**end function**

▷ iterate values until convergence

▷ keep the last known values

▷ reset the max difference



## References

Some figures from [1] (chapter 17) but notation slightly changed in order to adapt notation from [2] (chapters 3, 4) which will help us in the Reinforcement Learning part of the course. Note that the book [2] is available on-line.

- [1] Stuart Russell and Peter Norvig.  
*Artificial Intelligence: A Modern Approach*.  
Prentice Hall, 3rd edition, 2010.  
<http://aima.cs.berkeley.edu/>.
- [2] Richard S. Sutton and Andrew G. Barto.  
*Reinforcement Learning; an Introduction*.  
MIT Press, 2nd edition, 2018.  
<http://www.incompleteideas.net/book/the-book-2nd.html>.