

# Linear Classifiers II

Tomáš Svoboda



Vision for Robots and Autonomous Systems, Center for Machine Perception  
Department of Cybernetics  
Faculty of Electrical Engineering, Czech Technical University in Prague

May 27, 2020

## Linear Classifiers - supplement lecture

- ▶ Supplement to the lecture about learning Linear Classifiers (perceptron, ...)
- ▶ Better etalons by applying Fischer linear discriminator analysis.
- ▶ LSQ formulation of the learning task.

## Fischer linear discriminant



- ▶ Dimensionality reduction
- ▶ Maximize distance between means, ...
- ▶ ... and minimize within class variance. (minimize overlap)

Figures from [1]

# Projections to lower dimensions $y = \mathbf{w}^\top \mathbf{x}$





Figure from [2]

Projection to lower dimension  $\mathbf{y} = \mathbf{W}^T \mathbf{x}$






Figure from [2]

Finding the best projection  $y = \mathbf{w}^T \mathbf{x}$ ,  $y \geq -w_0 \Rightarrow C_1$ , otherwise  $C_2$



Finding the best projection  $y = \mathbf{w}^\top \mathbf{x}$ ,  $y \geq -w_0 \Rightarrow C_1$ , otherwise  $C_2$


$$m_2 - m_1 = \mathbf{w}^\top (\mathbf{m}_2 - \mathbf{m}_1)$$

Within class scatter of projected samples

$$s_i^2 = \sum_{y \in C_i} (y - m_i)^2$$

Fischer criterion:

$$J(\mathbf{w}) = \frac{(m_2 - m_1)^2}{s_1^2 + s_2^2}$$



Finding the best projection  $y = \mathbf{w}^\top \mathbf{x}$ ,  $y \geq -w_0 \Rightarrow C_1$ , otherwise  $C_2$

$$m_2 - m_1 = \mathbf{w}^\top (\mathbf{m}_2 - \mathbf{m}_1)$$

$$s_i^2 = \sum_{y \in C_i} (y - m_i)^2$$

$$J(\mathbf{w}) = \frac{(m_2 - m_1)^2}{s_1^2 + s_2^2}$$

$$\frac{\partial J(\mathbf{w})}{\partial \mathbf{w}} = 0$$

$$S_i = \sum_{\mathbf{x} \in C_i} (\mathbf{x} - \mathbf{m}_i)(\mathbf{x} - \mathbf{m}_i)^\top$$

$$S_W = S_1 + S_2$$

$$S_B = (\mathbf{m}_2 - \mathbf{m}_1)(\mathbf{m}_2 - \mathbf{m}_1)^\top$$

$$J(\mathbf{w}) = \frac{\mathbf{w}^\top S_B \mathbf{w}}{\mathbf{w}^\top S_W \mathbf{w}}$$




# LSQ approach to linear classification

$$\mathbf{w} = \begin{bmatrix} w_0 \\ \mathbf{w} \end{bmatrix}$$

$$X\mathbf{w} = \mathbf{b}$$

$$J(\mathbf{w}) = \|X\mathbf{w} - \mathbf{b}\|^2$$



LSQ approach, better margins **b**?

$$\mathbf{X} = \begin{bmatrix} 1_1 & \mathbf{X}_1 \\ -1_2 & -\mathbf{X}_2 \end{bmatrix}$$

$$\mathbf{b} = \begin{bmatrix} \frac{n}{n_1} 1_1 \\ \frac{n}{n_2} 1_2 \end{bmatrix}$$

## References I

Further reading: Chapter 4 of [1], or chapter 3 and 5 of [2].

[1] Christopher M. Bishop.

*Pattern Recognition and Machine Learning.*

Springer Science+Business Media, New York, NY, 2006.

PDF freely downloadable.

[2] Richard O. Duda, Peter E. Hart, and David G. Stork.

*Pattern Classification.*

John Wiley & Sons, 2nd edition, 2001.