

# Quick Introduction to C++

Jan Faigl

Department of Computer Science

Faculty of Electrical Engineering

Czech Technical University in Prague

Lecture 11

B3B36PRG – C Programming Language



# Overview of the Lecture

- Part 1 – Quick Introduction to C++

Resources

Quick Overview How C++ Differs from C

Classes and Objects

Constructor/Destructor

Templates

Standard Template Library (STL)



# Part I

## Part 1 – Quick Introduction to C++ (for C coders)



# Outline

## Resources

Quick Overview How C++ Differs from C

Classes and Objects

Constructor/Destructor

Templates

Standard Template Library (STL)



## Books




The C++ Programming Language,  
*Bjarne Stroustrup*, Addison-Wesley Professional, 2013, ISBN  
978-0321563842



Programming: Principles and Practice Using C++, *Bjarne Stroustrup*, Addison-Wesley Professional, 2014, ISBN  
978-0321992789



Effective C++: 55 Specific Ways to Improve Your Programs and Designs, *Scott Meyers*, Addison-Wesley Professional, 2005, ISBN  
978-0321334879



# Outline

Resources

[Quick Overview How C++ Differs from C](#)

[Classes and Objects](#)

[Constructor/Destructor](#)

[Templates](#)

[Standard Template Library \(STL\)](#)



# Objects Oriented Programming (OOP)

OOP is a way how to design a program to fulfill requirements and make the sources easy maintain.

- **Abstraction** – concepts (templates) are organized into classes
  - Objects are instances of the classes
- **Encapsulation**
  - Object has its state hidden and provides **interface** to communicate with other objects by sending messages (function/method calls)
- **Inheritance**
  - Hierarchy (of concepts) with common (general) properties that are further specialized in the derived classes
- **Polymorphism**
  - An object with some interface could replace another object with the same interface



# Objects Oriented Programming (OOP)

OOP is a way how to design a program to fulfill requirements and make the sources easy maintain.

- **Abstraction** – concepts (templates) are organized into classes
  - Objects are instances of the classes
- **Encapsulation**
  - Object has its state hidden and provides **interface** to communicate with other objects by sending messages (function/method calls)
- **Inheritance**
  - Hierarchy (of concepts) with common (general) properties that are further specialized in the derived classes
- **Polymorphism**
  - An object with some interface could replace another object with the same interface





## C++ for C Programmers

- C++ can be considered as an “extension” of C with additional concepts to create more complex programs in an easier way
- It supports to organize and structure complex programs to be better manageable with easier maintenance
- **Encapsulation** supports “locality” of the code, i.e., provide only public interface and keep details “hidden”
  - Avoid unintentional wrong usage because of unknown side effects
  - Make the implementation of particular functionality compact and easier to maintain
  - Provide relatively complex functionality with simple to use interface
- Support a tighter link between data and functions operating with the data, i.e., classes combine data (properties) with functions (methods)



## From struct to class

- `struct` defines complex data types for which we can define particular functions, e.g., `allocation()`, `deletion()`, `initialization()`, `sum()`, `print()` etc.
- `class` defines the data and function working on the data including the initialization (**constructor**) and deletion (**destructor**) in a compact form
  - Instance of the class is an object, i.e., a variable of the class type

```
typedef struct matrix {
    int rows;
    int cols;
    double *mtx;
} matrix_s;

matrix_s* allocate(int r, int c);
void release(matrix_s **matrix);
void init(matrix_s *matrix);
void print(const matrix_s *matrix);

matrix_s *matrix = allocate(10, 10);
init(matrix);
print(matrix);
release(matrix);
```

```
class Matrix {
    const int ROWS;
    const int COLS;
    double *mtx;
public:
    Matrix(int r, int c);
    ~Matrix(); //destructor
    void init(void);
    void print(void) const;
};

{
    Matrix matrix(10, 10);
    matrix.init();
    matrix.print();
} // will call destructor
```



## Dynamic allocation

- `malloc()` and `free()` and standard functions to allocate/release memory of the particular size in C

```
matrix_s *matrix = (matrix_s*)malloc(sizeof(matrix_s));  
matrix->rows = matrix->cols = 0; //inner matrix is not allocated  
print(matrix);  
free(matrix);
```

- C++ provides two keywords (operators) for creating and deleting objects (variables at the heap) `new` and `delete`

```
Matrix *matrix = new Matrix(10, 10); // constructor is called  
matrix->print();  
delete matrix;
```

- `new` and `delete` is similar to `malloc()` and `free()`, but
  - Variables are strictly typed and constructor is called to initialize the object
  - For arrays, explicit calling of `delete[]` is required

```
int *array = new int[100]; // aka (int*)malloc(100 * sizeof(int))  
delete[] array; // aka free(array)
```



## Dynamic allocation

- `malloc()` and `free()` and standard functions to allocate/release memory of the particular size in C

```
matrix_s *matrix = (matrix_s*)malloc(sizeof(matrix_s));  
matrix->rows = matrix->cols = 0; //inner matrix is not allocated  
print(matrix);  
free(matrix);
```

- C++ provides two keywords (operators) for creating and deleting objects (variables at the heap) `new` and `delete`

```
Matrix *matrix = new Matrix(10, 10); // constructor is called  
matrix->print();  
delete matrix;
```

- `new` and `delete` is similar to `malloc()` and `free()`, but
  - Variables are strictly typed and constructor is called to initialize the object
  - For arrays, explicit calling of `delete[]` is required

```
int *array = new int[100]; // aka (int*)malloc(100 * sizeof(int))  
delete[] array; // aka free(array)
```



## Reference

- In addition to variable and pointer to a variable, C++ supports references, i.e., a reference to an existing object

- Reference is an **alias** to existing variable, e.g.,

```
int a = 10;
int &r = a; // r is reference (alias) to a
r = 13; // a becomes 13
```

- It allows to pass object (complex data structures) to functions (methods) without copying them

```
int print(Matrix matrix)
{ // new local variable matrix is allocated
  // and content of the passed variable is copied
}
int print(Matrix *matrix) // pointer is passed
{
  matrix->print();
}
int print(Matrix &matrix)
{
  // reference is passed - similar to passing pointer
  matrix.print(); //but it is not pointer and . is used
}
```

*Variables are passed by value*



# Outline

Resources

Quick Overview How C++ Differs from C

**Classes and Objects**

Constructor/Destructor

Templates

Standard Template Library (STL)



# Class

Describes a set of objects – it is a model of the objects and defines:

- **Interface** – parts that are accessible from outside  
*public, protected, private*

- **Body** – implementation of the interface (methods) that determine the ability of the objects of the class

*Instance vs class methods*

- **Data Fields** – attributes as basic and complex data types and structures (objects)  
*Object composition*

- Instance variables – define the state of the object of the particular class
- Class variables – common for all instances of the particular class

```
// header file - definition of the class
type
class MyClass {
public:
    /// public read only
    int getValue(void) const;
private:
    /// hidden data field
    /// it is object variable
    int myData;
};
```

```
// source file - implementation of the
methods
int MyClass::getValue(void) const
{
    return myData;
}
```



## Object Structure

- The value of the object is structured, i.e., it consists of particular values of the object data fields which can be of different data type

*Heterogeneous data structure unlike an array*

- Object is an abstraction of the memory where particular values are stored
  - Data fields are called attributes or instance variables
- Data fields have their names and can be marked as hidden or accessible in the class definition

*Following the encapsulation they are usually hidden*

### Object:

- Instance of the class – can be created as a variable declaration or by dynamic allocation using the **new** operator
- Access to the attributes or methods is using `.` or `->` (for pointers to an object)





## Creating an Object – Class Constructor

- A class instance (object) is created by calling a **constructor** to initialize values of the instance variables  
*Implicit/default one exists if not specified*
- The name of the constructor is identical to the name of the class

Class definition

```
class MyClass {
public:
    // constructor
    MyClass(int i);
    MyClass(int i, double d);

private:
    const int _i;
    int _ii;
    double _d;
};
```

Class implementation

```
MyClass::MyClass(int i) : _i(i)
{
    _ii = i * i;
    _d = 0.0;
}
// overloading constructor
MyClass::MyClass(int i, double d) : _i(i)
{
    _ii = i * i;
    _d = d;
}
```

```
{
    MyClass myObject(10); //create an object as an instance of MyClass
} // at the end of the block, the object is destroyed
MyClass *myObject = new MyClass(20, 2.3); //dynamic object creation
delete myObject; //dynamic object has to be explicitly destroyed
```



## Relationship between Objects

- Objects may contain other objects
- Object aggregation / composition
- Class definition can be based on an existing class definition – so, there is a relationship between classes
  - Base class (super class) and the derived class
  - The relationship is transferred to the respective objects as instances of the classes
    - By that, we can cast objects of the derived class to class instances of ancestor*
- Objects communicate between each other using methods (interface) that is accessible to them



## Access Modifiers

- Access modifiers allow to implement **encapsulation** (information hiding) by specifying which class members are private and which are public:
  - **public:** – any class can refer to the field or call the method
  - **protected:** – only the current class and subclasses (derived classes) of this class have access to the field or method
  - **private:** – only the current class has the access to the field or method

Modifier	Access		
	Class	Derived Class	“World”
<b>public</b>	✓	✓	✓
<b>protected</b>	✓	✓	X
<b>private</b>	✓	X	X



# Outline

Resources

Quick Overview How C++ Differs from C

Classes and Objects

**Constructor/Destructor**

Templates

Standard Template Library (STL)



# Constructor and Destructor

- **Constructor** provides the way how to initialize the object, i.e., allocate resources

Programming idiom – Resource acquisition is initialization (RAII)

- **Destructor** is called at the end of the object life

- It is responsible for a proper cleanup of the object
- Releasing resources, e.g., freeing allocated memory, closing files

- Destructor is a method specified by a programmer similarly to a constructor

*However, unlike constructor, only single destructor can be specified*

- The name of the destructor is the same as the name of the class but it starts with the character `~` as a prefix



## Constructor Overloading

- An example of constructor for creating an instance of the complex number
- Only a real part or both parts can be specified in the object initialization

```
class Complex {  
    public:  
        Complex(double r)  
        {  
            re = r;  
        }  
        Complex(double r, double i)  
        {  
            re = r;  
            im = i;  
        }  
        ~Complex() { /* nothing to do in destructor */ }  
    private:  
        double re;  
        double im;  
};
```

Both constructors shared the duplicate code, which we like to avoid!



## Example – Constructor Calling 1/3

- We can create a dedicated initialization method that is called from different constructors

```
class Complex {  
    public:  
        Complex(double r, double i) { init(r, i); }  
        Complex(double r) { init(r, 0.0); }  
        Complex() { init(0.0, 0.0); }  
  
    private:  
  
        void init(double r, double i)  
        {  
            re = r;  
            im = i;  
        }  
  
    private:  
        double re;  
        double im;  
};
```



## Example – Constructor Calling 2/3

- Or we can utilize default values of the arguments that are combined with initializer list here

```
class Complex {
public:
    Complex(double r = 0.0, double i = 0.0) : re(r), im(i) {}
private:
    double re;
    double im;
};

int main(void)
{
    Complex c1;
    Complex c2(1.);
    Complex c3(1., -1.);
    return 0;
}
```





## Example – Constructor Calling 3/3

- Alternatively, in C++11, we can use [delegating constructor](#)

```
class Complex {  
public:  
    Complex(double r, double i)  
    {  
        re = r;  
        im = i;  
    }  
    Complex(double r) : Complex(r, 0.0) {}  
    Complex() : Complex(0.0, 0.0) {}  
  
private:  
    double re;  
    double im;  
};
```



## Constructor Summary

- The name is identical to the class name
  - The constructor does not have return value
- Not even `void`*
- Its execution can be prematurely terminated by calling `return`
  - It can have parameters similarly as any other method (function)
  - We can call other functions, but they should not rely on initialized object that is being done in the constructor
  - **Constructor is usually `public`**
  - (`private`) constructor can be used, e.g., for:
    - Classes with only class methods
    - Classes with only constants
    - The so called singletons

*Prohibition to instantiate class*

*E.g., "object factories"*



## Constructor Summary

- The name is identical to the class name
  - The constructor does not have return value
- Not even `void`*
- Its execution can be prematurely terminated by calling `return`
  - It can have parameters similarly as any other method (function)
  - We can call other functions, but they should not rely on initialized object that is being done in the constructor
  - **Constructor is usually public**
  - (**private**) constructor can be used, e.g., for:
    - Classes with only class methods
- Prohibition to instantiate class*
- Classes with only constants
  - The so called singletons

E.g., "object factories"



# Outline

Resources

Quick Overview How C++ Differs from C

Classes and Objects

Constructor/Destructor

**Templates**

Standard Template Library (STL)



# Templates

- Class definition may contain specific data fields of a particular type
- The data type itself does not change the behavior of the object, e.g., typically as in
  - Linked list or double linked list
  - Queue, Stack, etc.
  - *data containers*
- Definition of the class for specific type would be identical except the data type
- We can use **templates** for later specification of the particular data type, when the instance of the class is created
- Templates provides **compile-time polymorphism**

*In contrast to the run-time polymorphism realized by virtual methods.*



## Example – Template Class

- The template class is defined by the **template** keyword with specification of the type name

```
template <typename T>
class Stack {
    public:
        bool push(T *data);
        T* pop(void);
};
```

- An object of the template class is declared with the specified particular type

```
Stack<int> intStack;
Stack<double> doubleStack;
```



## Example – Template Function

- Templates can also be used for functions to specify particular type and use type safety and typed operators

```
template <typename T>
const T & max(const T &a, const T &b)
{
    return a < b ? b : a;
}
```

```
double da, db;
int ia, ib;
```

```
std::cout << "max double: " << max(da, db) << std::endl;
```

```
std::cout << "max int: " << max(ia, ib) << std::endl;
```

```
//not allowed such a function is not defined
```

```
std::cout << "max mixed " << max(da, ib) << std::endl;
```



# Outline

Resources

Quick Overview How C++ Differs from C

Classes and Objects

Constructor/Destructor

Templates

**Standard Template Library (STL)**





# STL

- Standard Template Library (STL) is a library of the standard C++ that provides efficient implementations of the data **containers**, algorithms, functions, and iterators
- High efficiency of the implementation is achieved by templates with compile-type polymorphism
- Standard Template Library Programmer's Guide – <https://www.sgi.com/tech/stl/>



## std::vector – Dynamic "C" like array

- One of the very useful data containers in STL is `vector` which behaves like C array but allows to add and remove elements

```
#include <iostream>
#include <vector>

int main(void)
{
    std::vector<int> a;

    for (int i = 0; i < 10; ++i) {
        a.push_back(i);
    }

    for (int i = 0; i < a.size(); ++i) {
        std::cout << "a[" << i << "] = " << a[i] << std::endl;
    }

    std::cout << "Add one more element" << std::endl;
    a.push_back(0);

    for (int i = 5; i < a.size(); ++i) {
        std::cout << "a[" << i << "] = " << a[i] << std::endl;
    }
    return 0;
}
```

[lec11cc/stl-vector.cc](#)



# Summary of the Lecture



# Topics Discussed

- Classes and objects
- Constructor/destructor
- Templates and STL
- Next: C++ constructs (polymorphism, inheritance, and virtual methods, etc.) in examples

