

JPA, DAO, Persistence Layer

Martin Ledvinka

martin.ledvinka@fel.cvut.cz

Winter Term 2020



Contents

- 1 Persistence Layer
- 2 Data Access Objects
- 3 Tasks



Persistence Layer



Persistence Layer

- In a layered architecture, persistent data are handled by the *persistence layer*
- Data storage itself is typically handled by a database management system (DBMS), the persistence layer moderates access to it
- Separates business logic from data handling
 - Isolation of data access
 - Possible to develop components separately
 - Clearly defined layer API



Persistence Layer in Layered System




Figure : Layered architecture visualization.



Data Access Objects



Data Access Object (DAO)

- Persistence layer usually consists of *data access objects* (DAOs)

DAO

- Encapsulates access to data via a particular provider
- Provides clear API
- Create, Retrieve, Update, Delete (CRUD) operations – basic + complex (queries)
- No business logic!
- Entity class \neq dedicated DAO



JPA vs DAO

- `EntityManager` is essentially a generic DAO
- But specific to JPA (relational databases)
- Wrapping JPA/Hibernate in application-specific DAO allows to hide the implementation details of its usage



Tasks



Syncing Your Fork

- 1 Fetch branches and commits from the upstream repository (EAR/B201-eshop)
 - `git fetch upstream`
- 2 Check out local branch corresponding to the task branch
 - `git checkout -b b201-seminar-04-task`
- 3 Merge changes from the corresponding upstream branch
 - `git merge upstream/b201-seminar-04-task`
- 4 Do your task
- 5 Push the solution to your fork
 - `git push origin b201-seminar-04-task`



Building a Persistence Layer

- We have a `GenericDao` interface defined in e-shop
- It defines basic CRUD operations
- Let's start implementing it
 - `CartDao`
 - `ItemDao`
 - `CategoryDao`
 - `OrderDao`
 - `ProductDao`
- Does the code repeat? Then let's extract it into a common superclass!



Task: 1 Point

There is one more DAO missing: `UserDao`. Besides basic CRUD operations, it will eventually have to provide a method for getting user based on their username (for login).

Also, we are still missing update and delete methods in our DAOs.

- 1 Create class `UserDao` and implement method `findByUsername` which retrieves user given the specified username.
 - *Hint: use a named query.*
 - *Hint: do not forget to annotate the DAO with `@Repository` (we will find out more about it next time).*
- 2 Add missing implementation of update and removal into our DAOs.

Acceptance criteria: Project is buildable – tests pass.



The End



The End

Thank You



Resources

- https://cw.fel.cvut.cz/b201/_media/courses/b6b36ear/lectures/lecture-02-architectures-s.pdf
- https://cw.fel.cvut.cz/b201/_media/courses/b6b36ear/lectures/lecture-03-jpa-s.pdf
- <https://www.baeldung.com/java-dao-pattern>

