

Direct Q value - A

Consider the grid-world given below and an agent (yellow) moving using these actions: N-North, W-West, E-East, S-South, and a special action D-Depart in terminal states (Exit). Rewards are only awarded for taking the *Exit* action from one of the terminal states (green and red). Assume discount factor $\gamma = 1$ for all calculations.

3		-110	80
2			
1	-30	-50	100
	1	2	3

The agent starts from the top left corner and you are given the following episodes from runs of the agent through this grid-world. Each line in an Episode is a tuple containing (s, a, s', r) .

Episode 1	Episode 2	Episode 3	Episode 4	Episode 5
(1,3), S, (1,2), 0	(1,3), S, (1,2), 0	(1,3), S, (1,2), 0	(1,3), S, (1,2), 0	(1,3), S, (1,2), 0
(1,2), E, (2,2), 0	(1,2), E, (2,2), 0	(1,2), E, (2,2), 0	(1,2), E, (2,2), 0	(1,2), E, (2,2), 0
(2,2), E, (2,1), 0	(2,2), E, (3,2), 0	(2,2), E, (2,1), 0	(2,2), E, (3,2), 0	(2,2), E, (3,2), 0
(2,1), D, (Exit,), -50	(3,2), N, (3,3), 0	(2,1), D, (Exit,), -50	(3,2), N, (3,3), 0	(3,2), N, (3,1), 0
	(3,3), D, (Exit,), 80		(3,3), D, (Exit,), 80	(3,1), D, (Exit,), 100

Fill in the following Q-values obtained using **direct evaluation** from the samples:

$$Q((2,2), N) = \underline{\hspace{2cm}} \quad Q((1,2), E) = \underline{\hspace{2cm}} \quad Q((2,2), E) = \underline{\hspace{2cm}}$$