

Introduction to Machine Learning Engineering

BECM33MLE — Machine Learning Engineering

Dr. Tomáš Báča¹, Dr. Jan Brabec², Jan Lukány, MSc³

¹Multi-Robot Systems group, CTU in Prague
²CISCO
³Datamole



FACULTY
OF ELECTRICAL
ENGINEERING
CTU IN PRAGUE



MULTI-ROBOT
SYSTEMS
GROUP



DATAMOLE

Lecture 1: Introduction to MLE



FACULTY
OF ELECTRICAL
ENGINEERING
CTU IN PRAGUE



MULTI-ROBOT
SYSTEMS
GROUP



DATAMOLE

What is Machine Learning Engineering?

Research (ML)

- ideas & experiments
- exploration
- feature design
- modeling
- evaluation & benchmarking

Engineering (E)

- robust software
- system design
- ML pipelines
- data management
- scalability, testing

Operations (MLOps)

- production lifecycle
- deployment
- monitoring & alerting
- automation & infrastructure
- user interface

Research (ML)	Engineering (E)	Operations (MLOps)
<ul style="list-style-type: none">• ideas & experiments• exploration• feature design• modeling• evaluation & benchmarking	<ul style="list-style-type: none">• robust software• system design• ML pipelines• data management• scalability, testing	<ul style="list-style-type: none">• production lifecycle• deployment• monitoring & alerting• automation & infrastructure• user interface

Dr. Tomáš Báča (TB)

- Assistant professor @ Multi-robot Systems Group (MRS)
- Co-founder of Fly4Future, and Eagle.one
- PhD on Multi-UAV Distributed Sensing
- Research in Aerial robotics, Control, Realtime Mapping and Localization

Dr. Jan Brabec (JB)

- Principal AI Researcher @ Cisco
- Building systems detecting cybersecurity threats
- Ph.D. on ML in Cybersecurity @ CTU in Prague

Jan Lukány, M.Sc. (JL)

- ML/Data Engineering Team Lead @ Datamole
- Graduated at CTU FIT (Machine Learning)
- Main technical focus: "Engineering" part of MLE
- 10 years of experience from industry (agritech, biotech)

Lecture 1: Introduction to MLE

Course structure

Lecturers

Lecturers

Dr. Tomáš Báča (TB) <ul style="list-style-type: none">• Assistant professor @ Multi-robot Systems Group (MRS)• Co-founder of Fly4Future, and Eagle.one• PhD on Multi-UAV Distributed Sensing• Research in Aerial robotics, Control, Realtime Mapping and Localization	Dr. Jan Brabec (JB) <ul style="list-style-type: none">• Principal AI Researcher @ Cisco• Building systems detecting cybersecurity threats• Ph.D. on ML in Cybersecurity @ CTU in Prague	Jan Lukány, M.Sc. (JL) <ul style="list-style-type: none">• ML/Data Engineering Team Lead @ Datamole• Graduated at CTU FIT (Machine Learning)• Main technical focus: "Engineering" part of MLE• 10 years of experience from industry (agritech, biotech)
---	--	---

- lectures are optional, no need to contact us in case you can not come
- slides and other materials will be available on CourseWare at the day of the lecture

Time plan

Week	Date (lecturer)	Topic
1	Sep, 23 (TB)	Introduction
2	Sep, 30 (TB)	Classical MLE tools and methods, datasets
3	Oct, 07 (TB)	Deep MLE tools and methods, datasets
4	Oct, 14 (JB)	ML System Design and Architecture
5	Oct, 21 (JL)	Data storage frameworks
-	Oct, 28 (-)	Canceled - National holiday
6	Nov, 04 (JL)	Machine learning model execution paradigms
7	Nov, 11 (JB+TB)	Ground truth management
8	Nov, 18 (JB)	Production metrics and observability
9	Nov, 25 (JB)	ML and AI technical debt
10	Dec, 02 (TB)	AI engineering, MCP
11	Dec, 09 (TB)	Containerization (Docker, Apptainer)
12	Dec, 16 (TB)	Development workflows (git, CI-CD, BDD)
13	Jan, 06 (TB)	MLE and AI on the "edge"

Lecture 1: Introduction to MLE

Course structure

Lectures

2025-10-23

Lectures

- lectures are optional, no need to contact us in case you can not come
- slides and other materials will be available on CourseWare at the day of the lecture

Week	Date (lecturer)	Topic
1	Sep, 23 (TB)	Introduction
2	Sep, 30 (TB)	Classical MLE tools and methods, datasets
3	Oct, 07 (TB)	Deep MLE tools and methods, datasets
4	Oct, 14 (JB)	ML System Design and Architecture
5	Oct, 21 (JL)	Data storage frameworks
6	Oct, 28 (-)	Canceled - National holiday
7	Nov, 04 (JL)	Machine learning model execution paradigms
8	Nov, 11 (JB+TB)	Ground truth management
9	Nov, 18 (JB)	Production metrics and observability
10	Nov, 25 (JB)	ML and AI technical debt
11	Dec, 02 (TB)	AI engineering, MCP
12	Dec, 09 (TB)	Containerization (Docker, Apptainer)
13	Dec, 16 (TB)	Development workflows (git, CI-CD, BDD)
14	Jan, 06 (TB)	MLE and AI on the "edge"

- practicals are **compulsory**
- slides and other materials will be available on CourseWare

Time plan

Week	Date	Topic
1	Sep, 23	Introduction
2	Sep, 30	GUI + Project setup
3	Oct, 07	Datasets
4	Oct, 14	Reinforcement learning in a virtual environment
5	Oct, 21	Machine learning basics
-	Oct, 28	Canceled - National holiday
6	Nov, 04	Implementation details
7	Nov, 11	Machine learning advanced
8	Nov, 18	Deployment
9	Nov, 25	Going to market
10	Dec, 02	Workshop
11	Dec, 09	Workshop
12	Dec, 16	Workshop
13	Jan, 06	Project presentations

Lecture 1: Introduction to MLE

Course structure

Practicals

2025-10-23

Practicals

- practicals are compulsory
- slides and other materials will be available on CourseWare

Time plan

Week	Date	Topic
1	Sep, 23	Introduction
2	Sep, 30	GUI + Project setup
3	Oct, 07	Datasets
4	Oct, 14	Reinforcement learning in a virtual environment
5	Oct, 21	Machine learning basics
6	Oct, 28	Canceled - National holiday
7	Nov, 04	Implementation details
8	Nov, 11	Machine learning advanced
9	Nov, 18	Deployment
10	Nov, 25	Going to market
11	Dec, 02	Workshop
12	Dec, 09	Workshop
13	Dec, 16	Workshop
14	Jan, 06	Project presentations

- practicals will revolve around **team semestral project**
- students will pick their own project topic: (**ML-equipped service or product development**)
- students work on the project throughout the semester, reporting on the progress regularly
- presentation of the project in the final weeks
- practical mini-lectures and tips during the semester

Vaguely inspired by *How to make (almost) anything*

- MIT course by prof. Neil Gershenfeld
- Successfully replicated at CTU by Dr. Jiri Zemanek as JVC (Jak Vyrobit (temer)Cokoliv)

- final evaluation in the form of **graded assessment** (klasifikovaný zapocet)
- **no final exam**
- the activity in the **practicals** is what defines if & what mark you obtain
- up to 100 points from the semester

ECTS score

The total amount of points is the summation of

- ints for the project (up to 50 points),
- The points for homeworks (up to 15 points),
- The points for documentation (up to 15 points),
- The points for the project presentation (up to 20 points),

Points	[0,50)	[50,60)	[60,70)	[70,80)	[80,90)	[90,100]
Mark	F	E	D	C	B	A

Lecture 1: Introduction to MLE

Course structure

Evaluation

Evaluation


- final evaluation in the form of **graded assessment** (klasifikovaný zapocet)
- **no final exam**
- the activity in the **practicals** is what defines if & what mark you obtain
- up to 100 points from the semester

ECTS score

The total amount of points is the summation of

- ints for the project (up to 50 points),
- The points for homeworks (up to 15 points),
- The points for documentation (up to 15 points),
- The points for the project presentation (up to 20 points),

Points	[0,50)	[50,60)	[60,70)	[70,80)	[80,90)	[90,100]
Mark	F	E	D	C	B	A



- comprehensive introduction the ML concepts and common problems faced in ML (the *research* part of MLE)
- practical examples for classical methods shown in Scikit-Learn
- deep learning examples in TensorFlow
- project-oriented approach
- **basis for Lectures 1–2**
- 1st edition (but technically a 4th edition)

[1] A. Géron, *Hands-on machine learning with Scikit-Learn, Keras, and TensorFlow.* " O'Reilly Media, Inc.", 2022

Lecture 1: Introduction to MLE

Course structure

Recommended literature

2025-10-23

Recommended literature



- comprehensive introduction the ML concepts and common problems faced in ML (the *research* part of MLE)
- practical examples for classical methods shown in Scikit-Learn
- deep learning examples in TensorFlow
- project-oriented approach
- basis for Lectures 1–2
- 1st edition (but technically a 4th edition)

[1] A. Géron, *Hands-on machine learning with Scikit-Learn, Keras, and TensorFlow.* " O'Reilly Media, Inc.", 2022

- The example code snippets available in the author's Github: <https://github.com/ageron/handson-ml3>

O'REILLY

Designing Machine Learning Systems

An Iterative Process for Production-Ready Applications



Chip Huyen

- comprehensive overview of the whole MLE field
- includes:
 - data engineering
 - feature engineering
 - model deployment
 - continual learning and testing in production

[2] C. Huyen, *Designing machine learning systems.* "O'Reilly Media, Inc.", 2022

Lecture 1: Introduction to MLE

└ Course structure

└ Recommended literature

2025-10-23

Recommended literature


O'REILLY
Designing Machine Learning Systems



Chip Huyen

- comprehensive overview of the whole MLE field
- includes:
 - data engineering
 - feature engineering
 - model deployment
 - continual learning and testing in production

[2] Huyen, *Designing machine learning systems.* "O'Reilly Media, Inc.", 2022



- going beyond MLE
- **Engineering** of robust, reliable software systems
- databases, data models

[3] M. Kleppmann, *Designing data-intensive applications: The big ideas behind reliable, scalable, and maintainable systems.* O'Reilly Media, Inc., 2017

Lecture 1: Introduction to MLE

└ Course structure

└ Recommended literature


2025-10-23

Recommended literature



- going beyond MLE
- Engineering of robust, reliable software systems
- databases, data models

[3] M. Kleppmann, *Designing data-intensive applications: The big ideas behind reliable, scalable, and maintainable systems.* O'Reilly Media, Inc., 2017



- Going from ML Engineering to AI engineering
- LLMs and beyond
- RAG
- Prompt engineering
- Foundation models

[4] C. Huyen, *AI Engineering: Building Applications with Foundation Models*. O'Reilly Media, Incorporated, 2024

Lecture 1: Introduction to MLE

Course structure

Recommended literature

2025-10-23

Recommended literature



- Going from ML Engineering to AI engineering
- LLMs and beyond
- RAG
- Prompt engineering
- Foundation models

[4] C. Huyen, *AI Engineering: Building Applications with Foundation Models*. O'Reilly Media, Incorporated, 2024

Deep Learning Essentials (BECM33DPL0), 1st semester

Course going *deep* into the underlying theory of Deep Learning, focusing on ANL structures, learning algorithms, reinforcement learning.

Computer Vision Methods (BE4M33MPV), 2st semester

Course focusing solely in computer vision techniques and algorithms, of which many are ML-based.

Machine Learning Fundamentals (BECM33MLF), 2st semester

Course going into the underlying theory of machine learning, why and how it even works (VC dimension, PAC learning), and theory behind some fundamental ML models.

Machine Learning Methods (BECM36MLM), 2st semester

Course about advanced ML algorithms, ML working with relationship databases, graph neural networks, neuro-symbolic networks, model interpretability, RL.

Lecture 1: Introduction to MLE

Course structure

Relation to other courses

Relation to other courses

Deep Learning Essentials (BECM33DPL0), 1st semester

Course going *deep* into the underlying theory of Deep Learning, focusing on ANL structures, learning algorithms, reinforcement learning.

Computer Vision Methods (BE4M33MPV), 2nd semester

Course focusing solely in computer vision techniques and algorithms, of which many are ML-based.

Machine Learning Fundamentals (BECM33MLF), 2nd semester

Course going into the underlying theory of machine learning, why and how it even works (VC dimension, PAC learning), and theory behind some fundamental ML models.

Machine Learning Methods (BECM36MLM), 2nd semester

Course about advanced ML algorithms, ML working with relationship databases, graph neural networks, neuro-symbolic networks, model interpretability, RL.

- The MLE course should provide more *hands-on* knowledge than the other courses.
- We won't focus on *how* and *why* the algorithms work, but how to use them in practice.

Evolution of Machine Learning: 2000-2025



Lecture 1: Introduction to MLE

└─ Machine Learning Landscape

└─ Machine Learning Evolution

2025-10-23

Machine Learning Evolution



What is machine learning?

Example of the "traditional" approach

Fabrication of spam-filter by hand:

- 1 gaining expert knowledge on the particular problem, i.e., finding what words are common in spam
- 2 fabricating a complex tree of nested conditions and rules
- 3 evaluating your program
- 4 tweaking the set of rules and conditions to work on new data

Is it good enough?

- For many problems, yes!
- For many problems, not at all!

Traditional problem-solving approach




Figure 1: Traditional software development feedback loop [1].

- Many real-world problems are totally solvable (and so far better solvable) by using an expert knowledge and handcrafting an algorithm that will *just do the thing*.
 - sorting and search algorithms
 - hard-real time control, control engineering for traditional systems
 - motion planning, path planning, mapping, Localization
 - robotics bread and butter: inverse and direct kinematics and dynamics
 - state estimation of dynamic systems
- the problem is often:
 - lack of explainability and guarantees
 - computational resources (often on embedded hardware)
 - requirement of impractically large datasets

What is machine learning?

Lecture 1:
Introduction to
MLE

Tomáš
Báča, Jan
Brabec,
Jan
Lukány

Course
structure

Machine
Learning
Landscape

Types of ML
tasks
Types of ML
systems
Challenges
in ML

Real-world
examples

References

The core of ML

- Data (or simulated environment in reinforcement learning)
- A model
- A training process

When to use it?

- The problems that have many parameters that need to be tuned.
- The problems where real-time adaptation to change is crucial.
- The problems that too complex for handcrafting a solution.
- The problems where even the experts don't know how the solution would even look like.

ML problem-solving approach




Figure 2: Machine Learning development feedback loop [1].

Lecture 1: Introduction to MLE

Machine Learning Landscape

What is machine learning?

2025-10-23

What is machine learning?

The core of ML

- Data (or simulated environment in reinforcement learning)
- A model
- A training process

When to use it?

- The problems that have many parameters that need to be tuned.
- The problems where real-time adaptation to change is crucial.
- The problems that too complex for handcrafting a solution.
- The problems where even the experts don't know how the solution would even look like.

ML problem-solving approach



Figure 2: Machine Learning development feedback loop [1].

What is machine learning?

Lecture 1:
Introduction to
MLE

Tomáš
Báča, Jan
Brabec,
Jan
Lukány

Course
structure

Machine
Learning
Landscape

Types of ML
tasks

Types of ML
systems

Challenges
in ML

Real-world
examples

References

Continuous deployment

- new data might come in from the users
- e.g., new emails being flagged as *spam*
- the ML algorithm will re-learn on the fly to flag those emails automatically

ML as an automated problem-solving approach




Figure 3: Machine Learning automated development feedback loop [1].

Lecture 1: Introduction to MLE

Machine Learning Landscape

What is machine learning?

2025-10-23

What is machine learning?




Figure 3: Machine Learning automated development feedback loop [1].

What is machine learning?

Lecture 1:
Introduction to
MLE

Tomáš
Báča, Jan
Brabec,
Jan
Lukány

Course
structure

Machine
Learning
Landscape

Types of ML
tasks

Types of ML
systems

Challenges
in ML

Real-world
examples

References

Complex problems & data science

- some ML algorithms can be inspected to see what they have learned
 - spam filters' *most common patterns contained in spam email*
 - pattern recognition and segmentation: finding patterns, relationship and clusters in data where humans would not be able to
 - feature recognition: finding hidden relationships in data, finding which features are responsible for outcomes

ML helping understand the problem




Figure 4: Machine Learning can help understand the problem [1].


Lecture 1: Introduction to MLE

Machine Learning Landscape

What is machine learning?

2025-10-23

What is machine learning?



Types of Machine Learning Tasks - Classification

Lecture 1:
Introduction to
MLE

Tomáš
Báča, Jan
Brabec,
Jan
Lukány

Course
structure

Machine
Learning
Landscape

Types of ML
tasks

Types of ML
systems

Challenges
in ML

Real-world
examples

References

- deciding if a data sample belongs to a class
 - spam detection (spam or ham)
 - medical diagnosis (positive on disease)
 - image recognition (dog detected)
- classical methods: KNN, SVM, Decision trees, Random forests

Classification





Figure 5: Illustration of classification [1].

Lecture 1: Introduction to MLE

Machine Learning Landscape

Types of ML tasks

Types of Machine Learning Tasks - Classification



- prediction a continuous variable
 - commodity price prediction
 - medical diagnosis and medical analysis
 - financial forecasting
- classical methods: Linear regression, SVM, Random forests

Regression





Figure 6: Illustration of linear regression [1].



- finding groups in data with common properties
 - data exploration and visualization
 - customer segmentation
 - anomaly detection
- classical methods: K-Means, Gaussian mixture models, DBSCAN

Clustering





Figure 7: Illustration of clustering [1].



Types of Machine Learning Tasks - Natural language processing

Lecture 1:
Introduction to
MLE

Tomáš
Báča, Jan
Brabec,
Jan
Lukány

Course
structure

Machine
Learning
Landscape

Types of ML
tasks

Types of ML
systems

Challenges
in ML

Real-world
examples

References

Natural language processing

- working with text
 - translation
 - summarization
 - sentiment extraction (financial sector)
 - classification (spam filtering)
- classical methods: not much
- deep methods: transformers, RAG



Tomáš Báča, Jan Brabec, Jan Lukány (CTU in Prague)

Lecture 1: Introduction to MLE

September 23th, 2025

21 / 51

2025-10-23


Lecture 1: Introduction to MLE
├── Machine Learning Landscape
│ ├── Types of ML tasks
│ └── Types of Machine Learning Tasks - Natural language processing

Types of Machine Learning Tasks - Natural language processing




Content creation

- generating content
 - image generation
 - synthetic data generation
- classical methods: not much
- deep methods: transformers, generative adversarial networks, RAG



Content creation

- generating content
 - image generation
 - synthetic data generation
- classical methods: not much
- deep methods: transformers, generative adversarial networks, RAG



Lecture 1: Introduction to MLE

└ Machine Learning Landscape

└└ Types of ML tasks

└└└ Types of Machine Learning Tasks - Content creation

2025-10-23

Content creation

- generating content
 - image generation
 - synthetic data generation
- classical methods: not much
- deep methods: transformers, generative adversarial networks, RAG



- requires labelled dataset
- manual labelling
- nowadays almost gone
- ML-aided labelling
 - **Segment Anything 2** as an aid for labelling videos [5]
- example problems:
 - classification
 - pattern recognition
 - speech recognition
 - image classification
 - spam detection

Supervised learning approach




Figure 8: Supervised learning illustration in the form of spam filter classification [1].

- unlabelled dataset
- we often want to understand what is in the dataset / what is in the data coming into a live system
- typical problems:
 - clustering
 - data visualization
 - dimensionality reduction
 - anomaly detection (cybersecurity, network traffic patterns)
 - association mining (people who buy X also buy Y)

Unsupervised learning approach





Figure 9: Unsupervised learning illustration [1].



Clustering for visualization

- clustering and dimensionality reduction can help understanding the contents of a dataset
- often used in conjunction with semi-supervised learning (at least something is known to help guide the process)





Figure 10: Clustering for visualization [1], [6].



- some labels are known, but most are unknown
- the labelled data does not cover the whole space, but other unlabelled data do
- labeling everything would be impractical or impossible

Self-supervised learning

- auto-generating labels from unlabelled data
- no human in the loop (later for fine tuning)
- learning of LLMs

Semi-supervised learning





Figure 11: Semi-supervised learning [1].



Example

- dataset of partially-labelled images
- unlabelled open-vocabulary language corpus
- learned mapping between space of images and text
- when classifying a new image as an unknown class, a connection can be made between the vector in the image space into a vector in the language space

[6] R. Socher, M. Ganjoo, C. D. Manning, and A. Ng, "Zero-shot learning through cross-modal transfer," *Advances in neural information processing systems*, vol. 26, 2013

Clustering for visualization





Figure 12: Classification on unseen data [6].



- The technique is an example of **Zero-shot learning**, where the model is able to recognize previously-unseen data.

- an agent lives in an environment (real or simulated)
- action can be made in the environment by using a **policy**
- actions can lead to positive **reward** or negative **penalty**
- the policy is updated as a part of the **learning step**
- both **supervised** and **unsupervised** learning are special cases of reinforcement learning

Reinforcement learning




Figure 13: Reinforcement learning [1].

Batch learning

- ML algorithm is learned once (often a model)
- dataset is obtained, processed and used once
- suitable in some situations:
 - the domain does not change in time
 - the dataset is good, it covers the domain well

Examples

- image classification and object detection in industrial (controlled) environment
- natural language processing (all the common language transformers are initially batch-learned, and then)




Figure 14: Batch learning approach [1].

Batch learning

- ML algorithm is learned once (often a model)
- dataset is obtained, processed and used once
- suitable in some situations:
 - the domain does not change in time
 - the dataset is good, it covers the domain well

Examples

- image classification and object detection in industrial (controlled) environment
- natural language processing (all the common language transformers are initially batch-learned, and then)

Figure 14: Batch learning approach [1].

Online learning

- the ML algorithm / model is initially trained using a priming dataset
- the learning is run continuously with new data

Examples

- spam email filtering
- financial forecasting (check FreqTrade and FreqAI)
- fraud detection
- smart counters in Albert ;-)




Figure 15: Online learning [1].

Lecture 1: Introduction to MLE

Machine Learning Landscape

Types of ML systems

Types of Machine Learning Systems - Batch/Online learning



Learning with extra large datasets

- when dataset can not be efficiently stored in memory
- distills to online learning
- large dataset is chopped into small pieces

Examples

- social media feed moderation
- financial transactions analysis




Figure 16: Online learning for large datasets [1].

Lecture 1: Introduction to MLE

Machine Learning Landscape

Types of ML systems

Types of Machine Learning Systems - Batch/Online learning

Learning with extra large datasets

- when dataset can not be efficiently stored in memory
- distills to online learning
- large dataset is chopped into small pieces

Examples

- social media feed moderation
- financial transactions analysis




Figure 16: Online learning for large datasets [1].

Financial transactions analysis:

- Banks and credit card providers process millions of transactions per hour.
- Online learning algorithms identify fraud or abnormal spending as data flows in, never attempting to retrain on the entire transaction history simultaneously.

Instance learning

- data samples from the dataset are used directly in the algorithm
- Most commonly: K-nearest neighbour (KNN), Case-based reasoning

Examples

- Classical image classification (KNN)
- Handwritten OCR
- Medical diagnosis




Figure 17: Instance-based learning [1].

Instance learning

- data samples from the dataset are used directly in the algorithm
- Most commonly: K-nearest neighbour (KNN), Case-based reasoning

Examples

- Classical image classification (KNN)
- Handwritten OCR
- Medical diagnosis




Figure 17: Instance-based learning [1].

Types of Machine Learning Systems - Instance/Model-based learning

Lecture 1:
Introduction to
MLE

Tomáš
Báča, Jan
Brabec,
Jan
Lukány

Course
structure

Machine
Learning
Landscape

Types of ML
tasks

Types of ML
systems

Challenges
in ML

Real-world
examples

References

- the dataset is
- SVM classifier is the staple in model-based learning
- Decision Tree-based methods
- All the Deep Neural Network algorithms
- Bayesian models
- Reinforcement learning

Examples

- Medical diagnostics
- Image recognition, natural language processing




Figure 18: Model-based learning [1].

Tomáš Báča, Jan Brabec, Jan Lukány (CTU in Prague)

Lecture 1: Introduction to MLE

September 23th, 2025

33 / 51

Lecture 1: Introduction to MLE

Machine Learning Landscape

Types of ML systems

Types of Machine Learning Systems - Instance/Model-based learning

2025-10-23

Types of Machine Learning Systems - Instance/Model-based learning

- the dataset is
- SVM classifier is the staple in model-based learning
- Decision Tree-based methods
- All the Deep Neural Network algorithms
- Bayesian models
- Reinforcement learning

Examples

- Medical diagnostics
- Image recognition, natural language processing




Figure 18: Model-based learning [1].

- learning to estimate a relationship between *GDP per capita* of a country and *life satisfaction* [0, 10]
- instance-based learning (e.g., KNN) does not work well
 - it only reflects the neighbourhood but not the trend
 - the data is sparse (max 195 samples) and noisy
 - is more susceptible to noise in the local neighbourhood
- we observe **linear trend**
- let's try to find an **affine function** that fits the data

Model-based learning




Figure 19: GDP per capita of selected countries [1].

Lecture 1: Introduction to MLE

Machine Learning Landscape

Types of ML systems

Types of Machine Learning Systems - Model-based learning in detail

2025-10-23

Model-based learning

- learning to estimate a relationship between GDP per capita of a country and life satisfaction [0, 10]
- instance-based learning (e.g., KNN) does not work well
 - it only reflects the neighbourhood but not the trend
 - the data is sparse (max 195 samples) and noisy
 - is more susceptible to noise in the local neighbourhood
- we observe **linear trend**
- let's try to find an **affine function** that fits the data




Figure 19: GDP per capita of selected countries [1].

The approach:

- 1 model selection
- 2 finding parameters
- 3 evaluating the model
- 4 possibly finding a different model

Finding the parameters

- Optimization problem
- Optimization criterion (fitness function, performance measure):
 - sum of squares of distance
 - max error

Model-based learning





Figure 20: GDP per capita various affine fits [1].

Lecture 1: Introduction to MLE

Machine Learning Landscape

Types of ML systems

Types of Machine Learning Systems - Model-based learning in detail



- least squares fit given the training dataset
- we can use the model to create predictions for new data
- you can compare the results of the *LinearRegression* to *KNN*, *KNN* will be worse

Model-based learning





Figure 21: GDP per capita least-squares affine fit [1].



The Unreasonable Effectiveness of Data

- with poor dataset, various ML models perform **equally bad**
- the ML engineer must do a clever decision:
 - if spend more time on finding the right model,
 - if spending time on getting more data or improving the dataset,
 - if spending time on tuning the training process,
- however, getting more data is often very expensive, so in the end, finding the right model might be worth it




Figure 22: With bad data, various ML models perform equally bad [1], [7].

The Unreasonable Effectiveness of Data

- with poor dataset, various ML models perform equally bad
- the ML engineer must do a clever decision:
 - if spend more time on finding the right model,
 - if spending time on getting more data or improving the dataset,
 - if spending time on tuning the training process,
- however, getting more data is often very expensive, so in the end, finding the right model might be worth it




Figure 22: With bad data, various ML models perform equally bad [1], [7].

Non-representative data

- outliers or purely missing coverage of the whole domain
- the original fit we had suddenly does not look so good





Figure 23: Non-representative training data [1].



- proper feature selection and feature design is key
 - improves model accuracy
 - reduces overfitting,
 - leads to faster training,
 - enhances interpretability,
 - might make collecting data easier,

Example 1: Medical diagnosis

- dataset may include hundreds of features, including non-medical data
- predicting the risk of diabetes based on
 - eye color,
 - ZIP code,
 - shoe size,
 - parents' shoe size,
- might not yield good results.

Example 2: Image processing

- using pure pixel values
 - histogram normalization
- using color space when color is irrelevant
- using a wrong color space, e.g., RGB
- learning resolution-dependent models

Example 1: Medical diagnosis

- dataset may include hundreds of features, including non-medical data
- predicting the risk of diabetes based on
 - eye color,
 - ZIP code,
 - shoe size,
 - parents' shoe size,

• proper feature selection and feature design is key

- improves model accuracy
- reduces overfitting,
- leads to faster training,
- enhances interpretability,
- might make collecting data easier,

Example 2: Image processing

- using pure pixel values
 - histogram normalization
- using color space when color is irrelevant
- using a wrong color space (e.g., RGB)
- learning resolution-dependent models

- the model has too much free parameters
- the data is too sparse for the dimensionality of the model
- is hard to spot during training: the error on the training dataset is smaller with more complex model
- can be detected with cross-validation

Example

- fitting a high-order polynomial to data that follow a linear trend

Overfitting data with improper model




Figure 24: Overfitting illustration [1].

Lecture 1: Introduction to MLE

Machine Learning Landscape

Challenges in ML

Challenges in ML - Overfitting

• the model has too much free parameters

• the data is too sparse for the dimensionality of the model

• is hard to spot during training: the error on the training dataset is smaller with more complex model

• can be detected with cross-validation

Example

- fitting a high-order polynomial to data that follow a linear trend

Overfitting data with improper model

Life satisfaction

GDP per capita (USD)

Figure 24: Overfitting illustration [1].

Challenges in ML - Underfitting

Lecture 1:
Introduction to
MLE

Tomáš Bába, Jan
Brabec,
Jan
Lukány

Course
structure

Machine
Learning
Landscape

Types of ML
tasks

Types of ML
systems

Challenges
in ML

Real-world
examples

References

- the model is too simple for the data and it does not generalize well
- learning process converges too soon with fitness being bad
- bringing it more data does not help

Deep learning

- Finding the right shape and size of a neural net is a field of study of its own
- too complex and it easily overfits the problem, practically learning the whole dataset
- too simple and it underfits the dataset and generalizes poorly

Underfitting




Figure 25: Underfitting illustration.

Lecture 1: Introduction to MLE

Machine Learning Landscape

Challenges in ML

Challenges in ML - Underfitting

Challenges in ML - Underfitting

- the model is too simple for the data and it does not generalize well
- learning process converges too soon with fitness being bad
- bringing it more data does not help

Deep learning

- Finding the right shape and size of a neural net is a field of study of its own
- too complex and it easily overfits the problem, practically learning the whole dataset
- too simple and it underfits the dataset and generalizes poorly




Figure 25: Underfitting illustration.

- for many problems, labelling is tricky
- image recognition of specialized object

ML can help you with labelling

- by leveraging ML to automate a simpler-subtask of the labelling
- e.g., image segmentation and tracking to automatically label a part of a Video-based dataset

Ground truth management

- **Lecture 7**
- sometimes, knowing the truth from the real-world data is difficult
- building simulators / emulators for initial training might help

Labelling objects in images



Figure 26: How to label objects in an image?



What ML-related (research-related) real-world problems are we solving in aerial robotics?

Note

- Realworld examples from other fields will be provided in future lectures by the experts from the industry.

Lecture 1: Introduction to MLE

└ Real-world examples

└└ Real-world examples from the aerial robotics world

Real-world examples from the aerial robotics world

What ML-related (research-related) real-world problems are we solving in aerial robotics?

Note

• Realworld examples from other fields will be provided in future lectures by the experts from the industry.

Marker-less drone detection in camera images

Lecture 1:
Introduction to
MLE

Tomáš
Báča, Jan
Brabec,
Jan
Lukány

Course
structure

Machine
Learning
Landscape

Types of ML
tasks

Types of ML
systems

Challenges
in ML

Real-world
examples

References

- motivated by eagle.one (<http://eagle.one>)
- detection of a flying drone from another drone
- requirements: real-time (max 100 ms execution), onboard computation, RGB camera input
- related tasks: 3D pose estimation, outlier rejection, tracking



[8] M. Vrba and M. Saska, "Marker-less micro aerial vehicle detection and localization using convolutional neural networks," *IEEE Robotics and Automation Letters*, vol. 5, no. 2, pp. 2459–2466, 2020

Lecture 1: Introduction to MLE

Real-world examples

Marker-less drone detection in camera images

2025-10-23

Marker-less drone detection in camera images

- motivated by eagle.one (<http://eagle.one>)
- detection of a flying drone from another drone
- requirements: real-time (max 100 ms execution), onboard computation, RGB camera input
- related tasks: 3D pose estimation, outlier rejection, tracking



[8] M. Vrba and M. Saska, "Marker-less micro aerial vehicle detection and localization using convolutional neural networks," *IEEE Robotics and Automation Letters*, vol. 5, no. 2, pp. 2459–2466, 2020

Marker-less drone detection in camera images

Lecture 1:
Introduction to
MLE

Tomáš
Báča, Jan
Brabec,
Jan
Lukány

Course
structure

Machine
Learning
Landscape

Types of ML
tasks


Types of ML
systems

Challenges
in ML

Real-world
examples

References

Typical CNN architecture for object detection



Typical input data




Lecture 1: Introduction to MLE

Real-world examples

Marker-less drone detection in camera images

2025-10-23

Marker-less drone detection in camera images



Marker-less drone detection in camera images

Lecture 1:
Introduction to
MLE

Tomáš
Báča, Jan
Brabec,
Jan
Lukány

Course
structure

Machine
Learning
Landscape

Types of ML
tasks

Types of ML
systems

Challenges
in ML

Real-world
examples

References

Engineering problems:

- gathering custom dataset is costly and difficult
- labelling the dataset is impractical
- estimating size of the drone? small & close = large & far away
- how to make a dataset with precise 3D relative pose

Possible solutions

- flying with a custom drones which know where they are (not ideal, not scalable)
- using onboard-markers for automatic labelling (also not scalable)
- generating large simulated datasets (Generative models)

[9] V. Walter, M. Vrba, and M. Saska, "On training datasets for machine learning-based visual relative localization of micro-scale uavs," in *2020 IEEE International Conference on Robotics and Automation (ICRA)*, IEEE, 2020, pp. 10 674–10 680

Lecture 1: Introduction to MLE

Real-world examples

Marker-less drone detection in camera images

2025-10-23

Marker-less drone detection in camera images

Engineering problems:

- gathering custom dataset is costly and difficult
- labelling the dataset is impractical
- estimating size of the drone? small & close = large & far away
- how to make a dataset with precise 3D relative pose

Possible solutions

- flying with a custom drones which know where they are (not ideal, not scalable)
- using onboard-markers for automatic labelling (also not scalable)
- generating large simulated datasets (Generative models)

[9] V. Walter, M. Vrba, and M. Saska, "On training datasets for machine learning-based visual relative localization of micro-scale uavs," in 2020 IEEE International Conference on Robotics and Automation (ICRA), IEEE, 2020, pp. 10 674–10 680

- real-time detection of *gates* under extreme motion
- feedback and feedforward control of a drone on the edge of the control envelope
- computer vision, reinforcement learning
- lucrative research field
 - ≈\$500,000 grant for fundamental research
 - (almost) winners of the Autonomous Racing League (2025)
- contact Dr. Robert Penicka if you are interested (<https://mrs.fel.cvut.cz/members/postdocs/penicka>)



Video: <https://youtu.be/6f062LZTTBA>

Lecture 1: Introduction to MLE

Real-world examples

Autonomous drone racing

2025-10-23


Autonomous drone racing

- real-time detection of gates under extreme motion
- feedback and feedforward control of a drone on the edge of the control envelope
- computer vision, reinforcement learning
- lucrative research field
 - ≈\$500,000 grant for fundamental research
 - (almost) winners of the Autonomous Racing League (2025)
- contact Dr. Robert Penicka if you are interested (<https://mrs.fel.cvut.cz/members/postdocs/penicka>)



Video: <https://youtu.be/6f062LZTTBA>

- real-time processing of multi-modal data
- dense open-vocabulary object detection
- dense mapping of semantic data
- abstracting concepts into semantic graphs
- localization by matching semantic graphs with prior data
- challenge by SPRIN-D (<https://www.sprind.org/en/actions/challenges/funke-fully-autonomous-flight-2.0>)
- lucrative research field
 - ≈\$500,000 grant for fundamental research
 - ≈\$350,000 funding from SPRIN-D agency
 - cooperation with *Lockheed Martin*
- contact Dr. Tomas Baca if you are interested



Video: <https://youtu.be/Jtxh1hZRs1A>

SPRIN-D challenge 2.0: Task query


Land near a red car parked on a drive way of a house no. 5.

Lecture 1: Introduction to MLE

Real-world examples

Autonomous semantic mapping and localization

- real-time processing of multi-modal data
- dense open-vocabulary object detection
- dense mapping of semantic data
- abstracting concepts into semantic graphs
- localization by matching semantic graphs with prior data
- challenge by SPRIN-D (<https://www.sprind.org/en/actions/challenges/funke-fully-autonomous-flight-2.0>)
- lucrative research field
 - ≈\$500,000 grant for fundamental research
 - ≈\$350,000 funding from SPRIN-D agency
 - cooperation with *Lockheed Martin*
- contact Dr. Tomas Baca if you are interested



Video: <https://youtu.be/Jtxh1hZRs1A>

SPRIN-D challenge 2.0: Task query
Land near a red car parked on a drive way of a house no. 5.

Be ready to tackle problems that are seemingly unsolvable.

Quotation from a client (anonymized)

We would like your support in developing a drone system to help improve safety for surfers and swimmers. The idea is for the drone to patrol sea areas and **use computer vision to detect sharks**. If a shark is identified, the drone should send an alert signal to a wearable device, such as a smartwatch, through radio connection. Specifically, we would need your team to develop:

- The computer vision algorithm
- The alert signal transmission
- A patrolling function (ideally a circular pattern around the designated area)
- An automatic landing feature for low-battery situations.

Quotation from a client (anonymized)

We would like your support in developing a drone system to help improve safety for surfers and swimmers. The idea is for the drone to patrol sea areas and **use computer vision to detect sharks**. If a shark is identified, the drone should send an alert signal to a wearable device such as a smartwatch, through radio connection. Specifically, we would need your team to develop:

- The computer vision algorithm
- The alert signal transmission
- A patrolling function (ideally a circular pattern around the designated area)
- An automatic landing feature for low-battery situations.

Thanks for your attention

Lecture 1: Introduction to MLE

└ Real-world examples

└ Conclusion

2025-10-23

Conclusion

Thanks for your attention

References I

Lecture 1:
Introduction to
MLE

Tomáš
Báča, Jan
Brabec,
Jan
Lukány

Course
structure

Machine
Learning
Landscape

Types of ML
tasks

Types of ML
systems

Challenges
in ML

Real-world
examples

References

- [1] A. Géron, *Hands-on machine learning with Scikit-Learn, Keras, and TensorFlow*. " O'Reilly Media, Inc.", 2022.
- [2] C. Huyen, *Designing machine learning systems*. " O'Reilly Media, Inc.", 2022.
- [3] M. Kleppmann, *Designing data-intensive applications: The big ideas behind reliable, scalable, and maintainable systems*. " O'Reilly Media, Inc.", 2017.
- [4] C. Huyen, *AI Engineering: Building Applications with Foundation Models*. O'Reilly Media, Incorporated, 2024.
- [5] N. Ravi, V. Gabeur, Y.-T. Hu, et al., "Sam 2: Segment anything in images and videos," *arXiv preprint arXiv:2408.00714*, 2024.
- [6] R. Socher, M. Ganjoo, C. D. Manning, and A. Ng, "Zero-shot learning through cross-modal transfer," *Advances in neural information processing systems*, vol. 26, 2013.
- [7] M. Banko and E. Brill, "Mitigating the paucity-of-data problem: Exploring the effect of training corpus size on classifier performance for natural language processing," in *Proceedings of the first international conference on Human language technology research*, 2001.
- [8] M. Vrba and M. Saska, "Marker-less micro aerial vehicle detection and localization using convolutional neural networks," *IEEE Robotics and Automation Letters*, vol. 5, no. 2, pp. 2459–2466, 2020.
- [9] V. Walter, M. Vrba, and M. Saska, "On training datasets for machine learning-based visual relative localization of micro-scale uavs," in *2020 IEEE International Conference on Robotics and Automation (ICRA)*, IEEE, 2020, pp. 10674–10680.

Tomáš Báča, Jan Brabec, Jan Lukány (CTU in Prague)

Lecture 1: Introduction to MLE

September 23th, 2025

51 / 51

Lecture 1: Introduction to MLE

References

References

References I

- [1] A. Géron, *Hands-on machine learning with Scikit-Learn, Keras, and TensorFlow*. " O'Reilly Media, Inc.", 2022.
- [2] C. Huyen, *Designing machine learning systems*. " O'Reilly Media, Inc.", 2022.
- [3] M. Kleppmann, *Designing data-intensive applications: The big ideas behind reliable, scalable, and maintainable systems*. " O'Reilly Media, Inc.", 2017.
- [4] C. Huyen, *AI Engineering: Building Applications with Foundation Models*. O'Reilly Media, Incorporated, 2024.
- [5] N. Ravi, V. Gabeur, Y.-T. Hu, et al., "Sam 2: Segment anything in images and videos," *arXiv preprint arXiv:2408.00714*, 2024.
- [6] R. Socher, M. Ganjoo, C. D. Manning, and A. Ng, "Zero-shot learning through cross-modal transfer," *Advances in neural information processing systems*, vol. 26, 2013.
- [7] M. Banko and E. Brill, "Mitigating the paucity-of-data problem: Exploring the effect of training corpus size on classifier performance for natural language processing," in *Proceedings of the first international conference on Human language technology research*, 2001.
- [8] M. Vrba and M. Saska, "Marker-less micro aerial vehicle detection and localization using convolutional neural networks," *IEEE Robotics and Automation Letters*, vol. 5, no. 2, pp. 2459–2466, 2020.
- [9] V. Walter, M. Vrba, and M. Saska, "On training datasets for machine learning-based visual relative localization of micro-scale uavs," in *2020 IEEE International Conference on Robotics and Automation (ICRA)*, IEEE, 2020, pp. 10674–10680.

2025-10-23