

A0B17MTB – Matlab

# Part #3




Miloslav Čapek

`miloslav.capek@fel.cvut.cz`

Filip Kozák, Viktor Adler, Pavel Valtr

Department of Electromagnetic Field

B2-626, Prague



# Learning how to ...

---

## Indexing

```
ResTable.data1 (...  
    PsoData.cond{crt}(spr,2), ...  
    PsoData.cond{crt}(spr,3) ...  
    ) = ...  
bestPersDim(bestGlobNum, crt);
```

## Size and type of data

## Output format

## Matlab Editor

# Indexing in Matlab

- now we know all the stuff necessary to deal with indexing in Matlab
- mastering indexing is crucial for efficient work with Matlab!!!
- up to now we have been working with entire matrices, quite often we need, however, to access individual elements of matrices
- two ways of accessing matrices / vectors are distinguished
  - access using round brackets „ ( ) “
    - refers to position of elements in a matrix
  - access using square brackets „ [ ] “
    - refers to content of a matrix

# Indexing in Matlab

600 s ↑

- let's consider following triplet of matrices
  - execute individual commands and find out their meaning
  - start from inner part of the commands
  - note the meaning of the keyword end

$$\mathbf{N}_1 = \begin{pmatrix} -5 \\ 0 \\ 5 \end{pmatrix} \quad \mathbf{N}_2 = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 2 & 4 & 6 & 8 & 10 \\ 2 & 3 & 5 & 7 & 11 \end{pmatrix} \quad \mathbf{N}_3 = \begin{pmatrix} 11 & 12 & 13 & 14 \\ 22 & 24 & 26 & 28 \\ 33 & 36 & 39 & 42 \\ 44 & 48 & 52 & 56 \end{pmatrix}$$

```
>> N1 = (-5:5:5)'; N2 = [1:5; 2:2:10; primes(11)]; N3 = (1:4)' * (11:14);
```

```
>> N1
>> N1(1:3)
>> N1([1 2 3])
>> N1(1:2)
>> N1([1 3])
>> N1([1 3]')
>> N1([1 3])'
>> N1([1; 3])
```





```
>> N2(1, 3)
>> N2(3, 1)
>> N2(1, end)
>> N2(end, end)
>> N2(1, :)
>> N2(1, :)'
>> N2(:, 2)
>> N2(:, 3:end)
```

```
>> N3(2:3, [1 1 1]) % like repmat
>> N3(2:3, ones(1,3))
>> N3(2:3, ones(3,1))
>> N3([N2(2,1:2)/2 4], [2 3])
>> N3([1 end], [1:4 1:2:end])
>> N3(:, :, 2) = magic(4)
>> N3([1 3], 3:4, 3) = ...
      [1/2 -1/2; pi*ones(1, 2)]
```

# Indexing in Matlab

420 s ↑

- remember the meaning of `end` and the usage of colon operator “:”
- try to:
  - flip the elements of the vector **N1**
    - without using `flipplr` / `flipud` functions
  - select only the even columns of **N2**
  - select only the odd rows of **N3**
  - 2<sup>nd</sup>, 4<sup>th</sup> and 5<sup>th</sup> column of **N2**'s  
2<sup>nd</sup> row
  - create matrix **A** (4x3) containing numbers 1 to 12 (row-wise, from left to right)



# Indexing in Matlab

300 s ↑

- calculate cumulative sum **S** of a vector **x** consisting of integers from 1 to 20


- search Matlab help to find appropriate function (*cumulative sum*)

$$\mathbf{x} = (1 \quad 2 \quad \dots \quad 20)$$

$$\mathbf{S} = (1 \quad 1+2 \quad \dots \quad 1+2+\dots+20)$$

- calculate cumulative sum **L** of even elements of the vector **x**

- what is the value of the last element of the vector **L**?



# Indexing in Matlab

150 s ↑

- which one of the following returns corner elements of a matrix A (10x10)?

```
>> A([1,1], [end,end]) % A.  
>> A({[1,1], [1,end], [end,1], [end,end]}) % B.  
>> A([1,end], [1,end]) % C.  
>> A(1:end, 1:end) % D.
```

# Deleting elements of a matrix

- empty matrix is a crucial point for deleting matrix elements

```
>> T = []
```

- we want to:

- remove 2<sup>nd</sup> row of matrix **A**

```
>> A(2, :) = []
```

- remove 3<sup>rd</sup> column of matrix **A**

```
>> A(:, 3) = []
```

- remove 1<sup>st</sup>, 2<sup>nd</sup> a 5<sup>th</sup> column of matrix **A**

```
>> A(:, [1 2 5]) = []
```



# Adding and replacing elements of a matrix

- we want to replace:
  - 3<sup>rd</sup> column of matrix **A** (of size  $M \times N$ ) by a vector **x** (length  $M$ )

```
>> A(:, 3) = x
```

- 2<sup>nd</sup>, 4<sup>th</sup> a 5<sup>th</sup> row of matrix **A** by three rows of matrix **B** (number of columns of both **A** and **B** is the same)

```
>> A([2 4 5], :) = B(1:3, :)
```

- we want to swap
  - 2<sup>nd</sup> row of matrix **A** and 5<sup>th</sup> column of matrix **B** (number of columns of **A** is the same as number of rows of **B**)

```
>> A(2, :) = B(:, 5)
```

- remember that always the size of matrices have to match!

# Deleting, adding and replacing matrices

420 s



- which of the following deletes the first and the last column of matrix **A** ( $6 \times 6$ )?
  - create your own matrix and give it a try

```
>> A[1, end]      = 0   % A.
>> A(:, 1, end)  = []  % B.
>> A(:, [1:end]) = []  % C.
>> A(:, [1 end]) = []  % D.
```

- replace the 2<sup>nd</sup>, 3<sup>rd</sup> and 5<sup>th</sup> row of matrix **A** by the first row of matrix **B**
  - assume the number of columns of matrices **A** and **B** is the same
  - consider the case where **B** has more columns than **A**
  - what happens if **B** has less columns than **A**?

# Matrix creation, element replacement

300 s ↑

- create following 3D array


$$\mathbf{M}(:, :, 1) = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}, \quad \mathbf{M}(:, :, 2) = \begin{pmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{pmatrix}, \quad \mathbf{M}(:, :, 3) = \begin{pmatrix} 2 & 0 & 0 \\ 0 & 3 & 0 \\ 0 & 0 & 5 \end{pmatrix}$$

1	0	0	2	0	0	
0	1	0	0	3	0	
0	0	1	1	1	0	5
			1	1	1	
			1	1	1	

- replace elements in the first two rows and columns of the first sheet of the array (i.e. the matrix  $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ ) with NaN elements

# Linear indexing

- elements of an array of arbitrary number of dimensions and arbitrary size can be referred to using single index
- indexing takes place along the main dimension (column-wise) than along the secondary dimension (row-wise) etc.




```
ans =
     8
     3
     4
     1
     5
     9
     6
     7
     2
```

```
>> A = magic(3)
```

```
>> A (:)
```


```
>> A = magic(3)
A =
     8     1     6
     3     5     7
     4     9     2
>> A (:)
```




# Linear indexing - application

- let's consider following matrix: 

```
>> MAT = ones(7);
```
- we set all the red-highlighted elements to zero:




```
>> MAT(2:2:end) = 0  
>> imagesc(MAT);
```



# Linear indexing – `ind2sub`, `sub2ind`

- `ind2sub`: recalculates linear index to subscript corresponding to size and dimension of the matrix
  - applicable to an array of arbitrary size and dimension

1	4	7
2	5	8
3	6	9




1,1	1,2	1,3
2,1	2,2	2,3
3,1	3,2	3,3

```
>> ind = 3:6;
>> [rw, col] = ind2sub([3, 3], ind)
% rw = [3 1 2 3]
% col = [1 2 2 2]
```

- `sub2ind`: recalculates subscripts to linear index
  - applicable to an array of arbitrary size and dimension

1,1	1,2	1,3
2,1	2,2	2,3
3,1	3,2	3,3



1	4	7
2	5	8
3	6	9

```
>> ind2 = sub2ind([3, 3], rw, col)
% ind2 = [3 4 5 6]
```

# Linear indexing

300 s ↑

- for a two-dimensional array, find a formula to calculate linear index from position given by `row` (row) and `col` (column)
  - check with a matrix `A` of size  $4 \times 4$ , where
    - `row = [2, 4, 1, 2]`
    - `col = [1, 2, 2, 4]`
  - and therefore
    - `ind = [2, 8, 5, 14]`

```
>> A = zeros(4);  
>> A(:) = (1:16)
```

# Function who, whos

- function `who` lists all variables in Matlab Workspace
  - wide variety of options
- function `whos` lists the variable names + dimension, size and data type of the variables or displays content of a file
  - wide variety of options

```
>> whos('-file', 'matlab.mat');
```

```
>> a = 15; b = true;  
>> c = 'test'; d = 1 + 5j;  
>> who  
>> whos  
>> Ws = whos;
```



# Function what, which, delete

- function `what` lists names of all Matlab files in the current folder

```
>> Wt = what;
```

- function `which` is able to localize (in this order)
  - `.m` / `.p` / Simulink function
  - Method of Java class
  - Workspace variable
  - arbitrary file, if present in the current folder

```
>> which sin
built-in (C:\Program Files\MATLAB\R2013a\toolbox\matlab\elfun\@double\sin) % double method
```

- function `delete` deletes
  - files
  - handle objects (e.g. graphical objects)

# Functions `cd`, `pwd`, `dir`

- function `cd` changes current folder
  - lists current folder when called without a parameter
  - „`cd ..`“ jumps up one directory, „`cd /`“ jumps up to root
- function `pwd` identifies current folder
- function `dir` lists current folder content
- for other functions (`mkdir`, `rmdir`, ...) see Matlab Help

# Function `prefdir`

---

- folder containing preferences, history, and layout files

```
>> folder = prefdir  
>> cd(folder);
```

- it is recommended to do not edit any file!

# Function memory, ver

- function `memory` displays information on how much memory is available and how much the MATLAB software is currently using

```
>> memory
>> M = memory
```

```
>> memory
Maximum possible array:      4408 MB (4.622e+09 bytes) *
Memory available for all arrays:  4408 MB (4.622e+09 bytes) *
Memory used by MATLAB:        696 MB (7.294e+08 bytes)
Physical Memory (RAM):        3534 MB (3.705e+09 bytes)
```

\* Limited by System Memory (physical + swap file) available.

- function `ver` displays license information
  - Matlab version
  - License number
  - List of toolboxes and their version

```
>> ver
>> V = ver
```

- if you need to know the version of Matlab only, use `version`

```
>> V = version
```

# Format of command line output

```
>> pi
ans =
    3.1416
>> sin(1.1)
ans =
    0.8912
```

- up to now we have been using basic setup
- Matlab offers number of other options
  - use format `setting`
  - output format does not change neither the computation accuracy nor the accuracy of stored result (`eps`, `realmax`, `realmin`, ... still apply)

---

<code>setting</code>	format description
<code>short</code>	fixed 4 decimal points are displayed
<code>long</code>	15 decimal points for double accuracy, 7 decimal points for single accuracy
<code>shortE</code>	floating-point format (scientific notation)
<code>longE</code>	-//-
<code>bank</code>	Two decimal points only (euro – cents)
<code>rat</code>	Matlab attempts to display the result as a fraction
and others	note.: omitting <code>setting</code> parameter restores default setup

---

# Format of command line output

240 s ↑

- try following output format settings
  - each format is suitable for different type of problem

```
>> s = [5 1/2 1/3 10*pi sqrt(2)];  
>> format long; s  
>> format rat; s  
>> format bank; s  
>> format hex; s  
>> format +; s  
>> format; s
```

- there exist other formats with slight differences
  - check doc `format`
- later, we will learn how to use formatted conversion into strings (commands `sprintf` a `fprintf`)

# List of ASCII characters

- ASCII characters used in Matlab
  - All characters to be found on EN keyboard

[	ALT + 91	matrix definition, indexing
]	ALT + 93	-//-
{	ALT + 123	cell elements indexing
}	ALT + 125	-//-
@	ALT + 64	handle (symbolic math)
>	ALT + 62	relation operator
<	ALT + 60	-//-
\	ALT + 92	Matrix division
	ALT + 124	logical operator
~	ALT + 126	-//-
^	ALT + 94	power

- for more see: <http://www.asciitable.com/>

# Launching external programs

- rarely used
- external programs are launched using the exclamation mark "!"
  - the whole line after the "!" is processed as operation system command

```
>> !calc
```

- if you don't want to interrupt execution of Matlab by the launch, add "&"

```
>> !calc &  
>> !notepad notes.txt &
```

- it is possible to run Matlab with several ways

```
>> doc matlab Windows  
>> doc matlab UNIX
```



# Work with files using the prompt

- try the following
  - copy & paste line by line, observe what happens
  - be careful when editing the commands!!!

```
>> mkdir('My_experiment');  
>> cd('My_experiment');  
>> this_directory = pwd;  
>> our_file = 'pathdef.m';  
>> our_data = fullfile(matlabroot, 'toolbox', 'local', our_file);  
>> copyfile(our_data, this_directory);  
>> new_file = 'my_demo.txt';  
>> movefile(our_file, new_file);  
>> !write my_demo.txt
```

# Exercise #1


600 s ↑

- consider signal:  $s(t) = \sqrt{2\pi} \sin(2\omega_0 t) + n(\mu, \sigma)$ ,  $\omega_0 = \pi$ ,  
where the mean and standard deviation of normal distribution  $n$  is:

$$\mu = 0, \quad \sigma = 1$$

- create time dependence of the signal spanning  $N = 5$  periods of the signal using  $V = 40$  samples per period
- one period:  $T = 1$ :  $t \in [k, k+1]$ ,  $k \in \mathbb{Z}^0$  (choose  $k$  equal for instance to 0)
- the function  $n(\mu, \sigma)$  has Matlab syntax:

```
>> n = mu + sigma*randn(1, N*V)
```



# Exercise #2


600 s ↑

- apply threshold function to generated signal from the previous exercise to limit its maximum and minimum value:

$$s_p(t) = \begin{cases} s_{\min} & \Leftrightarrow s(t) < s_{\min} \\ s_{\max} & \Leftrightarrow s(t) > s_{\max} \\ s(t) & \dots \text{ otherwise} \end{cases} \quad \begin{aligned} s_{\min} &= -\frac{9}{10} \\ s_{\max} &= \frac{\pi}{2} \end{aligned}$$

- the result is vector `sp_t`
- use functions `min` and `max` with two input parameters, see Matlab Help for details
- use the following code to check your output:

```
>> close all;  
>> plot(t, s_t); hold on;  
>> stem(t, sp_t, 'r');
```



- it is often wanted to evaluate certain sequence of commands repeatedly  
⇒ utilization of Matlab scripts (plain ACSII coding)
- the best option is to use Matlab Editor
  - to be opened using: `>> edit`
  - or in Matlab < R2012a: Start → Desktop Tools → Editor
- a script is a sequence of statements that we have been up to now typing in the command line
  - all the statements are executed one by one on the launch of the script
  - the script operates with global data in Matlab Workspace
  - suitable for quick analysis and solving problems involving multiple statements
- there are specific naming conventions for scripts (and also for functions as we see later)

# Script execution, m-files

- to execute script:
  - F5 function key in Matlab Editor
  - Current Folder → select script → context menu → Run
  - Current Folder → select script → F9
  - From the command line: 

```
>> script_name
```
- Scripts are stored as so called m-files
  - .m
  - caution: if you have Mathematica installed, the .m files may be launched by Mathematica

**1** function [pTCMout pTCMres done] = TCM\_afs\_executor(pTCMin,routineData)

**2** >> edit myFce1 % launch editor

**3** >> edit myFce1 % open new file 'myFce1' in the current directory

**4** I = [ '/' '-' '\' ];

**5** end

**6** resQuv

# Matlab Editor, $\geq$ R2012a

User defined scripts and functions

The screenshot shows the Matlab Editor interface with the following code in the editor:

```
1 function out = test1(in)
2     in1 = in + 1;
3     out1 = function_test(in1);
4     out = in + sin(out1);
```

```
1 function out1 = function_test(in1)
2
3     out = in1 + linspace(0,pi,1e2);
4     out1 = out + sin(out) + k;
```

At the bottom of the editor, there is a white box containing the following commands:

```
>> edit          % launch editor
>> edit myFce1  % open new file 'myFce1' in the current directory
```

# Useful shortcuts for Matlab Editor

key	meaning
CTRL + Pg. UP	switch among all open m-files - one direction
CTRL + Pg. DOWN	- other direction
<b>CTRL + R</b>	adds '%' at the beginning of the selected lines, "comment lines"
<b>CTRL + T</b>	removes '%' from selected lines
<b>F5</b>	execute current script / function
CTRL + S	save current file (done automatically after pressing F5)
CTRL + HOME	jump to the beginning of file
CTRL + END	jump to the end of file
CTRL + → / ←	jump word-by-word or expression-by-expression to the right / left
CTRL + W	close current file
CTRL + O	activates open file dialog box (drag and drop technique also available)
CTRL + F	find / replace dialog box
CTRL + G	„go to“, jumps to the indicated line number
CTRL + D	open m-file of the function at the cursor's position
CTRL + I	indentation of block of lines corresponding to key words ( <code>for</code> / <code>while</code> , <code>if</code> / <code>switch - case</code> )
<b>F1</b>	open context help related to the function at position of cursor



# Matlab Editor

120 s ↑

- open Matlab Editor and prepare to work with a new script, call it `signal1.m`, for instance
- use signal generation and limiting from one of the previous slides as the body of the script
- Save the script in the current (or your own) folder
- try to execute the script (F5)

```
>> edit signal1
```

```
%% script generates signal with noise  
clear; clc;  
t = linspace(0, 5, 5*40);  
s_t = sqrt(2*pi)*sin(2*pi*t) + randn(1, 5*40);  
plot(t, s_t);
```

- note: from now on, the code inside scripts will be shown without leading „>>“

# Useful functions for script generation

- function `disp` displays value of a variable in Command Window
  - without displaying variable's name and the equation sign "="
  - Can be combined with `s` text (more on that later)
  - more often it is advantageous to use more complicated but robust function `sprintf`

```
>> a = 2^13-1;
b = [8*a 16*a];
b
b =
    65528    131056
```

```
a = 2^13-1;
b = [8*a 16*a];
b
```

vs.

```
a = 2^13-1;
b = [8*a 16*a];
disp(b);
```

```
>> a = 2^13-1;
b = [8*a 16*a];
disp(b);
    65528    131056
```

- function `input` is used to enter variables
  - if the function is terminated with an error, the input request is repeated

```
A = input('Enter parameter A: ');
```

```
>> A = input('Enter parametr A: ');
Enter parametr A: 10.153
>> A = input('Enter string str: ', 's');
Enter string str: this is a test
>> whos
Name      Size      Bytes  Class  Attributes
A         1x14      28     char
ans       1x1        8     double
```

- It is possible to enter strings as well:

```
str = input('Enter String str: ', 's');
```

# Matlab Editor – Exercise

600 s ↑

- create a script to calculate compound interest\*
  - the problem can be described as :

$$P = \frac{rA \left(1 + \frac{r}{n}\right)^{nk}}{n \left( \left(1 + \frac{r}{n}\right)^{nk} - 1 \right)},$$

where  $P$  is regular repayment of debt  $A$ , paid  $n$ -times per year in the course of  $k$  years with interest rate  $r$  (decimal number)

- create a new script and save it
- at the beginning delete variables and clear Command Window
- implement the formula first, then proceed with inputs (input) and outputs (disp)
- Try to vectorize the code, e.g. for various values of  $P$ ,  $n$  or  $k$
- Check your results (pro  $A = 1000$ ,  $n = 12$ ,  $k = 15$ ,  $r = 0.1$  is  $P = 10.7461$ )

\*interest from the prior period is added to principal

# Matlab Editor – Exercise

- try to vectorize the code, both for  $r$  and  $k$
- use scripts for future work with Matlab
  - bear in mind, however, that parts of the code can be debugged using command line

$$P = \frac{rA \left(1 + \frac{r}{n}\right)^{nk}}{n \left( \left(1 + \frac{r}{n}\right)^{nk} - 1 \right)}$$

# Linear indexing

600 s ↑

- let's consider following matrix:

```
>> A = magic(4);
```

- use linear indexing so that only the element with the highest value in each row of A was left (all other values set to 0); call the new matrix B

```
>> B = zeros(size(A));  
>> % complete ...
```

# Useful functions for script generation

- function `keyboard` stops execution of the code and gives control to the keyboard
  - the function is widely used for code debugging as it stops code execution at the point where doubts about the code functionality exist

```
K>>
```

- `keyboard` status is indicated by `K>>` (`K` appears before the prompt)
- The keyboard mode is terminated by `return`
- function `pause` halts code execution,
  - `pause(x)` halts code execution for `x` seconds

```
% code; code; code;  
pause;
```

- see also: `echo`, `waitforbuttonpress`
  - special purpose functions

# Matlab Editor – Exercise

360 s ↑

- modify the script for compound interest calculation in the way that
  - values  $A$  and  $n$  are entered from the command line (function `input`)
  - test the function `keyboard` (insert it right after parameter input)
    - is it possible to use `keyboard` mode to change the parameters inserted by `input`?
    - arrange for exiting the `keyboard` (`K>>`) mode, use `return`
  - interrupt the script before displaying results (function `pause`)
    - note the warning „*Paused*“ in the bottom left part of main Matlab window

# Script commenting

- **MAKE COMMENTS!!**
  - important / complicated parts of code
  - description of functionality, ideas, change of implementation

enables to separate  
function into more  
blocs  
(%% ...)

```
% A = magic(3);
matX = dataIn(:,1);
SumX = sum(matX); % all members are summed
%% CELL mode (must be enabled in Editor)
disp(num2str(SumX));
Z = inv(ZZ);
%{
This is a multi-line comment.
Mostly, it is more appropriate to use more
single-line comments.
%}
```

typical comment  
(one-/multiple- line)

Multiple-line  
comment

Shortcuts:  
**CTRL+R**  
**CTRL+T**



# When not making comments...

- ...  
no  
one  
will  
understand!

```

edgTotal = MeshStruct.edgTotal;
RHO_P    = zeros(3,9,edgTotal);
RHO_M    = zeros(3,9,edgTotal);
for m = 1:edgTotal
    RHO_P(:,:,m) = repmat(MeshStruct.Rho_Plus1(:,m), [1 9]);
    RHO_M(:,:,m) = repmat(MeshStruct.Rho_Minus1(:,m), [1 9]);
end
Z        = zeros(edgTotal,edgTotal) + 1j*zeros(edgTotal,edgTotal);
for p = 1:MeshStruct.trTotal
    Plus = find(MeshStruct.TrianglePlus - p == 0);
    Minus = find(MeshStruct.TriangleMinus - p == 0);
    D     = MeshStruct.trCenter9 - ...
            repmat(MeshStruct.trCenter(:,p), [1 9 MeshStruct.trTotal]);
    R     = sqrt(sum(D.*D));
    g     = exp(-K*R)./R;
    gP    = g(:,:,MeshStruct.TrianglePlus);
    gM    = g(:,:,MeshStruct.TriangleMinus);
    Fi    = sum(gP) - sum(gM);
    ZF    = FactorFi.*reshape(Fi,edgTotal,1);
for k = 1:length(Plus)
    n     = Plus(k);
    RP    = repmat(MeshStruct.Rho_Plus9(:,:,n), [1 1 edgTotal]);
    RPi   = repmat(MeshStruct.Rho_Minus9(:,:,n), [1 1 edgTotal]);
    A     = sum(gP.*sum(RP.*RHO_P)) + sum(gM.*sum(RP.*RHO_M));
    Z1    = FactorA.*reshape(A,edgTotal,1);
    Z(:,n) = Z(:,n) + MeshStruct.edgLength(n)*(Z1+ZF);
end
for k = 1:length(Minus)
    n     = Minus(k);
    RP    = repmat(MeshStruct.Rho_Minus9(:,:,n), [1 1 edgTotal]);
    RPi   = repmat(MeshStruct.Rho_Plus9(:,:,n), [1 1 edgTotal]);
    A     = sum(gP.*sum(RP.*RHO_P)) + sum(gM.*sum(RP.*RHO_M));
    Z1    = FactorA.*reshape(A,edgTotal,1);
    Z(:,n) = Z(:,n) + MeshStruct.edgLength(n)*(Z1-ZF);
end
end
end

```

# Discussed functions

---

---


<code>edit</code>	open Matlab Editor	●
<code>disp, pause</code>	display result in the command line, terminate script execution	●
<code>keyboard, return, input</code>	enables user to enter script being executed, value input request	●
<code>who, what, whos, which</code>	information on variables, files, folders	●
<code>cd, pwd, dir</code>	change directory, list folder	●
<code>memory, ver</code>	available memory information, version of Matlabu and toolboxes	●
<code>format, delete</code>	command line display format, delete file / objects	●

---

# Exercise #1

400 s ↑

- generate vector containing following sequence




- note the x axis (interval, number of samples)
- split the problem into several parts to be solved separately
- several ways how to solve the problem
- use `stem(x)` instead of `plot(x)` for plotting
- try to generate the same signal beginning with zero ...

# Exercise #2

- generate vector containing following sequence

- one of possible solutions:

- or



## Exercise #3

- consider following signal:

$$s(t) = \sqrt{2\pi} \sin(2\omega_0 t) + n(\mu, \sigma)$$

where the mean of normal distribution  $n(\mu, \sigma)$  is  $\mu=0$  (mu) and standard deviation  $\sigma = 1$  (sigma). Matlab syntax of  $n$  is:


```
n = mu + sigma*randn(1, N*V)
```

- create signal within time interval  $\langle 5; 10 \rangle$  so that  $N = 5$  periods of the signal is depicted using  $V = 40$  samples per period.
- use the code in the following slide and correct errors in the code. Correct solution will be presented during next lecture.

# Exercise #4

400 s ↑

- Correct solution depicts:



# Exercise #5

400 s ↑

- reflection coeff.  $S_{11}$  of a one-port device of impedance  $Z$  is given by :


$$S_{11} = 10 \log_{10} \left( \left| \frac{Z - Z_0}{Z + Z_0} \right|^2 \right),$$

where  $Z_0 = 50 \Omega$  and  $Z = R + jX$  .

- calculate and depict the dependence of  $S_{11}$  for  $R = 30 \Omega$  and  $X$  on the  $\langle 1, 10^3 \rangle$  interval with 100 evenly spaced point in logarithmic scale
- Use the code below and correct errors in the code. Correct solution will be presented during next lecture.

# Exercise #6

- Correct solution results in the following:





# Thank you!



ver. 5.1 (06/03/2016)  
Miloslav Čapek, Pavel Valtr  
miloslav.capek@fel.cvut.cz  
Pavel.Valtr@fel.cvut.cz

Apart from educational purposes at CTU, this document may be reproduced,  
stored or transmitted only with the prior permission of the authors.  
Document created as part of A0B17MTB course.

