



---

# Eigenfaces for Recognition

Matthew Turk and Alex Pentland

---

presented by  
Kimo Johnson



# Face Recognition

- Faces
  - primary focus of attention
  - determine identity and emotion
- Human ability
  - speed
  - robust to changes



# Face Recognition

---

- Computational models
  - criminal identification
  - security systems
  - human-computer interaction
- Goals
  - fast
  - reasonably simple
  - accurate in constrained environments

# Background


---

- Individual features
  - eyes, nose, mouth, head outline
  - position and size relationships
- Disadvantages
  - multiple views
  - fragile and complex



# Eigenfaces

- The eigenface approach
  - images are points in a vector space
  - use PCA to reduce dimensionality
  - face space
    - Sirovich & Kirby 1987
    - Kirby & Sirovich 1990



- compare projections onto face space to recognize faces

# PCA

---

- Principal component analysis
  - $X$  is  $m \times n$ 
    - $m$ : dimensionality of image
    - $n$ : number of images
  - orthogonal change of variable

$$X = UY$$

- maximize variance of projected samples
- eigenvectors of covariance matrix

$$S = XX^T$$

# PCA

---

- Optimization

- We want eigenvectors of  $S$  ( $m \times m$ )

$$S\mathbf{u} = \lambda\mathbf{u}$$

- If  $m$  is much larger than  $n$ , form  $T$  ( $n \times n$ )

$$T = X^T X$$

$$T\mathbf{v} = \lambda\mathbf{v} = (X^T X)\mathbf{v}$$

$$X(X^T X)\mathbf{v} = X\lambda\mathbf{v} = \lambda(X\mathbf{v})$$

$$S(X\mathbf{v}) = \lambda(X\mathbf{v})$$

# Eigenface Recognition Procedure

---

- Build face space
  - PCA
  - choose  $M'$  eigenfaces as a basis for face space
- Project image vectors onto face space
  - nearest known face (Euclidean distance) matches
  - thresholds for distance to face class vs. distance to face space
    - in face space, but no match
    - not in face space




# Example: Build Face Space

40 faces, 112 x 92 pixels = 10,304 pixels



# Example: Build Face Space


$X$  is 10,304 x 40,  $T$  is 40 x 40



# Example: Build Face Space


---

Face Space = top 8 eigenfaces



# Example: Recognize Faces

Same 40 people, different images



# Example: Recognize Faces

recognize 34/40 = 85%



# Extensions and Other Issues

---

- Extensions
  - locating and detecting faces in images and video
  - recognizing new faces
- Other issues
  - eliminating the background
  - scale and orientation invariance

# Conclusions

---

- Face recognition system
  - fast
  - reasonably simple
  - accurate in a constrained environment
- Future work
  - robustness to changes
  - learning new faces
  - eigenfaces to determine gender or facial expressions

# PCA details

---

- Maximize variance of projected samples

$$\begin{aligned} E[(\mathbf{u}^T \mathbf{x} - E[\mathbf{u}^T \mathbf{x}])^2] &= E[(\mathbf{u}^T (\mathbf{x} - E[\mathbf{x}]))^2] \\ &= \mathbf{u}^T E[(\mathbf{x} - E[\mathbf{x}])(\mathbf{x} - E[\mathbf{x}])^T] \mathbf{u} \\ &= \mathbf{u}^T S \mathbf{u} \end{aligned}$$



# PCA details

---

- Solve using Lagrange multipliers

$$L(\mathbf{u}) = \mathbf{u}^T S \mathbf{u} - \lambda \mathbf{u}^T \mathbf{u}$$

$$\frac{\partial L}{\partial \mathbf{u}} = 2S\mathbf{u} - 2\lambda\mathbf{u} = 0$$

$$S\mathbf{u} = \lambda\mathbf{u}$$

- Solution is eigenvector of covariance matrix