

# Querying Description Logics

Petr Křemen  
petr.kremen@fel.cvut.cz

FEL ČVUT

Conjunctive Queries

Evaluation of Conjunctive Queries in  $\mathcal{ALC}$

# Conjunctive Queries

Conjunctive (ABox) queries – queries asking for individual tuples complying with a graph-like pattern.

Metaqueries – queries asking for individual/concept/role tuples. There are several languages for metaqueries, e.g. SPARQL-DL, OWL-SAIQL, etc.

## Example

In SPARQL-DL, the query “Find all people together with their type.” can be written as follows :

*Type(?x, ?c), SubClassOf(?c, Person)*

# Conjunctive (ABox) queries

Conjunctive (ABox) queries are analogous to database SELECT-PROJECT-JOIN queries. A conjunctive query is in the form

$$Q(?x_1, \dots, ?x_D) \leftarrow t_1, \dots, t_T,$$

where each  $t_i$  is either  $C(y_k)$ , or  $R(y_k, y_l)$ . Each  $y_i$  is either (i) an individual from the ontology, or (ii) variable from a new set  $V$  (variables will be differentiated from individuals by the prefix “?”) and  $C$  denotes a concept and  $R$  denotes a role. Next, we need all  $?x_i$  to be present also in one of  $t_i$ .

## Example

“Find all mothers and their daughters having at least one brother.”  
:

$$Q(?x, ?z) \leftarrow \text{Woman}(?x), \text{hasChild}(?x, ?y), \text{hasChild}(?x, ?z), \\ \text{Man}(?y), \text{Woman}(?z)$$

- Conjunctive queries of the form  $Q()$  are called *boolean* – such queries only test existence of a relational structure in each model  $\mathcal{I}$  of the ontology  $\mathcal{K}$ .
- Consider any interpretation  $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$ . *Evaluation*  $\eta$  is a function from the set of individuals and variables into  $\Delta^{\mathcal{I}}$  that coincides with  $\mathcal{I}$  on individuals.
- Then  $\mathcal{I} \models_{\eta} Q()$ , iff
  - $\eta(y_k) \in C^{\mathcal{I}}$  for each atom  $C(y_k)$  from  $Q()$  and
  - $\langle \eta(y_k), \eta(y_l) \rangle \in R^{\mathcal{I}}$  for each atom  $R(y_k, y_l)$  from  $Q()$
- Interpretation  $\mathcal{I}$  is a model of  $Q()$ , iff  $\mathcal{I} \models_{\eta} Q()$  for some  $\eta$ .
- Next,  $\mathcal{K} \models Q()$  ( $Q()$  is satisfiable in  $\mathcal{K}$ ) iff  $\mathcal{I} \models Q()$  whenever  $\mathcal{I} \models \mathcal{K}$

# Conjunctive ABox Queries – Variables

- Queries without variables are not practically interesting. For queries with variables we define semantics as follows. An N-tuple  $\langle i_1, \dots, i_n \rangle$  is a *solution* to  $Q(?x_1, \dots, ?x_n)$  in theory  $\mathcal{K}$ , whenever  $\mathcal{K} \models Q'()$ , for a boolean query  $Q'$  obtained from  $Q$  by replacing all occurrences of  $?x_1$  in all  $t_k$  by an individual  $i_1$ , etc.
- In conjunctive queries two types of variables can be defined:
  - distinguished** occur in the query head as well as body, e.g.  $?x, ?z$  in the previous example. These variables are evaluated as domain elements that are necessarily interpretations of some individual from  $\mathcal{K}$ . That individual is the binding to the distinguished variable in the query result.
  - undistinguished** occur only in the query body, e.g.  $?y$  in the previous example. Their can be interpreted as any domain elements.

## Example

Let's have a theory  $\mathcal{K}_4 = (\emptyset, \{(\exists R_1 \cdot C_1)(i), R_2(i, j), C_2(j)\})$ .

- Does  $\mathcal{K} \models Q_1()$  hold for  $Q_1() \leftarrow R_1(?x_1, ?x_2)$  ?
- What are the solutions of the query  $Q_2(?x_1) \leftarrow R_1(?x_1, ?x_2)$  for  $\mathcal{K}$  ?
- What are the solutions of the query  $Q_3(?x_1, ?x_2) \leftarrow R_1(?x_1, ?x_2)$  for  $\mathcal{K}$  ?



# Evaluation of Conjunctive Queries in *ALC*

# Satisfiability of $\mathcal{ALC}$ Boolean Queries

- Satisfiability of the boolean query  $Q()$  having a tree shape can be checked by means of the *rolling-up technique*.
  - Each query atom of the form  $R(y_k, y_l)$  can be replaced by the term  $(\exists R \cdot X)(y_k)$ , if  $y_l$  does not occur in any other query atom.  $X$  equals to
    - (i)  $\top$ , whenever  $y_l$  is a variable,
    - (ii)  $Y_l$ , whenever  $y_l$  is an individual.  $Y_l$  is a *representative concept* of individual  $y_l$  occurring neither in  $\mathcal{K}$  nor in  $Q$ . For each  $y_l$  it is necessary to extend ABox of  $\mathcal{K}$  with concept assertion  $Y_l(y_l)$ .
  - Each query atom of the form  $R(y_k, y_l)$  can be replaced by the query atom  $(\exists R \cdot C)(y_k)$ , if  $y_l$  occurs in the query in a single query atom of the form  $C(y_l)$ .
  - Each two atoms  $C_1(y_k)$  and  $C_2(y_k)$  can be replaced by a single query atom of the form  $(C_1 \sqcap C_2)(y_k)$ .

## Satisfiability of $\mathcal{ALC}$ Boolean Queries (2)

... after rolling-up the query we obtain the query  $Q()' \leftarrow C(y)$ , that is satisfied in  $\mathcal{K}$ , iff  $Q()$  is satisfied in  $\mathcal{K}$ :

- If  $y$  is an individual, then  $Q'()$  is satisfied, whenever  $\mathcal{K} \models C(y)$  (i.e.  $\mathcal{K} \cup \{(\neg C)(y)\}$  is inconsistent)
- If  $y$  is a variable, then  $Q'()$  is satisfied, whenever  $\mathcal{K} \cup \{C \sqsubseteq \perp\}$  is inconsistent. Why ?

### Example


Consider a query  $Q_4() \leftarrow R_1(?x_1, ?x_2), R_2(?x_1, ?x_3), C_2(?x_3)$ . This query can be rolled-up into the query  $Q'_4 \leftarrow (\exists R_1 \cdot \top \sqcap \exists R_2 \cdot C_2)(?x_1)$ . This query is satisfiable in  $\mathcal{K}_4$ , as  $\mathcal{K}_4 \cup \{(\exists R_1 \cdot \top \sqcap \exists R_2 \cdot C_2) \sqsubseteq \perp\}$  is inconsistent.

## Satisfiability of Boolean Queries in $\mathcal{ALC}$ (3)

... and what to do with arbitrary queries ?

- Let's consider just queries that form “connected component” and contain for some variable  $y_k$  at least two query atoms of the form  $R_1(y_1, y_k)$  and  $R_2(y_2, y_k)$ .
- Question: *Why it is enough to take just one connected component?*
- Let's make use of the tree model property of  $\mathcal{ALC}$ . Each pair of atoms  $R_1(y_1, y_k)$  and  $R_2(y_2, y_k)$  can be satisfied only if  $y_k$  is interpreted as a domain element, that is an interpretation of an individual. Why (see next slide) ? It is enough to try to replace each  $y_k$  in our query with each individual occurring in  $\mathcal{K}$ .
- For  $\mathit{SHOIN}$  and  $\mathit{SROIQ}$  there is no sound and complete decision procedure for general boolean queries.

# ALC Model Example



# Queries with Distinguished Variables

Consider arbitrary query  $Q(?x_1, \dots, ?x_D)$ . How to evaluate it ?

- Naive way: Replace each distinguished variable  $x_i$  by each individual occurring in  $\mathcal{K}$ . Solutions are those D-tuples  $\langle i_1, \dots, i_D \rangle$ , for which a boolean query created from  $Q$  by replacing each  $x_k$  with  $i_k$  is satisfiable.
- A bit more clever strategy: First, let's replace just the first variable  $x_1$  with each individual from  $\mathcal{K}$ , resulting in  $Q_2$ . If any query atom without variables in  $Q_2$  is not a logical consequence of  $\mathcal{K}$ , then we do not need to test potential bindings for other variables.
- In this field many optimizations are available.