

Querying Description Logics

Petr Křemen
petr.kremen@fel.cvut.cz

FEL ČVUT

Conjunctive Queries

Evaluation of Conjunctive Queries in \mathcal{ALC}

Conjunctive Queries

Conjunctive (ABox) queries – queries asking for individual tuples complying with a graph-like pattern.

Metaqueries – queries asking for individual/concept/role tuples. There are several languages for metaqueries, e.g. SPARQL-DL, OWL-SAIQL, etc.

Example

In SPARQL-DL, the query “Find all people together with their type.” can be written as follows :

Type(?x, ?c), SubClassOf(?c, Person)

Conjunctive (ABox) queries

Conjunctive (ABox) queries are analogous to database SELECT-PROJECT-JOIN queries. A conjunctive query is in the form

$$Q(?x_1, \dots, ?x_D) \leftarrow t_1, \dots, t_T,$$

where each t_i is either $C(y_k)$, or $R(y_k, y_l)$. Each y_i is either (i) an individual from the ontology, or (ii) variable from a new set V (variables will be differentiated from individuals by the prefix “?”) and C denotes a concept and R denotes a role. Next, we need all $?x_i$ to be present also in one of t_i .

Example

“Find all mothers and their daughters having at least one brother.”
:

$$Q(?x, ?z) \leftarrow \text{Woman}(?x), \text{hasChild}(?x, ?y), \text{hasChild}(?x, ?z), \\ \text{Man}(?y), \text{Woman}(?z)$$

- Conjunctive queries of the form $Q()$ are called *boolean* – such queries only test existence of a relational structure in each model \mathcal{I} of the ontology \mathcal{K} .
- Consider any interpretation $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$. *Evaluation* η is a function from the set of individuals and variables into $\Delta^{\mathcal{I}}$ that coincides with \mathcal{I} on individuals.
- Then $\mathcal{I} \models_{\eta} Q()$, iff
 - $\eta(y_k) \in C^{\mathcal{I}}$ for each atom $C(y_k)$ from $Q()$ and
 - $\langle \eta(y_k), \eta(y_l) \rangle \in R^{\mathcal{I}}$ for each atom $R(y_k, y_l)$ from $Q()$
- Interpretation \mathcal{I} is a model of $Q()$, iff $\mathcal{I} \models_{\eta} Q()$ for some η .
- Next, $\mathcal{K} \models Q()$ ($Q()$ is satisfiable in \mathcal{K}) iff $\mathcal{I} \models Q()$ whenever $\mathcal{I} \models \mathcal{K}$

Conjunctive ABox Queries – Variables

- Queries without variables are not practically interesting. For queries with variables we define semantics as follows. An N-tuple $\langle i_1, \dots, i_n \rangle$ is a *solution* to $Q(?x_1, \dots, ?x_n)$ in theory \mathcal{K} , whenever $\mathcal{K} \models Q'()$, for a boolean query Q' obtained from Q by replacing all occurrences of $?x_1$ in all t_k by an individual i_1 , etc.
- In conjunctive queries two types of variables can be defined:
 - distinguished** occur in the query head as well as body, e.g. $?x, ?z$ in the previous example. These variables are evaluated as domain elements that are necessarily interpretations of some individual from \mathcal{K} . That individual is the binding to the distinguished variable in the query result.
 - undistinguished** occur only in the query body, e.g. $?y$ in the previous example. Their can be interpreted as any domain elements.

Example

Let's have a theory $\mathcal{K}_4 = (\emptyset, \{(\exists R_1 \cdot C_1)(i), R_2(i, j), C_2(j)\})$.

- Does $\mathcal{K} \models Q_1()$ hold for $Q_1() \leftarrow R_1(?x_1, ?x_2)$?
- What are the solutions of the query $Q_2(?x_1) \leftarrow R_1(?x_1, ?x_2)$ for \mathcal{K} ?
- What are the solutions of the query $Q_3(?x_1, ?x_2) \leftarrow R_1(?x_1, ?x_2)$ for \mathcal{K} ?

Evaluation of Conjunctive Queries in *ALC*

- Satisfiability of the boolean query $Q()$ having a tree shape can be checked by means of the *rolling-up technique*.
 - Each two atoms $C_1(y_k)$ and $C_2(y_k)$ can be replaced by a single query atom of the form $(C_1 \sqcap C_2)(y_k)$.
 - Each query atom of the form $R(y_k, y_l)$ can be replaced by the term $(\exists R \cdot X)(y_k)$, if y_l occurs in at most one other query atom of the form $C(y_l)$ (if there is no $C(y_l)$ atom in the query, consider w.l.o.g. that C is \top). X equals to
 - (i) C , whenever y_l is a variable,
 - (ii) $C \sqcap Y_l$, whenever y_l is an individual. Y_l is a *representative concept* of individual y_l occurring neither in \mathcal{K} nor in Q . For each y_l it is necessary to extend ABox of \mathcal{K} with concept assertion $Y_l(y_l)$.

Satisfiability of \mathcal{ALC} Boolean Queries (2)

... after rolling-up the query we obtain the query $Q()' \leftarrow C(y)$, that is satisfied in \mathcal{K} , iff $Q()$ is satisfied in \mathcal{K} :

- If y is an individual, then $Q'()$ is satisfied, whenever $\mathcal{K} \models C(y)$ (i.e. $\mathcal{K} \cup \{(\neg C)(y)\}$ is inconsistent)
- If y is a variable, then $Q'()$ is satisfied, whenever $\mathcal{K} \cup \{C \sqsubseteq \perp\}$ is inconsistent. Why ?

Example


Consider a query $Q_4() \leftarrow R_1(?x_1, ?x_2), R_2(?x_1, ?x_3), C_2(?x_3)$. This query can be rolled-up into the query

$Q'_4 \leftarrow (\exists R_1 \cdot \top \sqcap \exists R_2 \cdot C_2)(?x_1)$. This query is satisfiable in \mathcal{K}_4 , as $\mathcal{K}_4 \cup \{(\exists R_1 \cdot \top \sqcap \exists R_2 \cdot C_2) \sqsubseteq \perp\}$ is inconsistent.

Satisfiability of Boolean Queries in \mathcal{ALC} (3)

- ... and what to do with queries with distinguished variables ?
- Let's consider just queries that form “connected component” and contain for some variable y_k at least two query atoms of the form $R_1(y_1, y_k)$ and $R_2(y_2, y_k)$.
 - Question: *Why it is enough to take just one connected component?*
 - Let's make use of the tree model property of \mathcal{ALC} . Each pair of atoms $R_1(y_1, y_k)$ and $R_2(y_2, y_k)$ can be satisfied only if y_k is interpreted as a domain element, that is an interpretation of an individual. Why (see next slide) ? It is enough to try to replace each y_k in our query with each individual occurring in \mathcal{K} .
 - For SHOIN and SROIQ there is no sound and complete decision procedure for general boolean queries.

ALC Model Example



Queries with Distinguished Variables

Consider arbitrary query $Q(?x_1, \dots, ?x_D)$. How to evaluate it ?

- **naive way:** Replace each distinguished variable x_i by each individual occurring in \mathcal{K} . Solutions are those D-tuples $\langle i_1, \dots, i_D \rangle$, for which a boolean query created from Q by replacing each x_k with i_k is satisfiable.
- **a bit more clever strategy:** First, let's replace just the first variable x_1 with each individual from \mathcal{K} , resulting in Q_2 . If any query atom without variables in Q_2 is not a logical consequence of \mathcal{K} , then we do not need to test potential bindings for other variables.
- In this field many optimizations are available.