

Symbolic Machine Learning

Filip Železný and Jiří Kléma

Contents

1	A General Framework	4
1.1	Percepts and Actions	4
1.2	Nonsequential Cases	6
1.3	Batch Learning	6
1.4	Rewards and Goals	8
1.5	Environment States	9
1.6	Agent Hypotheses	11
1.7	Nonsequential and Batch Cases with States and Hypotheses	12
1.8	Prior Knowledge	14
1.9	Hypothesis Representations	15
1.10	Learning Scenarios	15
2	On-line Concept Learning	16
2.1	Generalizing Agent	18
2.2	Separating agent	21
2.3	Version Space Agent	23
2.4	The Mistake Bound Learning Model	24

3	Batch Concept Learning	25
3.1	Batch Learning with the Generalizing Agent	26
3.2	Batch Learning with General On-line Agents	27
3.3	Consistent Agent	28
3.4	The PAC Learning Model	29

1 A General Framework

1.1 Percepts and Actions




Figure 1: The basic situation under study.

- Discrete *time*
 $k = 1, 2, \dots$
- *Percepts*
 $\forall k : x_k \in X$
- *Actions*
 $\forall k : y_k \in Y$

X and Y are finite.

A *history* is a sequence of alternating percepts and actions, i.e.,

$$x_1, y_1, x_2, y_2, \dots, x_k, y_k$$

and is denoted as $xy_{\leq k}$. Similarly, $xy_{< k} = x_1, y_1, x_2, y_2, \dots, x_{k-1}, y_{k-1}$. There is a probability distribution μ on histories

$$\mu(xy_{\leq k}) = \mu(x_1)\mu(y_1|x_1)\mu(x_2|x_1, y_1) \dots \mu(x_k|xy_{< k})\mu(y_k|x_k, xy_{< k}) \quad (1)$$

After the initial ‘kick-off’ x_1 from the environment distributed according to $\mu(x_1)$, any percept x_k generated by the environment at time k depends on the entire preceding history $xy_{< k}$ according to

$$\mu(x_k|xy_{< k}) \quad (2)$$

Actions y_k are determined by agent’s decision *policy* which also depends on the history as well as the current percept and are distributed according to

$\mu(y_k|x_k, xy_{<k})$. We will assume that the policy is *deterministic*. Thus we identify the policy with function $\pi : (X \times Y)^* \times X \rightarrow Y$, so

$$y_k = \pi(xy_{<k}, x_k) \tag{3}$$

This means that $\mu(y_k|xy_{<k}, x_k) = 1$ for $y_k = \pi(xy_{<k}, x_k)$ and 0 otherwise.

The following diagram illustrates the influences between the introduced variables.




Figure 2: Influence diagram for actions y_k and percepts x_k for $1 \leq k \leq 3$ with full lines indicating deterministic influences (via π) and dashed lines showing probabilistic influences (via μ).

While we have yet to define what goals the agent should achieve through interaction with the environment, obviously some histories will be “better” than others in terms of the goal achievement. To maximize the probability (1) of good histories, the agent cannot influence the conditional probability (2), which is inherent to the environment, but it can follow a good policy (3). However, the effect of actions proposed by the policy depends on (2) which is generally not known to the agent. So the agent needs to recognize the environment by experimenting with it. This is formally reflected by (3) where action y_k depends not only on the current percept x_k but also on the history $xy_{<k}$. So the agent will generally make different decisions $y_k \neq y_{k'}$ for $k > k'$ even if $x_k = x_{k'}$ because the experience $xy_{<k}$ at time k is larger than experience $xy_{<k'}$ at time k' . This is our first reflection of *learning*.

How does the agent know how well it is doing? This information comes from the environment through a specially distinguished part of the percepts, called *rewards*. The remaining part of each percept contains *observations*. Formally, $X = O \times R$, $o_k \in O$, $r_k \in R \subset \mathfrak{R}$, so

$$x_k = (o_k, r_k) \tag{4}$$

Since X is assumed finite, it follows that rewards have their finite minimum and maximum.

The probability of x_k in (2) can be written in terms of the marginals μ_O and μ_R

$$\begin{aligned}\mu(x_k|xy_{<k}) &= \mu(o_k, r_k|xy_{<k}) = \\ \mu_O(o_k|r_k, xy_{<k})\mu_R(r_k|xy_{<k}) &= \mu_R(r_k|o_k, xy_{<k})\mu_O(o_k|xy_{<k})\end{aligned}$$

which also makes it clear that o_k and r_k are in general not mutually independent, even if conditioned on $xy_{<k}$.

1.2 Nonsequential Cases

Scenarios where current percepts depend on the history of previous percepts and actions are called *sequential*. The framework described so far is maximally general in that dependence is assumed on the entire history from $k = 1$ on. On the other extreme are *nonsequential* scenarios. Here, observations are independent of the history as well as the current reward, i.e.

$$\mu_O(o_k|r_k, xy_{<k}) = \mu_O(o_k) \tag{5}$$

and thus o_1, o_2, \dots are mutually independent random variables sampled from the same distribution μ_O (they are “i.i.d.”).

Rewards in the nonsequential case are assumed to depend only the immediately preceding observation and the action taken on it, i.e.

$$\mu_R(r_k|o_k, xy_{<k}) = \mu_R(r_k|o_{k-1}, y_{k-1}) \tag{6}$$

however, since y_{k-1} is functionally determined by the history $xy_{<k-1}$ and percept $x_{k-1} = (o_{k-1}, r_{k-1})$ through (3), we may rewrite (6) as

$$\mu_R(r_k|o_{k-1}, r_{k-1}, xy_{<k-1}) \tag{7}$$

which makes it clear that reward r_k depends on previous rewards, and thus rewards r_1, r_2, \dots are not i.i.d.. This is natural since if they were, it would mean the agent never improves its performance.

1.3 Batch Learning

We will also consider a specific yet important nonsequential case called *batch learning* consisting of two phases switching right after time K




Figure 3: Influence diagram for actions y_k , observations o_k , and rewards r_k for $1 \leq k \leq 3$ with full lines indicating deterministic influences (via π) and dashed lines showing probabilistic influences (via μ) in the nonsequential case.

- the *learning (training, exploration) phase* at $k = 1, 2, \dots, K$
- the *action (testing, exploitation) phase* taking place in $k = K+1, K+2, \dots$

In the action phase, the agent no longer changes its decision making, i.e.

$$\text{if } k, k' > K \text{ and } x_k = x_{k'} \text{ then } y_k = y_{k'} \quad (8)$$

and ignores rewards. So the action proposed by the policy depends only on the current observation and the history only up to time K . So for $k > K$, (3) changes here into

$$y_k = \pi(xy_{\leq K}, o_k) \quad (9)$$

and (6, 7) change into

$$\mu_R(r_k | o_{k-1}, y_{k-1}) = \mu_R(r_k | o_{k-1}, xy_{\leq K}) \quad (10)$$

because due to (9), y_{k-1} is determined by o_{k-1} and $xy_{\leq K}$. The observation o_{k-1} does not depend on rewards due to (5). So reward r_k does not depend on previous rewards $r_{k'}$, $k > k' > K$. Another way to say this is that rewards in the action phase are conditionally independent of each other, given the learning phase history:

$$\mu_R(r_k, r_{k'} | xy_{<K}) = \mu_R(r_k | xy_{<K}) \mu_R(r_{k'} | xy_{<K}) \quad (11)$$

The following figure illustrates the batch-learning situation.




Figure 4: Influence diagram for actions y_k , observations o_k , and rewards r_k in the action phase ($k > K$) of batch learning with full lines indicating deterministic influences (via π) and dashed lines showing probabilistic influences (via μ). The top row indicates the influence of the learning phase on the agent’s decisions in the action phase.

We can further express the distribution of r_k ($\forall k > K$) without conditioning on the observations, which are i.i.d. by (5)

$$\mu_R(r_k | xy_{\leq K}) = \sum_{o_{k-1} \in \mathcal{O}} \mu_O(o_{k-1}) \mu_R(r_k | o_{k-1}, xy_{\leq K}) \quad (12)$$

So rewards in the action phase are i.i.d. according to the above distribution conditioned only on the history of the learning phase.

1.4 Rewards and Goals

It has been obvious that the agent’s goal is to maximize rewards. Here we formalize this goal. Since rewards come at each point of the history, we want the agent to maximize their sum up to a finite time *horizon* $m \in \mathbb{N}$

$$r_1 + r_2 + \dots + r_m$$

or, more generally, maximize the *discounted* sum

$$\sum_{k=1}^{\infty} r_k \gamma_k$$

where $\forall k : \gamma_k \geq 0$ and $\sum_{i=1}^{\infty} \gamma_i < \infty$, so the above sum converges.

But since rewards are probabilistic, the agent should choose a sequence $y_{\leq m}$ of actions leading to a high *expected* cumulative reward

$$\sum_{r_{\leq m}} \mu_R(r_{\leq m} | y_{\leq m}) (r_1 + r_2 + \dots + r_m)$$

or, in the discounted case

$$\lim_{m \rightarrow \infty} \sum_{r_{\leq m}} \mu_R(r_{\leq m} | y_{\leq m}) \sum_{k=1}^m r_k \gamma^k$$

where the first sum in both cases goes over all possible reward sequences $r_{\leq m}$ (since R and m are finite, there is a finite number of them).

However, for the specific case of *batch learning*, we establish a more appropriate learning goal. First, we do not care about maximizing rewards in the *learning phase* as the purpose of this phase is to probe the environment even at the price of possibly poor rewards. Second, in the *action phase* after time K , the rewards r_k , $k > K$ are sampled independently from the same distribution (12) so we can simply maximize their expectation with respect to this distribution

$$\sum_{r_k \in R} \mu_R(r_k | xy_{\leq K}) r_k \tag{13}$$

It is again obvious from the formula that the expected reward only depends on the learning phase history $xy_{\leq K}$, after which the agent no longer changes its action policy. Note also that the batch learning scenario allowed us to define an objective (13) without the need to choose the parameters m or γ_k ($k = 1, 2, \dots$) needed in the sequential scenario.

1.5 Environment States

With the exception of the non-sequential scenario, our framework has been very general in that percepts x_k generally depend on entire histories $xy_{<k}$. In the real world, many histories may be equivalent, i.e. leading to the same probabilities of x_k conditioned on action y_{k-1} . This can be formalized through the notion of *environment state* $s_k \in S$ at time k .

For generality, let us first assume that the state is probabilistically established by the preceding state, the last percept, and the last action through the following state *update* distribution

$$\mathcal{S}(s_k | s_{k-1}, x_{k-1}, y_{k-1}) \tag{14}$$

and that this state generates the current percept

$$\mu(x_k | s_k) \tag{15}$$

This modification does not lessen the generality of the framework if we allow S to be infinite as then there could simply exist a distinct state for each possible history (there is an infinite number of possible histories for unbounded k). Indeed, if one instantiates the distribution (14) to the functional dependence

$$s_k = s_{k-1} \parallel (x_{k-1}, y_{k-1}) \quad (16)$$

where \parallel denotes concatenation, s_k will simply collect the entire history and its occurrence in (15) would be just a different name for $xy_{<k}$ in (2). However, we will make the important assumption that the number of possible states is finite

$$|S| < \infty \quad (17)$$

which will significantly simplify the framework. In practical tasks, there will be far fewer states than possible histories.

We can afford further simplifying assumptions under which the state-based framework will still encompass the learning scenarios we are going to elaborate. First, we will assume that the influence between environment states and the emitted percepts are single-directional. In particular, the percepts depend on states by (15) but not vice versa, so we remove x_{k-1} from (14)

$$\mathcal{S}(s_k | s_{k-1}, x_{k-1}, y_{k-1}) = \mathcal{S}(s_k | s_{k-1}, y_{k-1}) \quad (18)$$

As a consequence, the state cannot collect the history of percepts as in (16) but it can still collect the history of actions

$$s_k = s_{k-1} \parallel y_{k-1} \quad (19)$$

If the state evolves according to (19) then the percept in (15) depends on all historical states $s_{k-1}, s_{k-2}, \dots, s_1$ as well as all historical actions $y_{k-1}, y_{k-2}, \dots, y_1$ embedded in them, and not on any other factors. So instead of assuming the specific update rule (19), we may equivalently assume that the state evolves in any other way but the state-percept dependencies are preserved, so that percepts are sampled according to

$$\mu(x_k | s_k, s_{k-1}, s_{k-2}, \dots, s_1, y_{k-1}, y_{k-2}, \dots, y_1) \quad (20)$$

Our simplification plan is to remove some of the dependencies above. We will do it differently for the two components of the percept, i.e. the observations

$$\mu_o(o_k | r_k, s_k, s_{k-1}, s_{k-2}, \dots, s_1, y_{k-1}, y_{k-2}, \dots, y_1) \quad (21)$$

and the rewards

$$\mu_r(r_k | o_k, s_k, s_{k-1}, s_{k-2}, \dots, s_1, y_{k-1}, y_{k-2}, \dots, y_1) \quad (22)$$

In particular, the observation will depend only on the current state and the last agent's action

$$\mu_o(o_k | s_k, y_{k-1}) \quad (23)$$

and the reward will depend on the last state and the action taken immediately on it

$$\mu_r(r_k | s_{k-1}, y_{k-1}) \quad (24)$$

1.6 Agent Hypotheses

A reasoning similar to the previous section applies to the agent, whose actions generally depend on the entire history as in (3). Again, many histories can lead to the same mapping from percepts to actions, for example because the agent has built the same hypothesis about the environment throughout the different histories. So analogically to the environmental states, we introduce the notion of agent’s *hypothesis* $h_k \in H$. Since we work with deterministic agents, we will assume that the hypothesis is updated given the current percept through a functional prescription

$$h_k = \mathcal{H}(h_{k-1}, x_k) \quad (25)$$

and instead of (3), we will assume that actions depend on the (updated) state rather than the history, and the current observation

$$y_k = \pi(h_k, o_k) \quad (26)$$

Unlike in (3), explicit dependence on x_k is no longer needed in (26) as the latter can always be stored as part of h_k in (25). However, we do keep the o_k component of x_k as an argument of π because this will allow us to describe conveniently cases where the agent’s hypothesis is kept constant and the actions depends only on their immediately preceding observation. This will in particular include the batch-learning case discussed below in the present context of state-based descriptions.

Again, we will postulate that

$$|H| < \infty \quad (27)$$

The formalization using environment states and agent hypotheses results in the agent and environment structures depicted in Fig. 5. The diagram of variable influences is shown in Fig. 6.

The agent hypothesis h_k has a very natural interpretation as it corresponds to the agent’s model of the environment at time k , whereas π is the the interpreter of the model.¹ For example, h_k may encode a set of logical rules, and π may be a logical prover deriving actions as logical consequences of the rules. Since the hypothesis description has to fit in a finitely bounded memory, there can be only a finite number of different hypotheses. Therefore, the assumption in (27) is well justified.

The history of percepts and actions (in combination with the current percept) is obviously informative for updating the hypothesis so it seems the hypothesis update in (25) should also include previous percepts x_{k-1}, x_{k-2}, \dots and actions

¹We might as well call h_k a *model* rather than a *hypothesis* but that would cause terminology clash in cases where the h_k is expressed in the formalism of logic, where the word *model* is already established and has a different meaning.




Figure 6: Influence diagram for states h_k , actions y_k and percepts x_k for $1 \leq k \leq 3$ with full lines indicating deterministic influences (via π and \mathcal{H}) and dashed lines showing probabilistic influences (via μ and \mathcal{S}). The highlighted dependencies are only needed for generating the reward part r_k of the percepts x_k .

Fig. 7 shows the complete set of influences in the nonsequential case.

A further simplification comes in the special *batch-learning* scenario of the non-sequential case. While in the learning phase of the latter, the agent uses the update rule (25), in the action phase it no longer updates the hypothesis, so

$$h_k = h_K, \forall k \geq K \quad (30)$$

This is illustrated in Fig. 8. Special attention is needed regarding the variables at time K . Reward r_K (part of percept x_K) is the last training reward, according to which the last update is conducted towards the final h_K . Observation o_K (another part of percept x_K) is, however, the first *testing* observation.

For $k > K$, y_{k-1} is fully determined by o_{k-1} and h_K through (26) in which $h_{k-1} = h_K$. So we can rewrite (24) into

$$\mu_r(r_k | s_{k-1}, o_{k-1}, h_K) \quad (31)$$

and further express

$$\mu_r(r_k | h_K) = \sum_{s_{k-1} \in \mathcal{O}} \sum_{o_{k-1} \in \mathcal{O}} \mu_r(r_k | h_K, s_{k-1}, o_{k-1}) \mu_o(o_{k-1} | s_{k-1}) \mathcal{S}(s_{k-1}) \quad (32)$$

where μ_o and \mathcal{S} , i.e. (29) and (28), are independent of k . So in the testing phase, rewards r_k are i.i.d. according to the distribution $\mu_r(r_k | h_K)$ depending only on




Figure 7: Influence diagram for hypothesis h_k , actions y_k , observations o_k , and rewards r_k for $1 \leq k \leq 3$ with full lines corresponding to deterministic influences (via π and \mathcal{H}) and dashed lines showing probabilistic influences (via μ and \mathcal{S}) in the nonsequential case.

the learned hypothesis h_K . This is analogical to the state-free formulation 12. Similarly to 13, an agent operating in the batch-learning scenario with states will be assessed by the expected reward in the testing phase

$$\sum_{r_k \in \mathcal{R}} \mu_R(r_k | h_K) r_k \quad (33)$$

and should find a hypothesis h_K maximizing this quantity.

1.8 Prior Knowledge

- *Implicit*: the setting of H (“hard bias”) and \mathcal{H} (“soft bias”)
- *Explicit*: the setting of h_1 (“background knowledge”)




Figure 8: Influence diagram for actions y_k , observations o_k , states s_k , and rewards r_k in the action phase ($k > K$) of batch learning with full lines indicating deterministic influences (via π) and dashed lines showing probabilistic influences (via μ). The top row indicates the influence of the agent’s last hypothesis learned in the learning phase on the action phase. The dependence of r_{K+1} on s_K and y_K is not shown.

1.9 Hypothesis Representations

See Fig. 9.

1.10 Learning Scenarios

1. on-line concept learning
2. batch concept learning
3. query-based and active learning
4. reinforcement learning
5. universal learning




Figure 9: Hypothesis representations and their corresponding policy classes (interpreters) considered in this course. Arrow directions indicate increasing expressiveness.

2 On-line Concept Learning

We implement the on-line concept learning scenario as a specific case of the general sequential learning framework. The central assumption of concept learning is that the current observation uniquely determines the current state through function

$$c : O \rightarrow S \tag{34}$$

so for (23) it holds

$$\mu_o(o_k | s_k, y_{k-1}) = 0 \text{ if } s_k \neq c(o_k) \quad (35)$$

In other words, the observations are partitioned into *classes* co-inciding with states, and function c , which is unknown to the agent, *classifies* the observations into these classes.

In the concept learning scenario we will work with two classes only, i.e.

$$S = \{0, 1\} \quad (36)$$

Then function c can be conveniently identified with the subset of observations

$$\underline{c} = \{o \in O \mid c(o) = 1\} \quad (37)$$

and write $o \in c$ or $c(o) = 1$ interchangeably. This subset view earns c the name *concept*. In the later text, whenever we speak of a concept c , \underline{c} will represent the set given by (37).

In the concept learning scenario, we want the agent to *learn the unknown concept* c by guessing the state s_k at each time k and providing the guess through $y_k = \pi(h_k, o_k)$. The environment will punish the agent by a negative reward for each incorrect guess, and this will make the agent adapt its policy through changing h_k . Ideally, these changes should eventually lead to a hypothesis according to which the policy makes only correct guesses. To implement this scenario, we first make sure that the range of actions coincides with the range of states

$$Y = S \quad (38)$$

The rewards should be functionally determined only by the actual state and the guess made. So we prescribe it by function $L : S \times Y \rightarrow R$ so that (24) takes the specific form (incrementing the time index inconsequentially for shorter notation)

$$\mu_r(r_{k+1} | s_k, y_k) = \begin{cases} 1 & \text{if } r_{k+1} = -L(s_k, y_k) \\ 0 & \text{otherwise} \end{cases} \quad (39)$$

The first reward r_1 is immaterial and is still sampled from the marginal $\mu_R(r_1)$.

Function L is called *loss*. The loss should evidently be zero if $s_k = y_k$ and in other cases it quantifies how serious a mistake is made by the wrong guess. Since our goal is just that the agent identifies the concept, we consider all mistakes equally bad and set the loss as

$$L(s_k, y_k) = \begin{cases} 0 & \text{if } s_k = y_k \\ 1 & \text{otherwise} \end{cases} \quad (40)$$

Given (36), and assuming a fixed policy π , also any hypothesis $h \in H$ can be formally identified with the set

$$\underline{h} = \{o \in O \mid \pi(h, o) = 1\}$$

so that

$$\underline{H} = \{\underline{h} \mid h \in H\} \tag{41}$$

Again, whenever we speak of a hypothesis h (possibly with the time index, h_k), then \underline{h} (\underline{h}_k) will automatically mean the set given by (41).

The fact that the agent’s hypothesis exactly matches the unknown concept for any observation o_k can now be simply expressed as

$$\underline{c} = \underline{h} \tag{42}$$

Note that it would not be correct to write $h = c$ even if $\underline{h} = \underline{c}$.

Whether or not the agent at some time k learns a hypothesis $\underline{h}_k = \underline{c}$ depends on the agent’s update rule (25), and also on whether its hypothesis class² \underline{H} contains such a \underline{h}_k at all. To formalize this latter condition, we will assume that the environmental concepts \underline{c} cannot be arbitrary but rather belong to a *concept class* \underline{C} . An important property of the particular concept learning scenarios will be whether or not

$$\underline{C} \subseteq \underline{H} \tag{43}$$

2.1 Generalizing Agent

Here we design an agent that learns an unknown conjunction by starting with the most specific hypothesis (a conjunction of all literals, i.e. all propositional variables as well as their negations) and then deleting all literals inconsistent with the received observations. So the initial hypothesis is gradually *generalized* towards the correct one. The main thing we will need to prove is that such deletions indeed lead to the correct hypothesis.

Observations are n -tuples of binary (truth) values

$$O = \{0, 1\}^n \tag{44}$$

The agent has the hypothesis class

$$H = \Phi \times O \tag{45}$$

²We take the liberty to call *hypothesis class* both H , i.e. the set of hypothesis representations, and \underline{H} , i.e. the family of sets generated by the representations together with the fixed policy. The word *class* in the terms *hypothesis class* and *concept class* should not be confused with the classes of observations, which are states.

where

$$\Phi = \left\{ \bigwedge_{i \in I} p_i \bigwedge_{j \in J} \neg p_j \mid I, J \subseteq [1 : n] \right\} \quad (46)$$

and $n \in \mathbb{N}$. So

$$h_k = (\phi_k, o'_k) \quad (47)$$

consists of a conjunctive formula ϕ_k containing at most $2n$ literals, and $o'_k \in O$. The latter has the purpose of memorizing the last observation (example) provided by the environment and will be used only for updating hypotheses.

The formula ϕ_k is used to determine decisions through the agent's decision policy (26) $y_k = \pi(h_k, o_k) = \pi((\phi_k, o'_k), o_k)$. Whenever the policy does not depend directly on the memorized example o'_k , which will be the typical case, we will afford the shorter notation $\pi(\phi_k, o_k)$. The policy is set to

$$y_k = \pi(\phi_k, o_k) = \begin{cases} 1 & \text{if } o_k \models \phi_k \\ 0 & \text{otherwise} \end{cases} \quad (48)$$

where $o_k \models \phi_k$ means ϕ_k is true given the truth-value assignments o_i to variables p_i , $1 \leq i \leq n$. More precisely, we say that positive (negative, respectively) literal p_i ($\neg p_j$) is *consistent* with observation o_k if $o_k^i = 1$ ($o_k^i = 0$). Finally, $o_k \models \phi_k$ holds if and only if all literals of conjunction ϕ_k are consistent with o_k .

The update rule (25), which we expand by (4) and (47) to

$$(\phi_k, o'_k) = \mathcal{H}((\phi_{k-1}, o'_{k-1}), (o_k, r_k)) \quad (49)$$

is set to

$$o'_k = o_k \quad (50)$$

$$\phi_k = \begin{cases} \phi_{k-1} & \text{if } r_k = 0 \\ \text{delete}(\phi_{k-1}, o'_{k-1}) & \text{otherwise} \end{cases} \quad (51)$$

where

$$\text{delete} \left(\bigwedge_{i \in I} p_i \bigwedge_{j \in J} \neg p_j, (o^1, o^2, \dots, o^n) \right) = \quad (52)$$

$$\bigwedge_{\substack{i \in I \\ o^i = 1}} p_i \bigwedge_{\substack{i \in I \\ o^i = 0}} \neg p_i \quad (53)$$

So the `delete` function keeps exactly those literals from ϕ_{k-1} which are consistent with o'_{k-1} .

We assume that (43) holds. In particular, there exists a target conjunction $\phi^* \in \Phi$ such that $h^* = (\phi^*, o)$ exactly simulating the unknown concept c , i.e.

$$s_k = c(o_k) = \pi(\phi_k^*, o_k) \quad (54)$$

Lemma 2.1 $s_k = 1$ if and only if all literals of ϕ^* are consistent with o_k .

The above lemma follows directly from (48) and (54).

Lemma 2.2 Whenever $\text{delete}(\phi_{k-1}, o'_{k-1})$ is called, $s_{k-1} \neq y_{k-1}$, and if $s_{k-1} = 0$, then all literals of ϕ_{k-1} are consistent with o'_{k-1} .

To see why Lemma 2.2 is true, note that according to (51), $r_k \neq 0$ when delete is called. Due to (39) and (40), this means that $s_{k-1} \neq y_{k-1}$. So if $s_{k-1} = 0$ then $y_{k-1} = 1$, but then due to (48), $o'_{k-1} \models \phi_{k-1}$ and so all literals of ϕ_{k-1} are indeed consistent with o'_{k-1} .

Lemma 2.3 $\text{delete}(\phi_{k-1}, o'_{k-1})$ never removes a literal $l \in \phi_{k-1}$ which is also in ϕ^* .

Assume for contradiction that it removes a literal $l \in \phi^*$. First assume $s_{k-1} = 0$. By Lemma 2.2, all literals of ϕ_{k-1} are consistent with o'_{k-1} . But because $\text{delete}(\phi_{k-1}, o'_{k-1})$ keeps all literals of ϕ_{k-1} consistent with o'_{k-1} , it does not delete l , which is a contradiction. Now consider $s_{k-1} = 1$. Then by Lemma 2.1 all literals of ϕ^* including l must be consistent with o'_{k-1} . Again, since delete keeps all consistent literals, it does not delete l , which is a contradiction.

The starting hypothesis of the designed agent is set to contain all possible literals

$$\phi_1 = p_1 \wedge \neg p_1 \wedge p_2 \wedge \neg p_2 \wedge \dots \wedge p_n \wedge \neg p_n \quad (55)$$

Thus $\phi_1 \supseteq \phi^*$, where the inclusion is with respect to the sets of literals in ϕ_1 and ϕ^* . Furthermore, due to Lemma 2.3, we have

$$\phi_k \supseteq \phi^*, \quad k \in N \quad (56)$$

Given the above, the agent makes mistakes only on ‘positive examples’, and the mistakes are corrected by removing at least one inconsistent literal, as the following lemma formalizes.

Lemma 2.4 Assuming (55), whenever $\text{delete}(\phi_{k-1}, o'_{k-1})$ is called, $s_{k-1} = 1$, and the function deletes at least one literal from ϕ_{k-1} .

Due to Lemma 2.2, $s_{k-1} \neq y_{k-1}$. If $s_{k-1} = 0$ and $y_{k-1} = 1$ then by the same lemma, all literals of ϕ_{k-1} are consistent with o'_{k-1} . According to Lemma 2.1, there would then be a literal in ϕ^* inconsistent with o'_{k-1} . But due to (56), this inconsistent literal would also be contained in ϕ_{k-1} , which is a contradiction. So we know that $s_{k-1} = 1$ and $y_{k-1} = 0$. According to (48), this means that ϕ_{k-1} contains a literal inconsistent with o'_{k-1} . Since `delete`, by definition, keeps exactly all consistent literals, the inconsistent literal is removed.

Theorem 2.5 *The agent makes at most $2n$ mistakes, i.e. the cumulative reward is*

$$\sum_{k=1}^m r_k \geq -2n \quad (57)$$

for an arbitrary horizon $m \in \mathbb{N}$.

Since the first agent's conjunction has $2n$ literals by (55) and upon each mistake, at least one literal is removed from the conjunction by Lemma 2.4, the maximum number of mistakes is $2n$.

While the agent's strategy has been designed to learn conjunctions, it can be also made to learn disjunctions due to the equality

$$\neg(p_1 \vee p_2 \vee \dots \vee p_n) = \neg p_1 \wedge \neg p_2 \wedge \dots \wedge \neg p_n \quad (58)$$

So the only required change is that the agent replaces observations o_k with $\bar{o}_k = (1 - o_k^1, 1 - o_k^2, \dots, 1 - o_k^n)$ and its actions y_k with $1 - y_k$.

Other logical classes can also be reduced to conjunction and disjunction learning. Consider e.g. s -CNF ($s < \infty$). These are conjunctions of s -clauses. An s -clause is a disjunction of at most s -literals. There is a finite number of s -clauses so the agent can simply establish one new propositional variable for each possible s -clause and learn a conjunction with these new variables. This reduction would even be efficient if s is a small constant. Indeed, if n is the number of original variables, then the number of possible clauses is $\binom{n}{s}$ which grows polynomially with n . A similar reduction can be used to learn s -DNF.

2.2 Separating agent

Here we will build an agent with a strategy completely different from the generalization agent. In particular, agent's hypothesis h will define a hyperplane in the $O = \{0, 1\}^n$ space (44) so \underline{h} will be exactly those observations lying above the hyperplane.

We will first assume that the concept to be learned corresponds to a disjunction, so

$$C = \{ c_\phi \mid \phi \in \Phi \} \quad (59)$$

where for $s \leq n$

$$\Phi = \{ p_{i_1} \vee p_{i_2} \vee \dots \vee p_{i_s} \mid 1 \leq i_1, i_2, \dots, i_s \leq n \} \quad (60)$$

and

$$c_\phi(o) = \begin{cases} 1 & \text{if } o \models \phi \\ 0 & \text{otherwise} \end{cases} \quad (61)$$

Although (60) considers only *monotone* disjunctions, i.e. without negated literals, it can be easily generalized to general disjunctions by introducing $2s$ (instead of s) propositional variables $p'_i = p_i$, $p'_{2i} = \neg p_i$.

$$H = [0, 1, 2, \dots, q]^n \times O \quad (62)$$

where $q \in \mathbb{N}$, O is again memory for the last observation, and

$$h_k = (w_k, o'_k) \quad (63)$$

where $w_k = (w_k^1, w_k^2, \dots, w_k^n)$

Decision policy

$$y_k = \pi(w_k, o_k) = \begin{cases} 1 & \text{if } w_k \cdot o_k > n/2 \\ 0 & \text{otherwise} \end{cases} \quad (64)$$

Assume again that $\underline{C} \subseteq \underline{H}$. This can be achieved with a sufficiently large q as disjunctions are linearly separable.

$$w_1 = (1, 1, \dots, 1) \quad (65)$$

Hypothesis update

$$(w_k, o'_k) = \mathcal{H}((w_{k-1}, o'_{k-1}), (o_k, r_k)) \quad (66)$$

$$o'_k = o_k \quad (67)$$

$$w_k = \begin{cases} w_{k-1} & \text{if } r_k = 0 \\ \text{update}(2, w_{k-1}, o'_{k-1}) & \text{if } w_{k-1} \cdot o'_{k-1} \leq n/2 \\ \text{update}(0, w_{k-1}, o'_{k-1}) & \text{if } w_{k-1} \cdot o'_{k-1} > n/2 \end{cases} \quad (68)$$

where the function **update** is defined such that for $w_k = \text{update}(\theta, w, o)$

$$w_k^i = \begin{cases} \theta \cdot w^i & \text{if } o^i = 1 \\ w^i & \text{otherwise} \end{cases} \quad (69)$$

Theorem 2.6 *The agent makes at most $2 + 2s \lg n$ mistakes, i.e. the cumulative reward is*

$$\sum_{k=1}^m r_k \geq -2 - 2s \lg n \quad (70)$$

for any horizon $m \in \mathbb{N}$.

(proof omitted)

ref to perceptrons

Just like the generalizing agent designed to learn conjunctions could easily be modified to learn disjunctions, s -CNF, and s -DNF, also the separating agent can be altered to learn conjunctions as well as the latter two classes by means of the same reduction principles.

So the two agents can in principle learn the same concept classes. The difference is in the mistake bound. The latter agent performs better when the number of variables n is larger than the number of relevant variables s .

2.3 Version Space Agent

How well can we do with *arbitrary* concept classes? Immediate mistake bound for any concept class C

$$|C| - 1 \quad (71)$$

Can be improved to $\lg |C|$ using the *version space* strategy.

Assume a set Φ of *versions*. These may be conjunctions, disjunctions, or other representations. The only assumption is that each version $\phi \in \Phi$ provides a decision $\phi(o)$ for any observation $o \in O$. So this function works similarly to a decision policy π , however, the plan for the version-space agent is to construct π that uses multiple versions for a single decision.

The hypothesis class is

$$H = 2^\Phi \times O \quad (72)$$

so

$$h_k = (V, o) \quad (73)$$

where V is a set ('space') of versions, and o again stores the last observation. The plan is that V maintains all versions from Φ consistent with the observations and rewards received so far.

Decisions are determined by voting of all versions in the current version space

$$y_k = \pi(V_k, o_k) = \begin{cases} 1 & \text{if } |\{ \phi \in V_k \mid \phi(o_k) = 1 \}| > |V_k|/2 \\ 0 & \text{otherwise} \end{cases} \quad (74)$$

The initial version space contains all versions from Φ

$$V_1 = \Phi \quad (75)$$

Update step

$$o'_k = o_k \quad (76)$$

$$V_k = \{ \phi \in V_{k-1} \mid \phi(o_{k-1}) = s_{k-1} \} \quad (77)$$

where s_{k-1} is determined as $s_{k-1} = |y_{k-1} - r_{k-1}|$ (check that this is true) and $y_{k-1} = \pi(V_{k-1}, o'_{k-1})$.

Assume that Φ is rich enough so that it contains $\phi \in \Phi$ so that $\phi(o) = c(o)$ for all $o \in O$ (check that this implies 43). Then the following holds.

Theorem 2.7 *The agent makes at most $\lg |\Phi|$ mistakes, i.e. the cumulative reward is*

$$\sum_{k=1}^m r_k \geq -\lg |\Phi| \quad (78)$$

for any horizon $m \in N$.

To see why the theorem holds note that the agent decides by the majority of current versions. So if a mistake is made, at least half of the versions are deleted. In the worst case, the last remaining version is correct.

The logarithmic bound is good but the computational demands for storing the version space can be prohibitive.

2.4 The Mistake Bound Learning Model

The linear mistake bounds we obtained for the generalizing and separating agents indicate that these agents are indeed able to learn well the conjunctive and disjunctive concepts but also other kinds of concepts (namely, s -DNF and s -CNF) that can be reduced to the latter. We will now generalize the notion of ‘good on-line learning.’ We say that an agent *learns concept class C on-line*

if it makes at most $p(n)$ of mistakes in the on-line scenario with any concept from C , where p is a polynomial and n is the size of observations. With our setting (44), the size of observations is the number n of binary values making up the observations.

By Theorem 2.7, The version space algorithm has a mistake bound $\lg |\Phi|$ as long as Φ contains a version coinciding with the concept. So if Φ contains a version for any concept from C and $|\Phi|$ is at most exponential in n it necessarily learns C on-line, because the mistake bound $\lg |\Phi|$ would then be polynomial. But note that $|\Phi|$ may be super-exponential. The extreme example of the latter is the space Φ so rich that it has a $\phi \in \Phi$ for any possible mapping $\phi : O \rightarrow S$. There are 2^n different possible observations $o \in O = \{0, 1\}^n$, each of which is classified in one of the two states $S = \{0, 1\}$. Then $|\Phi| = 2^{2^n}$ is super-exponential.

Furthermore, we refine the definition into a stricter form. An agent that learns concept class C on-line is said to learn it *efficiently* if it spends at most polynomial time (in observation size) between the receipt of a percept and the generation of the next action.

What about a *lower bound* on mistakes? We say that a set of observations $O' \subseteq O$ is *shattered* by hypothesis class \underline{H} if

$$\{O' \cap \underline{h} \mid \underline{h} \in \underline{H}\} = 2^{O'} \quad (79)$$

which means that the set of observations can be partitioned in all possible ways into two classes by the hypotheses from \underline{H} .

The *Vapnik-Chervonenkis Dimension* (or VC-dimension) of \underline{H} , written $\text{VC}(\underline{H})$, is the cardinality of the largest set $O' \subseteq O$ that can be shattered by \underline{H} . The definition extends formally also to H corresponding to \underline{H} by (41), so we will also write $\text{VC}(H)$.

Theorem 2.8 *No upper bound on the number of mistakes made by an agent in the concept-learning scenario using hypothesis space H is smaller than $\text{VC}(H)$.*

This is because for any sequence of agent's decisions $y_1, y_2, \dots, y_{\text{VC}(H)}$ there exists a $h \in H$ according to which all these decisions are wrong.

3 Batch Concept Learning

The batch concept learning situation is defined by the assumptions of batch learning (Section 1.7) combined with the concept-learning requisities which are the same as in on-line concept learning (Section 2). In particular, the latter

include the assumption of a target concept determining states from observations (34), the binary range of observations (44) and states (36), and the unit loss function (40) determining rewards (39).

Since rewards are negative losses by (39), the expected reward (33) to be maximized is in $[-1; 0]$. Its negative value, for a given hypothesis and $k > K$, is called the *error* of the hypothesis

$$\text{err}(h_K) = - \sum_{r_k \in R} \mu_R(r_k|h_K)r_k \quad (80)$$

and corresponds to the proportion of misclassified observations in the testing phase, i.e. those observations o_k ($k \geq K$)³ for which $y_k \neq s_k$. Given (40) and (80), the error can be expressed as the probability of making a mistake, i.e. receiving a -1 reward at an arbitrary time $k > K$

$$\text{err}(h_K) = \mu_R(-1|h_K) \quad (81)$$

A natural question of interest is how the algorithms we designed for on-line concept learning in the sequential scenario would perform in terms of the error (81). Evidently, the bounds on the number of mistakes we established in Theorems 2.5, 2.6, and 2.7 do not translate to any bound on $\text{err}(h_K)$ as there is no guarantee that the mistakes will happen in the learning phase ($k \leq K$) where the agent still can fix its hypothesis.

But unlike in the on-line learning case, the batch case inherits the non-sequential assumptions (28) and (29), meaning that states and observations are sampled i.i.d. according to distributions that do not change with k . They prevent the environment from ‘adversarial’ behavior, for example, one where the training phase would only contain ‘easy’ examples and the ‘hard’ ones would be kept for the testing phase. As we will see, in this scenario we can indeed bound $\text{err}(h_K)$ for particular learning agents, although we will be able to do it only with certain probability smaller than 1.

3.1 Batch Learning with the Generalizing Agent

Assume the generalizing agent as described in Section 2.1 working in the learning phase ($k \leq K$) of the batch scenario just as it worked in the on-line scenario.

Denote $\text{Pr}(l)$ the probability that a literal l (i.e., p_i or $\neg p_i$ for $1 \leq i \leq n$) is inconsistent with observation o_k . Since observations are now i.i.d., this probability does not depend on k . We already know that a hypothesis h_k using conjunction ϕ_k with only consistent literals has zero error. So the probability

³Make sure to understand why the inequality is non-strict here.

of guessing the wrong class is the probability that some of the literals in ϕ_k are inconsistent. Thus we have the bound

$$\text{err}(h_k) \leq \sum_{l \in \phi_k} \Pr(l) \quad (82)$$

We have no more than $2n$ literals in ϕ_k so if $\Pr(l) \leq \epsilon/2n$ for each of them then $\text{err}(h_k) \leq \epsilon$. Call a literal *bad* if $\Pr(l) > \epsilon/2n$. Prob that a bad literal l survives k observations is

$$(1 - \Pr(l))^k < \left(1 - \frac{\epsilon}{2n}\right)^k \quad (83)$$

It is important to realize that (83) would not be correct if the observations o_1, o_2, \dots, o_k were not i.i.d. The above equation thus rests fully on the extra assumptions of the nonsequential scenario (of which batch learning is a special case), which we did not adopt for on-line learning.

There are at most $2n$ bad literals so the probability that some of them has survived k steps is at most

$$2n \left(1 - \frac{\epsilon}{2n}\right)^k \quad (84)$$

To work with this upper bound easily, we make use of the inequality $1 - x \leq e^{-x}$ which holds for $x \in [0; 1]$, to obtain

$$2n \left(1 - \frac{\epsilon}{2n}\right)^k \leq 2ne^{-k \frac{\epsilon}{2n}} \quad (85)$$

We now summarize the above inferences into a theorem.

Theorem 3.1 *Hypothesis h_{k+1} of the generalizing agent in the learning phase ($k < K$) has $\text{err}(h_{k+1}) \leq \epsilon$ with probability at least $1 - 2ne^{-k \frac{\epsilon}{2n}}$*

Note that the $k + 1$ index is due to the fact that k observations are used to learn h_{k+1} (o_k and r_{k+1} are used to create h_{k+1}). So at the end of learning, $\text{err}(h_K) < \epsilon$ with probability at least $1 - 2ne^{-(K-1) \frac{\epsilon}{2n}}$.

3.2 Batch Learning with General On-line Agents

We define a *standard* on-line agent as one that changes its hypothesis if an only if a mistake has been made by the previous hypothesis. This includes the generalizing and separating agents as follows from the update rules (50) and (68). On the other hand, the version-space agent is not standard as by (77) it updates its hypothesis at every step k . For all of the agents designed, we will also assume that their hypothesis spaces include a hypothesis perfectly matching the unknown concept, i.e. (43) holds.

The next lemma will enable us to accommodate any on-line learning agent for the batch learning scenario with a probabilistic bound on the error of the learned hypothesis.

Lemma 3.2 *If a standard on-line agent retains a hypothesis h_k for q steps ($h_k = h_{k+1} = \dots h_{k+q}$), then $\text{err}(h_k) \leq \epsilon$ with probability at least $1 - e^{-q\epsilon}$.*

To see why the lemma is correct, we again realize that the probability that the standard agent keeps a bad hypothesis ($\text{err}(h_k) > \epsilon$) on receiving an observation is exactly the probability $1 - \text{err}(h_k)$ that the bad hypothesis produces a correct decision for that observation. Since $\text{err}(h_k) > \epsilon$, the probability is at most $1 - \epsilon$. The probability of keeping the hypothesis over q i.i.d. observations is thus at most $(1 - \epsilon)^q$, and we already know that $(1 - \epsilon)^q \leq e^{-q\epsilon}$. Otherwise, i.e. with probability at least $1 - e^{-q\epsilon}$, the hypothesis was not bad, i.e. $\text{err}(h_k) \leq \epsilon$.

So the rule is: wait until $h_k = h_{k+1} = \dots h_{k+q}$ happens and then keep h_k with the probabilistic error bound. The question is how to guarantee that the event indeed happens within the learning phase, i.e. $k + q \leq K$. If we have a mistake bound M for the agent, we know that the standard agent makes at most M hypothesis changes. In this case we set the learning phase long enough, in particular $K = Mq$, to guarantee that one of the hypothesis in the learning phase survives at least q observations.

3.3 Consistent Agent

Here we design a general agent working with an arbitrary hypothesis space. This is analogical to the version space agent we studied in the on-line setting.

We first adapt the version space agent from on-line learning to batch learning. In the learning phase, the agent works just as in the on-line setting. When the phase ends, i.e. $k = K$, the agent updates the version space for the last time according to (76) and then selects an arbitrary version ϕ_K from the version space V_K . All other versions are deleted from V_K , so $V_K = \{ \phi_K \}$, and ϕ_K thus dictates the decision policy for $k \geq K$

$$\pi(V_K, o_k) = \phi_K(o_k) \tag{86}$$

which is because of the majority vote given by (74).

For short notation, we formally extend the error function to versions, so $\text{err}(\phi_K)$ is the error achieved by the above policy. We call a version ϕ bad if $\text{err}(\phi) > \epsilon$. The probability that a bad version ϕ survives k observations is at most $(1 - \epsilon)^k \leq e^{-\epsilon k}$. The probability that *some* bad version from the initial version space (75)

survives is at most $|\Phi|e^{-\epsilon k}$. So that probability that no bad version survives and thus $\text{err}(\phi_K) > \epsilon$ whichever ϕ_K the agent has picked from the last version space, is at least $1 - |\Phi|e^{-\epsilon k}$.

Maintaining the version set is difficult but an equivalent behavior without the version spaces is achieved as follows. All observations o_k seen up to $k = K - 1$ are stored in memory along with the true classes s_k . The latter are obtained by always making the decision $y_k = 0$ in the training phase so that $s_k = -r_{k+1}$. Then the agent finds any hypothesis $h_K \in H$ consistent with the collected set, i.e. $\pi(h_K, o_k) = s_k$ for all $k < K$. Analogically, to the reasoning above, we have that

Lemma 3.3 *The probability that the consistent agent's hypothesis h_K has error $\text{err}(h_K) \leq \epsilon$ is at least $1 - |H|e^{-\epsilon(K-1)}$.*

This defines the *consistent agent*. Of course, finding such a hypothesis may be computationally hard.

3.4 The PAC Learning Model

Agent *probably approximately learns concept class C (in the batch setting)* if at the end of the training phase it produces h_K such that $\text{err}(h_K) \leq \epsilon$ with probability at least $1 - \delta$, and $K \leq p(n, 1/\delta, 1/\epsilon)$, where p is a polynomial.

“probably approximately learns” = “PAC-learns” (C for correctly)

It PAC-learns the class *efficiently* if it spends at most polynomial (in the same variables) time between the receipt of a percept and the generation of the next action in the training phase.

Theorem 3.4 *The generalizing agent efficiently PAC-learns conjunctions.*

Proof: efficiency is obvious: at most $2n$ unit steps (going over literals) for each of n observations. From Theorem 3.1, the probability that $\text{err}(h_{k+1}) > \epsilon$ is at most $2ne^{-k\frac{\epsilon}{2n}}$. It remains to determine how many observations k are needed to

make the probability smaller than a given δ and see if the result is polynomial.

$$\begin{aligned}\delta &> 2ne^{-k\frac{\epsilon}{2n}} \\ \frac{\delta}{2n} &> e^{-k\frac{\epsilon}{2n}} \\ \ln \frac{\delta}{2n} &> -k\frac{\epsilon}{2n} \\ \frac{2n}{\epsilon} \ln \frac{2n}{\delta} &\leq k\end{aligned}$$

So the required k is indeed polynomial in n , $1/\epsilon$ and $1/\delta$.

Theorem 3.5 *Any standard agent learning (efficiently) a concept class C on-line, has a counterpart which PAC-learns (efficiently) C .*

The agent makes at most $u < p(n)$ updates, i.e. max number of mistakes.

Its batch counterpart works as follows.

$$\text{Set } q = \frac{1}{\epsilon} \ln\left(\frac{1}{1-\delta}\right)$$

If before u updates have been made, each hypothesis survived for less than q steps, then the last one (which makes no mistakes) is found in at most uq steps, and is kept as h_K . Both u and q are polynomial.

If some of them survived for at least q steps, then according to lemma (3.2), its error is less than ϵ with probability at least $1 - e^{-q\epsilon} = \delta$. This hypothesis found with less than uq (poly) steps, will be kept as h_K . qed

So a negative batch (PAC) result also means a negative on-line result.

Theorem 3.6 *If $C \subseteq H$ and $|H|$ is at most exponential in n then the consistent agent using H PAC-learns C .*

By Lemma (3.3), probability δ that $\text{err}(h) > \epsilon$ is at most $|H|e^{-\epsilon k}$.

$$\delta \leq |H|e^{-\epsilon k}$$

$$\frac{\delta}{|H|} \leq e^{-\epsilon k}$$

$$\frac{1}{\epsilon} \ln \frac{|H|}{\delta} > k$$

Since $|\underline{H}|$ is at most exponential in n , $\ln |\underline{H}|$ is at most polynomial in it, so $k < p(1/\epsilon, 1/\delta, n)$. qed

Also, s -CNF and s -DNF learnable by poly reduction to conjunctions.

Negative:

separating agent does not pac learn nested functions (which are lin separable), although it pac learns disjunctions and conjunctions

DNF's are super exponential 2^{3^n} and cannot be shown be learnable by the above.

s -term DNF's cannot be PAC learned *efficiently* if $NP \neq P$ with an agent using s -term DNF as the hypo space, but can be learned with s -CNF. (note that consistent h_K is a necessary condition)