Introduction to Robotics

Jan Faigl

Department of Computer Science Faculty of Electrical Engineering Czech Technical University in Prague

Lecture 01

B4M36UIR - Artificial Intelligence in Robotics

Overview of the Lecture

- Part 1 Course Organization
 - Course Goals
 - Means of Achieving the Course Goals
 - Evaluation and Exam
- Part 2 Introduction to Robotics
 - Robots and Robotics
 - Challenges in Robotics
 - What is a Robot?
 - Locomotion

Part I Part 1 – Course Organization

Jan Faigl, 2017

B4M36UIR - Lecture 01: Introduction to Robotics

3 / 52

Course and Lecturers

B4M36UIR – Artificial Intelligence in Robotics

- https://cw.fel.cvut.cz/wiki/courses/b4m36uir/
- Department of Computer Science http://cs.fel.cvut.cz
- Artificial Intelligence Center (AIC) http://aic.fel.cvut.cz
- Lecturers
 - doc. Ing. Jan Faigl, Ph.D.
 - Center for Robotics and Autonomous Systems (CRAS)

http://robotics.fel.cvut.cz

Computational Robotics Laboratory (ComRob)

http://comrob.fel.cvut.cz

- Mgr. Viliam Lisá, M.Sc., Ph.D.
 - Game Theory (GT) research group
 - Adversarial planning, Game Theory,





Course Goals

- Master (yourself) with applying AI methods in robotic tasks
 Labs. homeworks. exam
- Become familiar with the notion of intelligent robotics and autonomous systems
- Acquire knowledge of robotic data collection planning
- Acquire experience on combining approaches in autonomous robot control programs

Integration of existing algorithms (implementation) in to mission planning software and robot control program

Experience solution of robotic problems

Your own experience!

Course Organization and Evaluation

- B4M36UIR and BE4M36UIR Artificial intelligence in robotics
- Extent of teaching: 2(lec)+2(lab);
- Completion: Z,ZK; Credits: 6;

Z – ungraded assessment, ZK – exam

- Ongoing work during the semester labs' tasks and homeworks
- Exam: test and exam

Be able to independently work with the computer in the lab (class room)

Attendance to labs and successful evaluation of homeworks

Resources and Literature

Textbooks

Introduction to AI Robotics, Robin R. Murphy, MIT Press, 2000, ISBN 978-0262133838 First lectures for the background and context

The Robotics Primer, *Maja J. Mataric*, MIT Press, 2007, ISBN 978-0262633543

First lectures for the background and context



http://planning.cs.uiuc.edu







- Lectures "comments" on the textbooks, slides, and your notes
- Laboratory Exercises labs' tasks and homeworks
- Selected research papers further specified during the course

Jan Faigl, 2017

Further Books 1/2

- Principles of Robot Motion: Theory, Algorithms, and Implementations, H. Choset, K. M. Lynch, S. Hutchinson, G. Kantor, W. Burgard, L. E. Kavraki and S. Thrun, MIT Press, Boston, 2005.
- Introduction to Autonomous Mobile Robots, 2nd Edition, Roland Siegwart, Illah R. Nourbakhsh, and Davide Scaramuzza, MIT Press, 2011, ISBN 978-0521692120
- Computational Principles of Mobile Robotics, Gregory Dudek and Michael Jenkin, Cambridge University Pres, 2010, ISBN 978-0262015356







Further Books 2/2

Robot Motion Planning and Control, Jean-Paul Laumond, Lectures Notes in Control and Information Sciences, 2009.

http://homepages.laas.fr/jpl/book.html

- Probabilistic Robotics, Sebastian Thrun, Wolfram Burgard, Dieter Fox, MIT Press, 2005, ISBN 978-0262201629 http://www.probabilistic-robotics.org/
- Robotics, Vision and Control: Fundamental Algorithms in MATLAB, *Peter Corke*, Springer, 2011, ISBN 978-3642201431

http://www.petercorke.com/RVC1/









Lectures – Winter Semester (WS) Academic Year 2017/2018

Schedule for the academic year 2017/2018

http://www.fel.cvut.cz/en/education/calendar.html

- Lectures:
 - Karlovo náměstí, Room No. KN:E-126, Monday, 9:15–10:45
- 14 teaching weeks

13 lectures

■ New Year's Day – 1.1.2018 (Monday)

Teachers

Ing. Petr Čížek

- Hexapod walking robots design and motion control
- Vision based Simultaneous Location and Mapping (SLAM)
- Image processing and robot control on FPGA
- Motion planning and terrain traversability assessment



Communicating Any Issues Related to the Course

- Ask the lab teacher or the lecturer
- Use e-mail for communication
 - Use your faculty e-mail
 - Put UIR or B4M36UIR, BE4M36UIR to the subject of your message
 - Send copy (Cc) to lecturer/teacher

Computers and Development Tools

Network boot with home directories (NFS v4)

Data transfer and file synchronizations – ownCloud, SSH, FTP, USB

- Python or/and C/C++ (gcc or clang)
- V-REP robotic simulator

http://www.coppeliarobotics.com/

Open Motion Planning Library (OMPL)

http://ompl.kavrakilab.org/

- Sources and libraries provided by Computational Robotics Laboratory
- Any other open source libraries
- Gitlab FEL https://gitlab.fel.cvut.cz/
- FEL Google Account access to Google Apps for Education

See http://google-apps.fel.cvut.cz/

Information resources (IEEE Xplore, ACM, Science Direct, Springer Link)

IEEE Robotics and Automation Letters (RA-L), IEEE Transactions on Robotics (T-RO), International Journal of Robotics Research (IJRR), Journal of Field Robotics (JFR), Robotics and Autonomous Robots (RAS), Autonomous Robots (AuRo), etc.

Homeworks

- HW 01 (10 points) Grid based planning
- HW 02 (10 points) Motion planning in configuration space
- HW 03 (10 points) Data collection planning
- HW 04 (10 points) Adversarial planning
- All homeworks must be submitted to award an ungraded assessment
- Late submission will be penalized!

Course Evaluation

Points	Maximum Points	Required Minimum Points		
Lab tasks Homeworks*	20 40	10 20		
Exam test Exam	20 20	10 10		
Total	100 points	50 points is E!		

*All homeworks have to be submited

- 30 points from the semester are required for awarding ungraded assessment
- The course can be passed with ungraded assessment and exam
- All homeworks must be submitted and pass the evaluation

Jan Faigl, 2017

Grading Scale

Grade	Points	Mark	Evaluation
Α	\geq 90	1	Excellent
В	80–89	1,5	Very Good
С	70–79	2	Good
D	60–69	2,5	Satisfactory
Е	50–59	3	Sufficient
F	<50	4	Fail

Overview of the Lectures

- 1. Course information Introduction to (AI) Robotics
- 2. Robotic Paradigms and Control Architectures
- 3. Path and Motion Planning
- 4. Trajectory Planning Grid-based methods
- 5. Randomized Sampling-based Motion Planning Methods
- 6. Improved Sampling-based Motion Planning Methods
- 7. Robotic information gathering Robotic Exporation
- 8. Data collection planning and multi-goal path planning problems
- 9. Data collection planning with curvature-constrained vehicles
- 10. Multi-Robot Data Collection Planning
- 11. Game Theory in Robotics
- 12. Game Theory in Robotics
- 13. Game Theory in Robotics

Part II Part 2 – Introduction to Robotics

Jan Faigl, 2017

B4M36UIR - Lecture 01: Introduction to Robotics

21 / 52

What is Understood as Robot?



Rossum's Universal Robots (R.U.R)



Industrial robots



Cyberdyne T-800



NS-5 (Sonny)

Artificial Intelligence (AI) is probably most typical understand as intelligent robot

Intelligent Robots

- React to the environment sensing
- Adapt to the current conditions
- Make decision and new goals

E.g., in robotic exploration

- Even though they are autonomous systems, the behaviour is relatively well defined
- Adaptation and ability to solve complex problems are implemented as algorithms and techniques of Artificial Intelligence

In addition to mechanical and electronical design, robot control, sensing, etc.



Stacionary vs Mobile Robots

Robots can be categorized into two main groups



Stationary (industrial) robots

Mobile robots

- Stationary robots defined (limited) working space
 - Even stationary robots need an efficient motion, and thus motion planning tasks can be a challenging problem
- Mobile robots it can move, and therefore, it is necessary to address the problem of navigation

Jan Faigl, 2017

Stationary Robots

- Conventional robots needs separated and human inaccessible working space because of safety reasons
- Cooperating robots share the working space with humans





Types of Mobile Robots

- Regarding the environment: ground, underground, aerial, surface, and underwater vehicles
- Based on the locomotion: wheeled, tracked, legged, modular





Challenges in Robotics

- Autonomous vehicles cars, delivers, etc
- Consumable robots toys, vacuum cleaner, lawn mover, pool cleaner
- Robotic companions
- Search and rescue missions
- Extraterrestrial exploration
- Robotic Surgery
- Multi-robot coordination


In addition to other technological challenges, new efficient AI algorithms have to be developed to address the nowadays and future challenges

Robotic Surgery

- Evolution of Laparoscopic Surgery
 Complex operations with shorter postoperative recovery
- Precise robotic manipulators and teleoperated surgical robotic systems
- Further step is automation of a surgical procedures

One of the main main challenges is planning and navigation in tissue







Model tkáně



Robotic Arm of the Da Vinci Surgical System




Surgical droid 2-1B

Artificial Intelligence and Robotics

- Artificial Intelligence (AI) field originates in 1956 with the summary that a intelligent machine needs:
 - Internal models of the world
 - Search through possible solutions
 - Planning and reasoning to solve problems
 - Symbolic representation of information
 - Hierarchical system organization
 - Sequential program execution
 M. Mataric, Robotic Primer
 - Al-inspired robot Shakey

Artificial Intelligence laboratory of Stanford Research Institute (1966-1972)

 Shakey – perception, geometrical map building, planning, and acting – early Al-inspired robotics purely deliberative control



Robotics in B4M36UIR

- Fundamental problems related to motion planning and mission planning with mobile robots
- The discussed motion planning methods are general and applicable also into other domains and different robotic platforms including stationary robotic arms

Robotics is interdisciplinary field

- Electrical, mechanical, control, and computer engineering
- **Computer science** such as machine learning, artificial intelligence, computational intelligence, machine perception, etc.
- Human-Robot interaction and cognitive robotics is also related to psychology, brain-robot interfaces to Neuroscience, robotic surgery to medicine, etc.


In B4M36UIR, we will touch a small portion of the whole field, mostly related to motion planning and mission planning that can be "encapsulated" as **robotic information gathering**

Jan Faigl, 2017

What is a Robot?

A robot is an autonomous system which exists in the physical world, can sense its environment, and can act on it to achieve some goals

- The robot has a physical body in the physical world embodiment
- The robot has sensors and it can sense/perceive its environment
- A robot has effectors and actuators it can act in the environment
- A robot has controller which allows it to be autonomous



Embodiment

The robot body allows the robot to act in the physical world

E.g., to go, to move objects, etc.

- Software agent is not a robot
- Embodied robot is under the same physical laws as other objects
 - Cannot change shape or size arbitrarily
 - It must use actuators to move
 - It needs energy
 - It takes some time to speed up and slow down
- Embodied robot has to be aware of other bodies in the world
 - Be aware of possible collisions
- The robot body influences how the robot can move

Notice, faster robots look smarter

Sensing / Perception

- Sensors are devices that enable a robot to perceive its physical environment to get information about itself and its surroundings
- Exteroceptive sensors and proprioceptive sensors
- Sensing allows the robot to know its state
- State can be observable, partially observable, or unobservable
 - State can be discrete (e.g., on/off, up/down, colors) or continuous (velocity)
 - State space consists of all possible states which the system can be
 - space refers to all possible values
 - External state the state of the world as robot can sense it
 - Internal state the state of the robot as the robot can perceive it
 E.g., remaining battery

Jan Faigl, 2017

Sensors

- Proprioceptive sensors measure internal status, e.g., encoders, inclinometer, inertial navigation systems (INS), compass, but also Global Positioning System (GPS)
- Exteroceptive (proximity) sensors measure objects relative to the robot
 - Contact sensors e.g., mechanical switches, physical contact sensors that measure the interaction forces and torques, tactile sensors etc.



- Range sensors measure the distance to objects, e.g., sonars, lasers, IR, RF, time-of-flight
- Vision sensors complex sensing process that involves extraction, characterization, and information interpretation from images



Action

Effectors enables a robot to take an action

- They use underlying mechanism such as muscles and motors called actuators
- Effectors and actuators provides two main types of activities
 - Locomotion moving around

Mobile robotics - robots that move around

Manipulation – handling objects

Robotic arms

 Locomotion mechanisms – wheels, legs, modular robots, but also propellers etc.



With more and more complex robots, a separation between mobile and manipulator robots is less strict and robots combine mobility and manipulation

Effectors and Actuators


- **Effector** any device on a robot that has an effect on the environment
- Actuator a mechanisms that allows the effector to execute an action or movement, e.g., motors, pneumatics, chemically reactive materials, etc.
- Electric motors Direct-Current (DC) motors, gears,
 - Servo motors can turn their shaft to a specific position
 DC motor + gear reduction + position sensor + electronic circuit to control the motor



Hexapod with 3 servo motors (joints) per each leg has 18 servo motors in total

Degrees of Freedom (DOF)

- Degree of Freedom (DOF) is the minimal required number of independent parameters to completely specify the motion of a mechanical system
 It defines how the robot can move
 - In 3D space, a body has usually 6 DOF (by convention)
 - Translational DOF x, y, z
 - Rotational DOF roll, pitch, and yaw




Controllable DOF (CDOF) – the number of the DOF that are controllable, i.e., a robot has an actuator for such a DOF

DOF vs CDOF

- If a vehicle moves on a surface, e.g., a car, it actually moves in 2D
- The body is at the position $(x,y) \in \mathbb{R}^2$ with an orientation $heta \in \mathbb{S}^1$
- A car in a plane has DOF = 3, (x, y, θ) but CDOF=2, (v, φ)

Only forward/reverse direction and steering angle can be controlled



That is why a parallel parking is difficult

- A car cannot move in an arbitrary direction, but 2 CDOF can get car to any position and orientation in 2D
- To get to a position, the car follows a continuous trajectory (path), but with discontinuous velocity

Uncontrollable DOF makes the movement more complicated

Jan Faigl, 2017

Ratio of CDOF to the Total DOF

- The ratio of Controllable DOF (CDOF) to the Total DOF (TDOF) represents how easy is to control the robot movement
- Holonomic (CDOF=TDOF, the ratio is 1) holonomic robot can control all of its DOF
 E.g., Multirotor aerial vehicle can control each DOF
- Nonholonomic (CDOF<TDOF, the ratio < 1) a nonholonomic robot has more DOF that it can control
- Redundant (CDOF>TDOF, the ratio > 1) a redundant robot has more ways of control



17 CDOF



6 DOF Hexapod



24 TDOF, 18 CDOF Hexapod

Locomotion


- Locomotion refers how the robot body moves from one location to another location
 From the Latin Locus (place) and motion
- The most typical effectors and actuators for ground robots are wheels and legs
- Most of the robots need to be stable to work properly
 - Static stability a robot can stand, it can be static and stable Biped robots are not statically stable, more legs make it easier. Most of the wheeled robots are stable.
 - **Statically stable walking** the robot is stable all the times

E.g., hexapod with tripod gait

 Dynamic stability – the body must actively balance or move to remain stable, the robots are called dynamically stable
 E.g., inverse pendulum

Locomotion - Wheel Robots

- One of the most simple wheeled robots is differential drive robot
 - It has two derived wheels on a common axis
 - It use castor wheels for stability
 - It is nonholonomic robot
 Omnidirectional robot is holonomic robot



 v_l and v_r are velocities along the ground of the left and right wheels, respectively

$$\omega = \frac{v_r - v_l}{l}, \ R = \frac{l}{2} \frac{v_l + v_r}{v_r - v_l}$$

• For $v_l = v_r$, the robot moves straight ahead *R* is infinite

• For $v_l = -v_r$, the robot rotates in a place *R* is zero


 Simple motion control can be realized in a turn-move like schema

Further motion control using path following or trajectory following approaches with feedback controller based on the position of the robot to the path / trajectory

Jan Faigl, 2017

Locomotion – Legged Robots (Gaits)

- Gait is a way how a legged robot moves
- A gait defines the order how the individual legs lift and lower and also places of the foot tip on the ground
- Properties of gaits are: stability, speed, energy efficiency, robustness (how the gait can recover from some failures), simplicity (how complex is to generate the gait)
- A typical gait for hexapod walking robot is **tripod** which is stable as all the times at least three legs are on the ground



Gullan et al., The Insects: An outline of entomology, 2005

lida et al., Science Direct, 63, 2008

Locomotion of Hexapod Walking Robot

- Let have hexapod robot with six identical legs each with 3 DOF
- Each leg consists of three parts called Coxa, Femur, and Tibia








- The movement is a coordination of the stance and swing phases of the legs defined by the gait, e.g., tripod
- A stride is a combination of the leg movement with the foot tip on the ground (during the stance phase) and the leg movement in a particular direction (in the swing phase) within one gait cycle
- Various gaits can be created by different sequences of stance and swing phases

•
$$T_{Stance}$$
, T_{Swing} , $T_{Stride} = T_{Stance} + T_{Swing}$ defines the duty factor
 $\beta = T_{Stance}/T_{Stride}$ Triod $\beta = 0.5$

Jan Faigl, 2017

Central Pattern Generator (CPG)

- Central Pattern Generators (CPGs) are neural circuits to produce rhythmic patterns for various activities, i.e., locomotor rhythms to control a periodic movement of a particular body parts
- Salamander CPG with 20 amplitude-controlled phase oscillators




Auke Jan Ijspeert, Neural Networks, 2008

Locomotion

Example of Rhythmic Pattern Oscillator

- One of the widely used oscillators is the Matsuoka oscillator model
- It is based on biological concepts of the extensor and flexor muscles
- The rhythmic patterns defined the trajectory of the leg end point (foot tip)
- The coordinates of the foot tip can be utilized to computed the joint angles using the Inverse Kinematics



Matsuoka, K. (1985). Sustained oscillations generated by mutually inhibiting neurons with adaptation. Biological Cybernetics 52, 367–376

An example of simple CPG to control hexapod walking robot will be addressed during the labs

Jan Faigl, 2017

Control Architectures

 A single control rule may provide simple robot behaviour Notice, controller can be feed-forward (open-loop) or feedback controller as in the previous example with vision based sensing

- Robots should do more than just avoiding obstacles
- The question is "How to combine multiple controller together?"
- Control architecture is a set of guiding principles and constraints for organizing the robot control system
 - Guidelines to develop the robotic system to behave as desired

It is not necessary to know control architectures for simple robotic demos and tasks. But it is highly desirable to be aware of architectures for complex robots

Summary of the Lecture

Topics Discussed

- Information about the Course
- Overview of robots, robotics, and challenges
 - Robot Embodied software agent
 - Sensor, Controller, Actuators
 - Degrees of Freedom (DOF) and Controllable DOF
 - Mobile Robot Locomotion
 - Locomotion Gaits for Legged Robots
 - Central Pattern Generator
- Next: Robotic Paradigms and Control Architectures