

Grid and Graph based Path Planning Methods

Jan Faigl

Department of Computer Science
Faculty of Electrical Engineering
Czech Technical University in Prague

Lecture 04

B4M36UIR – Artificial Intelligence in Robotics

Overview of the Lecture


- Part 1 – Grid and Graph based Path Planning Methods
 - Grid-based Planning
 - DT for Path Planning
 - Graph Search Algorithms
 - D* Lite

Part I

Part 1 – Grid and Graph based Path Planning Methods



Grid-based Planning

- A subdivision of \mathcal{C}_{free} into smaller cells
- **Grow obstacles** can be simplified by growing borders by a diameter of the robot
- Construction of the planning graph $G = (V, E)$ for V as a set of cells and E as the **neighbor-relations**
 - 4-neighbors and 8-neighbors





- A grid map can be constructed from the so-called occupancy grid maps

E.g., using thresholding




Grid-based Environment Representations

- Hierarchical planning
 - Coarse resolution and re-planning on finer resolution
- Octotree can be used for the map representation
- In addition to squared (or rectangular) grid a hexagonal grid can be used
- 3D grid maps – **octomap**
 - Memory grows with the size of the environment
 - Due to limited resolution it may fail in narrow passages of \mathcal{C}_{free}




<https://octomap.github.io>




Example of Simple Grid-based Planning

- Front-wave propagation using path simplification
 - Initial map with a robot and goal
 - Obstacle growing
 - Wave-front propagation – “flood fill”
 - Find a path using a navigation function
 - Path simplification
 - “Ray-shooting” technique combined with
 - **Bresenham’s line algorithm**





Path Simplification


- The initial path is found in a grid using 4-neighbors of a cell
- The rayshoot cast a line into a grid and possible collisions of the robot with obstacles are checked
- The “fartherset” cells without collisions are used as “turn” points
- The final path is a sequence of straight line segments



Initial and goal locations

Obstacle growing,
front-wave propagation

Ray-shooting



Simplified path

Bresenham's Line Algorithm

- Filling a grid by a line with avoiding using float numbers
- A line from (x_0, y_0) to (x_1, y_1) is given by $y = \frac{y_1 - y_0}{x_1 - x_0}(x - x_0) + y_0$

```

1  CoordsVector& bresenham(const Coords& pt1, const Coords& pt2, CoordsVector& line)
2  {
3      // The pt2 point is not added into line
4      int x0 = pt1.c; int y0 = pt1.r;
5      int x1 = pt2.c; int y1 = pt2.r;
6      Coords p;
7      int dx = x1 - x0;
8      int dy = y1 - y0;
9      int steep = (abs(dy) >= abs(dx));
10     if (steep) {
11         SWAP(x0, y0);
12         SWAP(x1, y1);
13         dx = x1 - x0; // recompute Dx, Dy
14         dy = y1 - y0;
15     }
16     int xstep = 1;
17     if (dx < 0) {
18         xstep = -1;
19         dx = -dx;
20     }
21     int ystep = 1;
22     if (dy < 0) {
23         ystep = -1;
24         dy = -dy;
25     }
26     int twoDy = 2 * dy;
27     int twoDyTwoDx = twoDy - 2 * dx; //2*Dy - 2*Dx
28     int e = twoDy - dx; //2*Dy - Dx
29     int y = y0;
30     int xDraw, yDraw;
31     for (int x = x0; x != x1; x += xstep) {
32         if (steep) {
33             xDraw = y;
34             yDraw = x;
35         } else {
36             xDraw = x;
37             yDraw = y;
38         }
39         p.c = xDraw;
40         p.r = yDraw;
41         line.push_back(p); // add to the line
42         if (e > 0) {
43             e += twoDyTwoDx; //E += 2*Dy - 2*Dx
44             y = y + ystep;
45         } else {
46             e += twoDy; //E += 2*Dy
47         }
48     }
49     return line;
50 }

```


Distance Transform based Path Planning

- For a given goal location and grid map compute a navigational function using *frontwave* algorithm, i.e., a kind of *potential field*
 - The value of the goal cell is set to 0 and all other free cells are set to some very high value
 - For each free cell compute a number of cells to towards the goal cell
 - It uses 8-neighbors and distance is the Euclidean distance of the centers of two cells, i.e., $EV=1$ for orthogonal cells or $EV\sqrt{2}$ for diagonal cells
 - The values are iteratively computed until the values are changed
 - The value of the cell c is computed as

$$cost(c) = \min_{i=1}^8 (cost(c_i) + EV_{c_i,c}),$$

where c_i is one of the neighboring cells from 8-neighborhood of the cell c

- The algorithm provides a cost map of the path distance from any free cell to the goal cell
- The path is than used following the gradient of the cell costs.

Jarvis, R. (2004): Distance Transform Based Visibility Measures for Covert Path Planning in Known but Dynamic Environments

Distance Transform Path Planning

Algorithm 1: Distance Transform for Path Planning

```

for  $y:=0$  to  $yMax+1$  do
  for  $x:=0$  to  $xMax+1$  do
    if goal  $[x,y]$  then
       $cell [x,y]:=0$ ;
    else
       $cell [x,y]:=xMax*y Max$ ;
  repeat
    for  $y:=2$  to  $yMax$  do
      for  $x:=2$  to  $xMax$  do
        if not blocked  $[x,y]$  then
           $cell [x,y]:= \min (cell[x-1,y]+1, cell[x-1,y-1]+\sqrt{2}, cell[x,y-1]+1, cell[x+1,y-1]+\sqrt{2}, cell [x,y]);$ 
        for  $y:=yMax-1$  downto  $1$  do
          for  $x:=xMax-1$  downto  $1$  do
            if not blocked  $[x,y]$  then
               $cell[x,y]:= \min (cell[x+1,y]+1, cell[x+1,y+1]+\sqrt{2}, cell[x,y+1]+1, cell[x-1,y+1]+\sqrt{2}, cell[x,y]);$ 
      until no change;

```

Distance Transform based Path Planning – Impl. 1/2

```

1  Grid& DT::compute(Grid& grid) const {                               32
2      static const double DIAGONAL = sqrt(2);                       33
3      static const double ORTOGONAL = 1;                             34
4                                                                 35
5      const int H = map.H;                                           36
6      const int W = map.W;                                           37
7      assert(grid.H == H and grid.W == W, "size");                 38
8      bool anyChange = true;                                         39
9      int counter = 0;                                               40
10     while (anyChange) {                                            41
11         anyChange = false;                                          42
12         for (int r = 1; r < H - 1; r++) {                          43
13             for (int c = 1; c < W - 1; c++) {                       44
14                 if (map[r][c] != FREESPACE) {                     45
15                     continue;                                       46
16                 } //obstacle detected                               47
17                 double t[4];                                        48
18                 t[0] = grid[r - 1][c - 1] + DIAGONAL;              49
19                 t[1] = grid[r - 1][c] + ORTOGONAL;                50
20                 t[2] = grid[r - 1][c + 1] + DIAGONAL;              51
21                 t[3] = grid[r][c - 1] + ORTOGONAL;                52
22                 double pom = grid[r][c];                            53
23                 for (int i = 0; i < 4; i++) {                      54
24                     if (pom > t[i]) {                               55
25                         pom = t[i];                                 56
26                         anyChange = true;                           57
27                     }                                              58
28                 }                                                  59
29                 if (anyChange) {
30                     grid[r][c] = pom;
31                 }
32             }
33     }

```

Distance Transform based Path Planning – Impl. 2/2

- The path is retrieved by following the minimal value towards the goal, `min8Point()`

```

1  Coords& min8Point(const Grid& grid, Coords& p) { 25
2      double min = std::numeric_limits<double>::max();
3      const int H = grid.H; 26
4      const int W = grid.W; 27
5      Coords t; 28
6
7      for (int r = p.r - 1; r <= p.r + 1; r++) { 29
8          if (r < 0 or r >= H) { continue; } 30
9          for (int c = p.c - 1; c <= p.c + 1; c++) { 31
10             if (c < 0 or c >= W) { continue; } 32
11             if (min > grid[r][c]) { 33
12                 min = grid[r][c]; 34
13                 t.r = r; t.c = c; 35
14             } 36
15         } 37
16     } 38
17     p = t; 39
18     return p; 40
19 } 41




```

```

25  CoordsVector& DT::findPath(const Coords& start,
26                          const Coords& goal, CoordsVector& path) {
27      static const double DIAGONAL = sqrt(2);
28      static const double ORTOGONAL = 1;
29
30      const int H = map.H;
31      const int W = map.W;
32      Grid grid(H, W, H*W); // H*W max grid value
33      grid[goal.r][goal.c] = 0;
34      compute(grid);
35      path.clear();
36
37      if (grid[start.r][start.c] >= H*W) {
38          WARN("Path has not been found");
39      } else {
40          Coords pt = start;
41          while (pt.r != goal.r or pt.c != goal.c) {
42              path.push_back(pt);
43              min8Point(grid, pt);
44          }
45          path.push_back(goal);
46      }
47      return path;

```

DT Example



$\delta = 10 \text{ cm}, L = 27.2 \text{ m}$



$\delta = 30 \text{ cm}, L = 42.8 \text{ m}$

Dijkstra's Algorithm

- The grid can be considered as a graph and the path can be found using graph search algorithms
- Dijkstra's algorithm determines paths as iterative update of the cost of the shortest path to the particular nodes

- Let start with the initial cell (node) with the cost set to 0 and update all successors


- Select the node

- with a path from the initial node
- and has a lower cost

- Repeat until there is a reachable node


- I.e., a node with a path from the initial node
- has a cost and parent (green nodes).

Edsger W. Dijkstra, 1956




The cost of nodes can only decrease (edge cost is only positive). Therefore, for a node with the currently lowest cost, there cannot be a shorter path from the initial node.


Example (cont.)




1: After the expansion, the shortest path to the node 2 is over the node 3



2: There is not shorter path to the node 2 over the node 1



3: After the expansion, there is a new path to the node 5



4: The path does not improve for further expansions

Dijkstra's Algorithm – Impl.

```
1  dij->nodes[dij->start_node].cost = 0; // init
2  void *pq = pq_alloc(dij->num_nodes); // set priority queue
3  int cur_label;
4  pq_push(pq, dij->start_node, 0);
5  while ( !pq_is_empty(pq) && pq_pop(pq, &cur_label)) {
6      node_t *cur = &(dij->nodes[cur_label]); // remember the current node
7      for (int i = 0; i < cur->edge_count; ++i) { // all edges of cur
8          edge_t *edge = &(dij->graph->edges[cur->edge_start + i]);
9          node_t *to = &(dij->nodes[edge->to]);
10         const int cost = cur->cost + edge->cost;
11         if (to->cost == -1) { // node to has not been visited
12             to->cost = cost;
13             to->parent = cur_label;
14             pq_push(pq, edge->to, cost); // put node to the queue
15         } else if (cost < to->cost) { // node already in the queue
16             to->cost = cost; // test if the cost can be reduced
17             to->parent = cur_label; // update the parent node
18             pq_update(pq, edge->to, cost); // update the priority queue
19         }
20     } // loop for all edges of the cur node
21 } // priority queue empty
22 pq_free(pq); // release memory
```

A* Algorithm

- A* uses a user-defined h -values (heuristic) to focus the search

Peter Hart, Nils Nilsson, and Bertram Raphael, 1968

- Prefer expansion of the node n with the lowest value

$$f(n) = g(n) + h(n),$$

where $g(n)$ is the cost (path length) from start to n and $h(n)$ is the estimated cost from n to the goal

- h -values approximate the goal distance from particular nodes

- **Admissibility condition** – heuristic always underestimate the remaining cost to reach the goal,


- Let $h^*(n)$ be the true cost of the optimal path from n to the goal
- Then $h(n)$ is **admissible** if for all n : $h(n) \leq h^*(n)$
- E.g., Euclidean distance is admissible
 - A straight line will always be the shortest path

- Dijkstra's algorithm – $h(n) = 0$

A* Implementation Notes

- The most costly operations of A* are
 - Insert and lookup an element in the **closed list**
 - Insert element and get minimal element (according to $f()$ value) from the **open list**
- The **closed list** can be efficiently implemented as a **hash set**
- The **open list** is usually implemented as a **priority queue**, e.g.,
 - Fibonacci heap, binomial heap, k -level bucket
 - **binary heap** is usually sufficient ($O(\log n)$)
- Forward A*
 1. Create a search tree and initiate it with the start location
 2. Select a generated but not yet expanded state s with the smallest f -value, $f(s) = g(s) + h(s)$
 3. Stop if s is the goal
 4. Expand the state s
 5. Goto Step 2

Dijkstra's vs A* vs Jump Point Search (JPS)



<https://www.youtube.com/watch?v=ROG4Ud081LY>

Jump Point Search Algorithm for Grid-based Path Planning


- **Jump Point Search** (JPS) algorithm is based on a macro operator that identifies and selectively expands only certain nodes (**jump points**)

Harabor, D. and Grastien, A. (2011): Online Graph Pruning for Pathfinding on Grid Maps. AAAI.

- Natural neighbors after neighbor pruning with forced neighbors because of obstacle



- Intermediate nodes on a path connecting two jump points are never expanded



- No preprocessing and no memory overheads while it speeds up A*

<https://harablog.wordpress.com/2011/09/07/jump-point-search/>

- JPS+ – optimized preprocessed version of **JPS** with goal bounding

<https://github.com/SteveRabin/JPSPlusWithGoalBounding>

<http://www.gdcvault.com/play/1022094/JPS-Over-100x-Faster-than>

Theta* – Any-Angle Path Planning Algorithm

- Any-angle path planning algorithms simplify the path during the search
- Theta* is an extension of A* with `LineOfSight()`



Nash, A., Daniel, K., Koenig, S. and Felner, A. (2007): Theta*: Any-Angle Path Planning on Grids. AAAI.

Algorithm 2: Theta* Any-Angle Planning

```

if LineOfSight(parent(s), s') then
    /* Path 2 – any-angle path */
    if g(parent(s)) + c(parent(s), s') < g(s') then
        parent(s') := parent(s);
        g(s') := g(parent(s)) + c(parent(s), s');
else
    /* Path 1 – A* path */
    if g(s) + c(s, s') < g(s') then
        parent(s') := s;
        g(s') := g(s) + c(s, s');
  
```

- Path 2: considers path from start to parent(s) and from parent(s) to s' if s' has line-of-sight to parent(s)




<http://aigamedev.com/open/tutorials/theta-star-any-angle-paths/>

Theta* Any-Angle Path Planning Examples

- Example of found paths by the Theta* algorithm for the same problems as for the DT-based examples on Slide 16

Both algorithms implemented in C++



$\delta = 10 \text{ cm}, L = 26.3 \text{ m}$



$\delta = 30 \text{ cm}, L = 40.3 \text{ m}$

The same problems for DT with path smoothing, the path lengths are $L_{\delta=10} = 26.3 \text{ m}$ and $L_{\delta=30} = 40.3 \text{ m}$, while DT seems to be faster

- Lazy Theta*** – reduces the number of line-of-sight checks

Nash, A., Koenig, S. and Tovey, C. (2010): Lazy Theta*: Any-Angle Path Planning and Path Length Analysis in 3D. AAAI.

<http://aigamedev.com/open/tutorial/lazy-theta-star/>

A* Variants – Online Search

- The state space (map) may not be known exactly in advance
 - Environment can **dynamically** change
 - True travel costs are **experienced** during the path execution
- Repeated A* searches can be computationally demanding
- **Incremental heuristic search**
 - Repeated planning of the path from the current state to the goal
 - Planning under the **free-space** assumption
 - **Reuse** information from the previous searches (**closed list** entries):
 - Focused Dynamic A* (**D***) – h^* is based on **traversability**, used for Mars Rover “Opportunity”

Stentz, A. (1995): The Focussed D* Algorithm for Real-Time Replanning. IJCAI.
 - **D* Lite** – similar to D*

Koenig, S. and Likhachev, M. (2005): Fast Replanning for Navigation in Unknown Terrain. T-RO.
- **Real-Time Heuristic Search**
 - Repeated planning with limited **look-ahead** – suboptimal but fast
 - Learning Real-Time A* (**LRTA***)

Korf, E. (1990): Real-time heuristic search. JAI
 - Real-Time Adaptive A* (**RTAA***)

Koenig, S. and Likhachev, M. (2006): Real-time adaptive A*. AAMAS.

Real-Time Adaptive A* (RTAA*)


- Execute A* with limited **look-ahead**
- Learns better informed **heuristic** from the experience, initially $h(s)$, e.g., Euclidean distance
- Look-ahead defines **trade-off** between optimality and computational cost
 - astar(lookahead)
 A* expansion as far as "lookahead" nodes and it terminates with the state s'

```

while ( $s_{curr} \notin GOAL$ ) do
  astar(lookahead);
  if  $s' = FAILURE$  then
    return FAILURE;
  for all  $s \in CLOSED$  do
     $H(s) := g(s') + h(s') - g(s)$ ;
  execute(plan); // perform one step
return SUCCESS;
  
```

s' is the last state expanded during the previous A* search

D* Lite – Demo



<https://www.youtube.com/watch?v=X5a149nSE9s>

D* Lite Overview

- It is similar to D*, but it is based on **Lifelong Planning A***

Koenig, S. and Likhachev, M. (2002): D* Lite. AAAI.

- It searches from the goal node to the start node, i.e., g -values estimate the goal distance
- Store pending nodes in a priority queue
- Process nodes in order of increasing objective function value
- Incrementally repair solution paths when changes occur
- Maintains two estimates of costs per node
 - g – the objective function value – based on what we know
 - rhs – one-step lookahead of the objective function value – based on what we know
- **Consistency**
 - Consistent – $g = rhs$
 - Inconsistent – $g \neq rhs$
- Inconsistent nodes are stored in the priority queue (open list) for processing

D* Lite: Cost Estimates

- *rhs* of the node u is computed based on g of its successors in the graph and the transition costs of the edge to those successors

$$rhs(u) = \min_{s' \in Succ(u)} (c(u, s') + g(s'))$$

- The key/priority of a node s in the open list is the minimum of $g(s)$ and $rhs(s)$ plus a focusing heuristic h

$$[\min(g(s), rhs(s)) + h(s_{start}, s); \min(g(s), rhs(s))]$$

- The first term is used as the primary key
- The second term is used for as the secondary key for tie-breaking

D* Lite Algorithm

- Repeat until the robot reaches the goal (or $g(s_{start}) = \infty$ there is no path)

```

U = 0;
foreach  $s \in S$  do  $rhs(s) := g(s) := \infty$  ;
 $rhs(s_{goal}) := 0$ ;
U.Insert( $s_{goal}$ , CalculateKey( $s_{goal}$ ));
/* end initialization */;
ComputeShortestPath();
while ( $s_{start} \neq s_{goal}$ ) do
  |  $s_{start} = \operatorname{argmin}_{s' \in Succ(s_{start})} (c(s_{start}, s') + g(s'))$ ;
  Move to  $s_{start}$ ;
  Scan the graph for changed edge costs;
  if any edge cost changed perform then
    | foreach directed edges ( $u, v$ ) with changed edge costs do
      | Update the edge cost  $c(u, v)$ ;
      | UpdateVertex( $u$ );
    | foreach  $s \in U$  do
      | U.Update( $s$ , CalculateKey( $s$ ));
    | ComputeShortestPath();

```

D* Lite Algorithm – ComputeShortestPath()

Procedure ComputeShortestPath

```

while  $U.TopKey() < CalculateKey(s_{start})$  OR  $rhs(s_{start}) \neq g(s_{start})$  do
   $u := U.Pop();$ 
  if  $g(u) > rhs(u)$  then
     $g(u) := rhs(u);$ 
    foreach  $s \in Pred(u)$  do UpdateVertex( $s$ );
  else
     $g(u) := \infty;$ 
    foreach  $s \in Pred(u) \cup \{u\}$  do UpdateVertex( $s$ );

```

Procedure UpdateVertex

```

if  $u \neq s_{goal}$  then  $rhs(u) := \min_{s' \in Succ(u)} (c(u, s') + g(s'));$ 
if  $u \in U$  then  $U.Remove(u);$ 
if  $g(u) \neq rhs(u)$  then  $U.Insert(u, CalculateKey(u));$ 

```

Procedure CalculateKey

```

return  $[\min(g(s), rhs(s)) + h(s_{start}, s); \min(g(s), rhs(s))]$ 

```


Summary of the Lecture