

# Business Logic and Spring Framework

Petr Křemen

[petr.kremen@fel.cvut.cz](mailto:petr.kremen@fel.cvut.cz)

Winter Term 2016



# Contents

1 Business Logic

2 Dependency Injection

3 Spring Container Features

4 Spring Modules



# Business Logic




# Spring and EJB

- both technologies provide enterprise container with DI and transactions,
- EJB is a part of Java EE stack, it is a standard, supporting high-availability, clustering.
- Spring is a feature-rich alternative to EJB with many extensions cf. EJB, e.g. `@Configurable`
- A comparison is at <https://zeroturnaround.com/rebellabs/spring-and-java-ee-head-to-head>



# Spring and Java EE

## Job Trends by indeed.com



# Spring Framework Highlights

## pros

Dependency Injection

Convention over Configuration

Many Components for desktop/web/enterprise application development

Modular, i.e. individual Spring components can be used and combined with other frameworks

Open-Source, POJO-Based

## cons

Not part of the Java EE stack

## Examples

Examples from this lecture can be found at

<https://gitlab.fel.cvut.cz/ear/spring-example>.

Each commit contains an example, see commit logs.



# Dependency Injection



# Dependency Injection Motivation I

```
package cz.cvut.kbss.ear.spring_example;  
import ...  
  
public class SchoolInformationSystem {  
  
    private CourseRepository repository  
    = new InMemoryCourseRepository();  
  
    public static void main(String[] args) {  
        SchoolInformationSystem main = new SchoolInformationSystem();  
        System.out.println(main.repository.getName());  
    }  
}
```

The client code (`SchoolInformationSystem`) itself decides which repository implementation to use

- change in **implementation** requires *client code* change.
- change in **configuration** requires *client code* change.



# DI using XML

## SchoolInformationSystem.java

```
package cz.cvut.kbss.ear.spring_example;
import ...

public class SchoolInformationSystem {
    private CourseRepository repository;

    public static void main(String[] args) {
        final String C
            = "classpath*:application-config.xml";
        final ApplicationContext ac
            = new ClassPathXmlApplicationContext(C);
        SchoolInformationSystem s = ac.getBean(
            SchoolInformationSystem.class
        );
        System.out.println(s.repository.getName());
    }
}
```

## CourseRepository.java

```
package cz.cvut.kbss.ear.spring_example;
public interface CourseRepository {
    public String getName() { return name; }
}
```

## InMemoryCourseRepository.java

```
package cz.cvut.kbss.ear.spring_example;
import ...

public class InMemoryCourseRepository
    implements CourseRepository {
    public String getName() { return
        "In-memory course repository"; }
}
```

## application-config.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<beans ...>
    <bean
        id="SchoolInformationSystem"
        class="cz.cvut.kbss.ear.
            spring_example.SchoolInformationSystem"
        scope="singleton">
        <property name="repository"
            ref="CourseRepository"/>
    </bean>
    <bean id="CourseRepository"
        class="cz.cvut.kbss.ear.
            spring_example.InMemoryCourseRepository">
    </bean>
</beans>
```

# Dependency Injection (DI) and Inversion of Control (IoC)

## Dependency Injection

The application lifecycle is controlled by the *container* which is responsible for delivering correct implementation of the given bean

## Inversion of Control

The programmed application is a “library” for the generic framework that controls the application lifecycle.

## Hollywood Principle

Don't call us, we'll call you.



# DI using Annotations

## SchoolInformationSystem.java

```
package cz.cvut.kbss.ear.spring_example;
import ...

@Component
public class SchoolInformationSystem {
    @Autowired
    private CourseRepository repository;

    public static void main(String[] args) {
        final String C
            = "classpath*:application-config.xml";
        final ApplicationContext ac
            = new ClassPathXmlApplicationContext(C);
        SchoolInformationSystem s = ac.getBean(
            SchoolInformationSystem.class
        );
        System.out.println(s.repository.getName());
    }
}
```

## InMemoryCourseRepository.java

```
package cz.cvut.kbss.ear.spring_example;
import ...

@Component
public class InMemoryCourseRepository
    implements CourseRepository {
    public String getName() { return
        "In-memory course repository"; }
}
```

## application-config.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<beans ... >
    <context:annotation-config/>
    <context:component-scan base-package
        ="cz.cvut.kbss.ear.spring_example"/>
</beans>
```

## CourseRepository.java

```
package cz.cvut.kbss.ear.spring_example;
public interface CourseRepository {
    public String getName() { return name; }
}
```



# DI with JSR 330 annotations and bean disambiguation

JSR 330: Dependency Injection for Java

is a part of Java EE Web Profile. Spring supports JSR 330 annotations.

SchoolInformationSystem.java

```
package cz.cvut.kbss.ear.spring_example;
import ...

@Named
public class SchoolInformationSystem {
    @Inject
    private CourseRepository repository;

    ...
}
```

CourseRepository.java

```
package cz.cvut.kbss.ear.spring_example;
public interface CourseRepository {
    public String getName() { return name; }
}
```

InMemoryCourseRepository.java

```
package cz.cvut.kbss.ear.spring_example;
import ...

@Named
public class InMemoryCourseRepository
    implements CourseRepository {
    public String getName() { return "In-memory
        course repository"; }
}
```

AnotherInMemoryCourseRepository.java

```
package cz.cvut.kbss.ear.spring_example;
import ...

@Named("repository")
public class AnotherInMemoryCourseRepository
    implements CourseRepository {
    public String getName() { return "Another
        In-memory course repository"; }
}
```

# Related Dependency Technologies

## Dependency Injection for Java (JSR 330)

- dependency mechanism
  - (partially) implemented in Spring
- ∈ Java EE Web Profile

## Context Dependency Injection (CDI) (JSR 299)

- definition of bean scopes
  - not implemented in Spring
- ∈ Java EE Web Profile



# Spring Bean Scopes

**singleton** a single bean instance per Spring IoC container

**prototype** a new bean instance each time when requested

**request** a single bean instance per HTTP request

**session** a single bean instance per HTTP session

**globalSession** a single bean instance per global HTTP session

## global HTTP session

A session shared across multiple portlets in a portlet application.

Spring allows custom scope definition (e.g. JSF 2 Flash scope)



# Spring Bean Scopes – Prototype

SchoolInformationSystem.java

```
package cz.cvut.kbss.ear.spring_example;
import ...

@Component
@Scope("singleton")
public class SchoolInformationSystem {
    @Autowired
    private CourseRepository repository;

    @Autowired
    private CourseRepository
    secondRepository;
    ...

    public static void main(String[] args) {
        ...
        // injected SchoolInformationSystem s;
        System.out.println(
            s.repository == s.secondRepository
        );
    }
}
```

CourseRepository.java

```
package cz.cvut.kbss.ear.spring_example;
public interface CourseRepository {
    public String getName() { return name; }
}
```

AnotherInMemoryCourseRepository.java

```
package cz.cvut.kbss.ear.spring_example;
import ...

@Component("repository")
@Scope("prototype")
public class AnotherInMemoryCourseRepository
    implements CourseRepository {
    public String getName() { return "Another
        In-memory course repository"; }
}
```

prints “false”



# Spring Bean Scopes – Singleton

SchoolInformationSystem.java

```
package cz.cvut.kbss.ear.spring_example;
import ...

@Component
@Scope("singleton")
public class SchoolInformationSystem {
    @Autowired
    private CourseRepository repository;

    @Autowired
    private CourseRepository
    secondRepository;
    ...

    public static void main(String[] args) {
        ...
        // injected SchoolInformationSystem s;
        System.out.println(
            s.repository == s.secondRepository
        );
    }
}
```

CourseRepository.java

```
package cz.cvut.kbss.ear.spring_example;
public interface CourseRepository {
    public String getName() { return name; }
}
```

AnotherInMemoryCourseRepository.java

```
package cz.cvut.kbss.ear.spring_example;
import ...

@Component("repository")
@Scope("singleton")
public class AnotherInMemoryCourseRepository
    implements CourseRepository {
    public String getName() { return "Another
        In-memory course repository"; }
}
```

prints “true”



# Dependency management for non-Spring objects

- sometimes Spring cannot manage bean lifecycle, but needs to inject into it
  - objects of other frameworks need not be ready for being managed by Spring
  - JPA entities – based on OO paradigm, objects should encapsulate both state and operations
- annotation `@Configurable` denotes classes, objects of which are not managed by Spring, yet can inject Spring-managed objects
  - byte-code instrumentation (aspect weaving)
    - Load-Time weaving (java agent)
    - Compile-time weaving (aspect compiler)



## @Configurable – Example

```
@Configurable(preConstruction=true)
@Entity
public class User {

    @Column(length=40, nullable=false)
    private String password;

    @Column(length=40, nullable=false)
    private String salt;

    @Autowired
    private transient HashProvider provider;
    ...
    public void setPassword(String password) {
        this.password = provider.computeHash(
            password + salt + /* long string */);
    }
}
```



# Spring Container Features



# Transactions

```

public interface UserService {

    @Transactional(readOnly=true)
    public List<UserDTO> getAllUsers();

    @Transactional
    public UserDTO saveUser(UserDTO user, String
    password);

    @Transactional(readOnly=true)
    public UserDTO getUserByUserName(String name);

    @Transactional
    public void deleteUser(Long id);
    ...
}

```

```


<!-- from the file 'context.xml' -->
<?xml version="1.0" encoding="UTF-8"?>
<beans ...>
    <bean id="userService"
        class="....UserService"/>
    <tx:annotation-driven
        transaction-manager="txManager"/>
    <bean id="txManager"
        class="org.springframework.jdbc.
            datasource.DataSourceTransactionManager">
        <!-- (this dependency is defined
            somewhere else) -->
        <property name="dataSource"
            ref="dataSource"/>
    </bean>
</beans>

```

- transactions configurable through XML/annotations
- global/local transactions
- wraps multiple transaction APIs – JDBC, JTA, JPA, ...



# Transaction Flow



source: Spring documentation,  
[docs.spring.io/spring-framework/docs/4.2.x/spring-framework-reference/html/transaction.html](https://docs.spring.io/spring-framework/docs/4.2.x/spring-framework-reference/html/transaction.html)



# Spring and Persistence

- ① use standard JPA configuration through `persistence.xml` and load it by Spring
  - reuse of existing configuration
  - two XML configuration types
- ② configure JPA using Spring
  - one type of XML configuration
  - one more dependency on Spring ...



# JPA Configuration

```
<bean id="entityManagerFactory"
      class="org.springframework.orm.jpa.
          LocalContainerEntityManagerFactoryBean">
    <property name="dataSource" ref="dataSource"/>
    <property name="jpaVendorAdapter">
        <bean class="org.springframework.orm.jpa.vendor.
            HibernateJpaVendorAdapter">
            <property name="databasePlatform"
                value="${jpa.platform}"/>
            <property name="generateDdl" value="true"/>
            <property name="showSql" value="true"/>
        </bean>
    </property>
    <property name="packagesToScan" value="cz.xy" />
</bean>
```



# Security

```
@Transactional(propagation=Propagation.REQUIRED)
public interface UserService {

    @Secured("ROLE_ADMIN")
    public UserDTO save(UserDTO userDTO, String password,
                        Boolean isAdmin, Boolean isEditor);

    @Secured("ROLE_ADMIN")
    public void removeById(Long id);
    ...
}
```


- Method Access using Annotations



# Spring Modules



# Spring Landscape



source: **Spring documentation**,  
[docs.spring.io/spring/docs/current/spring-framework-reference/html/overview.html](https://docs.spring.io/spring/docs/current/spring-framework-reference/html/overview.html)



# Selected Spring Modules

Spring Core framework core

Spring ORM JPA integration and ORM

Spring MVC MVC web framework

Spring Test testing support

Spring Security application security support

Spring Social social network support

Spring Integration System Integration (Enterprise Integration Patterns)



# Resources

- **SpringSource**

<http://www.springsource.org>

- **Spring Framework – Documentation**

<http://static.springsource.org/spring/docs/4.2.x/spring-framework-reference/html>

- **Spring (WPA lecture)**

[https://cw.fel.cvut.cz/wiki/\\_media/courses/a7b39wpa/spring1.pdf](https://cw.fel.cvut.cz/wiki/_media/courses/a7b39wpa/spring1.pdf)

