# 1 Managing Semantic Data

#### Idea

- We will use Unified Foundation Ontology (UFO) as main upper level ontology to guide development of domain level ontology and consequently application ontologies.
- Theoretical background behind the UFO will help us to validate our design decisions during the ontology development.

## 1.1 Unified Foundational Ontology


#### 1.1.1 Introduction

#### What is Unified Foundational Ontology (UFO)?

- a foundational ontology developed by Giancarlo Guizzardi et al.
- a descriptive ontology representing universals and particulars, endurants and perdurants
- based on theories from Formal Ontology, Philosophical Logics, Philosophy of Language, Linguistics and Cognitive Psychology
- incorporates ideas from GFO, DOLCE and the Ontology of Universals underlying OntoClean

#### 1.1.2 UFO Modules


#### **UFO Core Modules Structure**



#### UFO Core Modules Overview<sup>1</sup>

- **UFO-A** an ontology of *endurants* dealing with aspects of structural conceptual modeling such types and taxonomic structures, part-whole relations, particularized intrinsic properties, attributes and attribute value spaces, particularized relational properties and relations, roles [guizzardi2005ontological].
- UFO-B an ontology of *perdurants* (*events*, *processes*) including perdurant mereology, temporal ordering of perdurants, object participation in perdurants, causation, change and the connection between perdurans and endurants via dispositions [guizzardi2013towards].
- **UFO-C** an ontology of *intentional and social entities* addressing notions such as beliefs, desires, intentions, goals, actions, commitments and claims, social roles and social particularized relational complexes (social relators) [guizzardi2008grounding].
- UFO-S on ontology for *commitment-based services* [nardi2013towards].
- UFO-L an ontology representing legal domain [griffo2015towards].

#### Relations within Core Modules of UFO



 $Relations \ among \ concepts \ of \ \mathit{UFO-A}, \ \mathit{UFO-B}, \ and \ \mathit{UFO-C} \ modules \ taken \ from \ \texttt{http://ontouml.org}.$ 

<sup>&</sup>lt;sup>1</sup>For detailed overview see [guizzardi2015towards, guizzardi2008grounding]

## 1.1.3 Categorization of Object Types

## Ontological Meta-properties of Object Types

Let T be an object type<sup>2</sup>.

- Identity
  - $-\mathbf{I}^{+}(\mathbf{T})$  carries identity
  - $-\mathbf{O}^{+}(\mathbf{T})$  owns (supply) identity
- Rigidity

$$-\mathbf{R}^+(\mathbf{T}) = \Box(\forall x \, T(x) \to \Box(T(x)))$$
 (Rigid)

$$-\mathbf{R}^{-}(\mathbf{T}) = \neg \mathbf{R}^{+}(\mathbf{T}) = \Diamond (\exists x \, T(x) \land \Diamond \neg T(x)) \quad \text{(Non-Rigid)}$$


$$-\mathbf{R}^{\sim}(\mathbf{T}) = \Box(\forall x \, T(x) \to \Diamond(\neg T(x)))$$
 (Anti-Rigid)

$$-\mathbf{R}^{s}(\mathbf{T}) = \mathbf{R}^{-}(\mathbf{T}) \wedge \neg \mathbf{R}^{\sim}(\mathbf{T})$$
 (Semi-Rigid)

• Relational Dependance

$$- \mathbf{D}^{+}(\mathbf{T}, \mathbf{T}', \mathbf{R}) =_{def} \Box(\forall x \, T(x) \to \exists y \, T'(y) \land R(x, y))$$


## Categories of Object Types



## Categories of All Universals


<sup>&</sup>lt;sup>2</sup>Might be also referred as "Substantial".

## 1 Managing Semantic Data



Categorization of all universals taken from http://ontouml.org.

### An Example



An example of UFO based model in OntoUML taken from [carvalho2017multi].

## 1.2 Ontology Testing

## **Ontology Testing**

to be continued ...

#### Related resources

- •
- OntoUML community portal https://ontouml.org/
- Menthor Editor (an OntoUML editor) http://www.menthor.net/
- G. Guzzardi, a presentation about Conceptual Modeling http://keg.vse.cz/\_slides/guizzardi.pdf