

**GRAPHICAL MARKOV MODELS (WS2015)**  
**2. SEMINAR**

We consider the following Markov chain model for all subsequent assignments. The p.d. for sequences  $s = (s_1, \dots, s_n)$  of length  $n$  with states  $s_i \in K$  is given by:

$$p(s) = p(s_1) \prod_{i=2}^n p(s_i | s_{i-1}).$$

The transition probabilities  $p(s_i | s_{i-1})$  and the p.d.  $p(s_1)$  for the state of the first element are assumed to be known.

**Assignment 1.**

- a)** Suppose that the marginal p.d.s  $p(s_i)$  for the states of the  $i$ -th element of the sequence are known for all  $i = 2, \dots, n$ . Then it is easy to calculate all “inverse“ transition probabilities  $p(s_{i-1} | s_i)$ . How?  
**b)** Describe an efficient algorithm for calculating  $p(s_i)$  for all  $i = 2, \dots, n$ .

**Assignment 2.** Suppose that there is a special state  $k^* \in K$ . We want to know how often this state appears on average in a sequence generated by the model. Describe an efficient method for the calculation of this average.

*Hint:* You may use the fact that the mean value of a sum of random variables is equal to the sum of their means. The number of occurrences of the state  $k^*$  in a sequence  $s$  can be obviously written in the form

$$\delta_{s_1 k^*} + \delta_{s_2 k^*} + \dots + \delta_{s_n k^*}$$

where  $\delta_{ij}$  denotes the Kronecker delta.

**Assignment 3.** Let  $A \subset K$  be a subset of states and let  $\mathcal{A} = A^n$  denote the set of all sequences  $s$  with  $s_i \in A$  for all  $i = 1, \dots, n$ . Find an efficient algorithm for calculating the probability  $p(\mathcal{A})$  of the event  $\mathcal{A}$ .

**Assignment 4.** Consider a fully specified HMM for sequence pairs  $(x, s)$  of length  $n$  given by

$$p(x, s) = p(s_1) \cdot \prod_{i=2}^n p(s_i | s_{i-1}) \cdot \prod_{i=1}^n p(x_i | s_i).$$

Let  $k^* \in K$  be a fixed, special hidden state. Let us call a subset of positions  $I \subset \{1, 2, \dots, n\}$  a *segmentation* and associate a subset of hidden state sequences with each segmentation:

$$\mathcal{S}(I) = \{s \in K^n \mid s_i = k^*, \forall i \in I \text{ and } s_i \in K \setminus k^*, \forall i \notin I\}.$$

- a)** Find an efficient algorithm for calculating  $p(x, \mathcal{S}(I))$ .  
**b\*\*)** Suppose we want to find the most probable segmentation given an observed feature sequence  $x$

$$I^* = \arg \max_I p(x, \mathcal{S}(I)).$$

Deduce an efficient algorithm for this task.

**Assignment 5.** Let  $x$  be a argy value image of size  $n \times m$ , where  $x_{ij}$  denotes the argy value of the pixel with coordinates  $(i, j)$ . The task is to segment such images into an upper and lower part by a boundary represented as a sequence of height values  $s_j \in \{1, 2, \dots, n\}$  for all  $j = 1, 2, \dots, m$ .

The prior probability for boundaries is assumed to be a homogeneous Markov chain such that  $p(s_j | s_{j-1}) = 0$  if  $|s_j - s_{j-1}| > 1$ . The appearance model for columns  $\vec{x}_j$  given the boundary value  $s_j$ , is assumed to be conditional independent

$$p(\vec{x}_j | s_j) = \prod_{i \leq s_j} p_1(x_{ij}) \cdot \prod_{i > s_j} p_2(x_{ij}),$$

where  $p_1()$  and  $p_2()$  are two pd-s for argy values.

**a)** Deduce an efficient algorithm for determining the most probable boundary.

**b\*\*)** Suppose that the loss function  $c(s, s')$  for incorrectly recognised boundaries is defined by

$$c(s, s') = \sum_{j=1}^m (s_j - s'_j)^2.$$

Formulate the segmentation task for this case. Deduce an efficient inference algorithm.