


**GRAPHICAL MARKOV MODELS (WS2015)**  
**5. SEMINAR**

**Assignment 1.** Transform the *Travelling Salesman Problem* into a (min, +)-problem.

*Hints:*

- a) represent a route by a binary valued  $n \times n$  matrix, where rows encode cities and columns encode the position of the city in the route,
- b) consider matrix elements as graph vertices and introduce edges and predicates on them in order to forbid labellings which do not represent a valid tour,
- c) finally, introduce edges and edge functions to represent the length of the route.

**Assignment 2.** Consider the language  $L$  of all b/w images  $x: D \rightarrow \{b, w\}$  containing an arbitrary number of non-overlapping and non-touching one pixel wide rectangular frames (see figure).



a) Prove that  $L$  is not expressible by a locally conjunctive predicate

$$x \in L \quad \text{if and only if} \quad f(x) = \bigwedge_{c \in \mathcal{C}} f_c(x_c) = 1$$

with predicates  $f_c$ , defined on image fragments  $x_c$ , where  $c \subset D$  have bounded size  $|c| < |D|$ .

b) Show that  $L$  can be expressed by introducing a field  $s: D \rightarrow K$  of non-terminal symbols, a locally conjunctive predicate on them and pixel-wise predicates  $g$  relating the non-terminal and terminal symbol in each pixel

$$x \in L \quad \text{if and only if} \quad \bigvee_{s \in K^D} \left[ \bigwedge_{c \in \mathcal{C}} f_c(s_c) \wedge \bigwedge_{i \in D} g(x_i, s_i) \right] = 1$$

Find a suitable structure  $\mathcal{C}$ , an alphabet of non-terminal symbols  $K$  and predicates  $f_c, g$ .