



**OPPA European Social Fund
Prague & EU: We invest in your future.**

Motion segmentation—separating background and foreground

Tomáš Svoboda, svoboda@cmp.felk.cvut.cz

Czech Technical University in Prague, Center for Machine Perception

<http://cmp.felk.cvut.cz>

Last update: April 12, 2010

Talk Outline

- ◆ Importance
- ◆ Challenges
- ◆ Solutions

Scenario

- ◆ static cameras observe a room, street, parking, . . .
- ◆ (almost) static background—the scene
- ◆ moving object (cars) and/or people—foreground

The Goal


- ◆ detect **meaningful** motions
- ◆ avoid false detection caused by unimportant changes in the scene (image noise, swaying trees, illumination changes, shadows, . . .)

Applications

- ◆ surveillance (detect: intruder in forbidden zone, panic situation, unusual behavior, long queues . . . ; alert human operator)
- ◆ human-computer interaction without input devices
- ◆ tele-presence (tele-teaching, tele-conferencing . . .) in larger scenes
- ◆ collision avoidance for robot/vehicle navigation
- ◆ video indexing: e.g. show me scenes in the movie with actor X
- ◆


Focus is on humans, but it is applicable to other objects as well.

Application example — surveillance



video: Gloriastrasse

Application example — gesture recognition for virtual environments



video: hand gestures in Blue(red)C

Challenges

- ◆ non-interesting changes in image
- ◆ shadows
- ◆ appearance changes (rotating car)
- ◆ objects that temporarily stopped
- ◆ overlapping objects
- ◆ moving camera (moving background)
- ◆ articulated objects

For us (humans), this is easy, but even the best computer vision methods work only under some assumptions. But computers are cheaper, usually faster and stay concentrated even when task is boring.




video: PETS dataset

Image noise



video: G9

Image noise (pseudocolors of red channel)



Essentials


- ◆ no high-level knowledge about the scene
- ◆ pixel based classification
- ◆ observations and some rough assumptions about the scene only available



Possible solution I: Frame differencing


Idea: compare subsequent frames

Pixel is part of foreground (object) if $\|I_t - I_{t-1}\| > T$ where T is a **threshold**



video

Frame differencing — thresholding



video

Possible solution II: Background subtraction

Idea: learn the static part of the scene and always compare to actual frames

Pixel is part of foreground (object) if $\|I_t - B\| > T$ where T is a **threshold** and B is the background intensity.

How to find B

- ◆ just take a sample image
- ◆ capture sample images and use the average

How to find T

- ◆ test and try
- ◆ statistical analysis of a training set

Naive solution

For each pixel, store the intensity I_1 observed in first image frame as background model $B = I_1$ and label the same pixel at frame t as background if

$$|I_t - B| < T .$$

Problem: even image of completely static scene is not constant due to noise.

- ◆ taking background model from single image is not reliable – use mean image of n first frames of empty scene $B = \text{mean}\{I_t : t = 1 \dots n\}$
- ◆ noise level can differ based on camera, its settings and illumination – use significance test to set the T (Global or per-pixel)

Background image




average of 20 images of empty scene

Differences between background and actual images



video: differences between background and observations

Problems with threshold




Video: different fixed thresholds

Significance test with level α

Take n image frames of empty scene (hypothesis background \mathcal{B}), accumulate statistics on the $|I_t - B|$ measure (for all pixels together) and set T such that


$$p(|I_t - B| > T | \mathcal{B}) = \alpha$$

e.g. significance level $\alpha = 0.01$ means 1% of background pixels will be misclassified as foreground (so called **false positives**). Setting α too low increases foreground pixel misclassification (so called **false negatives**).



Accessible reading about Bayesian decision theory [1, Chapter 2]


Better?



video



Problems with the static models

- ◆ number of misclassified pixels known only on the training data
- ◆ strictly require empty scene for learning (consider outdoor surveillance)
- ◆ do not adapt to changing environment




Illumination — dim scene

Observation: changing illumination (including shadows cast by moving objects) has multiplicative effect on the observed intensity.



Illumination — more light

Observation: changing illumination (including shadows cast by moving objects) has multiplicative effect on the observed intensity.



Illumination-invariant color spaces

There are different ways to exploit this observation:

- ◆ transform $[R, G, B]$ pixel color into color representation invariant to illumination intensity, e.g. to ratios $\left[\frac{R}{B}, \frac{G}{B}\right]$, $\frac{[R, G, B]}{\sqrt{R^2 + G^2 + B^2}}$ or opponent colors $[I, R - G, 2B - R - G]$
- ◆ examine gray values at neighbor pixels to find out if they have undergone the same transformation which could be explained by illumination change [2]

Illumination-invariant color spaces

There are different ways to exploit this observation:

- ◆ transform $[R, G, B]$ pixel color into color representation invariant to illumination intensity, e.g. to ratios $\left[\frac{R}{B}, \frac{G}{B}\right]$, $\frac{[R, G, B]}{\sqrt{R^2 + G^2 + B^2}}$ or opponent colors $[I, R - G, 2B - R - G]$
- ◆ examine gray values at neighbor pixels to find out if they have undergone the same transformation which could be explained by illumination change [2]

Problems

- ◆ Dark areas $[R, G, B] \rightarrow 0$ (consider the fractions)
- ◆ Colors are not color enough (real world is grey, intensity is the dominant value)


Still we can do something . . .

Collinearity measurement

Consider not only pixel but also its neighbourhood

- ◆ Background: $\mathbf{b} = \mathbf{s} + \epsilon_b$
- ◆ Observed signal: $\mathbf{x} = k\mathbf{s} + \epsilon_x$
- ◆ \mathbf{s} is the true (unknown) signal
- ◆ k is a illumination factor
- ◆ ϵ noise


Change detection: Can be the \mathbf{b} and \mathbf{x} considered as collinear?



Collinearity test statistics


Maximum likelihood (ML) estimate of the true signal direction \mathbf{u} is given by minimizing the sum:


$$D^2 = \|\mathbf{d}_1\|^2 + \|\mathbf{d}_2\|^2$$



Possible post-processing by using binary morphology

X 



$X \ominus B$ 

$(X \ominus B) \oplus B$ 

Adaptive background

Idea: the background model is learning from incoming image frames.

- + can be used in more general situations, also outdoors
- finding balance between learning background changes quickly and forgetting temporarily static objects
- does not distinguish between different objects

Simple modification of static background model: update the background model with learning rate $\alpha \in \langle 0, 1 \rangle$

$$B_t = (1 - \alpha)B_{t-1} + \alpha Y_t ,$$


where Y_t is current observation, may be pixel intensity, color, depth . . .

Mixture of Gaussians

Observation: the changes in images of “static” background are due to:

- ◆ additive Gaussian noise
- ◆ multiple different surfaces (waving trees) or illuminations (sun/clouds)

Idea: model color of each pixel as a weighted set of K 3-dimensional (red,green,blue) Gaussians. Each Gaussian has mean value in each dimension $\boldsymbol{\mu} = [\mu_R, \mu_G, \mu_B]^T$ and diagonal covariance matrix $\boldsymbol{\Sigma} = \text{diag}(\sigma_R^2, \sigma_G^2, \sigma_B^2)$, i.e. the color channels are for simplicity assumed independent.



Used in different variations, good reference [3]

Mixture of Gaussians 2

The probability of observing \mathbf{y}_t according to the Gaussian mixture model of background \mathcal{B} is then:

$$p_{\mathcal{B}}(\mathbf{y}_t | \mathbf{y}_1, \dots, \mathbf{y}_{t-1}) = \sum_{k=1}^K w_{t-1,k} \eta(\mathbf{y}_t, \boldsymbol{\mu}_{t-1,k}, \boldsymbol{\Sigma}_{t-1,k}) ,$$

where $w_{t,k} \in \langle 0, 1 \rangle$ is weight of k -th Gaussian and η is probability density function (standard Gaussian distribution)

$$\eta(\mathbf{y}, \boldsymbol{\mu}, \boldsymbol{\Sigma}) = \frac{1}{\sqrt{(2\pi)^{d/2} |\boldsymbol{\Sigma}|}} e^{-\frac{1}{2}(\mathbf{y}-\boldsymbol{\mu})^{\top} \boldsymbol{\Sigma}^{-1}(\mathbf{y}-\boldsymbol{\mu})} .$$

To label the pixel as background, probability of the observation \mathbf{y}_t has to be over certain threshold $p_{\mathcal{B}}(\mathbf{y}_t) > threshold$.

Updating Gaussian

Update the Gaussians for which $\eta(\mathbf{y}_t, \dots) > \text{threshold}$ (i.e. those matching the observation \mathbf{y}_t) using an **on-line K-means approximation**

$$\boldsymbol{\mu}_{t,k} = (1 - \alpha)\boldsymbol{\mu}_{t-1,k} + \alpha\mathbf{y}_t$$

$$\sigma_{R,t,k}^2 = (1 - \alpha)\sigma_{R,t-1,k}^2 + \alpha(y_{R,t} - \mu_{R,t-1,k})^2$$

$$\sigma_{G,t,k}^2 = (1 - \alpha)\sigma_{G,t-1,k}^2 + \alpha(y_{G,t} - \mu_{G,t-1,k})^2$$

$$\sigma_{B,t,k}^2 = (1 - \alpha)\sigma_{B,t-1,k}^2 + \alpha(y_{B,t} - \mu_{B,t-1,k})^2$$

More precise way of update would be using Expectation-Maximization on a number of recent observations, it is however more time consuming.

Updating weights of Gaussians in mixture

The weight of all the Gaussians in mixture is decreased

$$w_{t,k} = (1 - \alpha)w_{t-1,k}$$


with the exception of the Gaussians that were updated, for which

$$w_{t,k} = (1 - \alpha)w_{t-1,k} + \alpha .$$




If \mathbf{y}_t matched no Gaussian, the lowest-weight Gaussian from mixture is removed and new one is added with mean $\boldsymbol{\mu} = \mathbf{y}_t$, variances for all channels $\sigma^2 = \sigma_{init}^2$ and $w = \alpha$.

Weights are normalized so that $\sum_{k=1}^K w_{t,k} = 1$.


How the K-means works, step 1



How the K-means works, step 2, . . .





... until it converges




The iterations stop when there is no more change in the classification.

Mixture update visualization



Adaptive segmentation results



video: adaptive modeling and motion segmentation



video: segmentation results

Motion segmentation summary

- ◆ pixel based approach
- ◆ no general all-solving method
- ◆ despite limited power widely used because of its simplicity

References

- [1] Richard O. Duda, Peter E. Hart, and David G. Stork. [Pattern Classification](#). John Wiley & Sons, New York, NY, USA, 2nd edition, 2001.
- [2] Rudolf Mester, Til Aach, and Lutz Dümbgen. Illumination-invariant change detection using statistical colinearity criterion. In R. Radig and Florczyk S., editors, [DAGM2001](#), number 2191 in LNCS, pages 170–177. Springer–Verlag, 2001.
- [3] Chris Stauffer and W.E.L. Grimson. Adaptive background mixture models for real-time tracking. In [IEEE Computer Vision and Pattern Recognition](#), volume 2, pages 2242–2252, June 1999.

End








Experiment 14
- 1.000
- 2.000
- 3.000

t when
 $\mu = 0$







Frame 189




Frame 189





Frame 207




Frame 207







FORWARD



F

W


R

۴


۱۰۰

۱۰۰


Histogram




Gaussian Mixture




t= 1; initial means




t= 1; classification




t= 1; new means \rightarrow initial for t+1




t= 2; initial means




t= 2; classification




t= 2; new means \rightarrow initial for t+1




t= 9; initial means



t= 9; classification



t= 9; new means \rightarrow initial for t+1





**OPPA European Social Fund
Prague & EU: We invest in your future.**
