

Description Logic \mathcal{ALC}

Petr Křemen

November 9, 2023

1 Understanding \mathcal{ALC}

Consider the following \mathcal{ALC} theory $\mathcal{K} = (\mathcal{T}, \{\})$, where \mathcal{T} contains the following axioms:

$$\begin{aligned} \textit{Man} &\sqsubseteq \textit{Person} \\ \textit{Woman} &\sqsubseteq \textit{Person} \sqcap \neg \textit{Man} \\ \textit{Father} &\equiv \textit{Man} \sqcap \exists \textit{hasChild} \cdot \textit{Person} \\ \textit{GrandFather} &\equiv \exists \textit{hasChild} \cdot \exists \textit{hasChild} \cdot \top \\ \textit{Sister} &\equiv \textit{Person} \sqcap \neg \textit{Man} \sqcap \exists \textit{hasSibling} \cdot \textit{Person} \end{aligned}$$

Ex. 1 — What is the meaning of these axioms? Do they reflect your understanding of reality?

Ex. 2 — Consider the following interpretation $\mathcal{I} = (\Delta^{\mathcal{I}}, \bullet^{\mathcal{I}})$:

$$\begin{aligned} \Delta^{\mathcal{I}} &= \textit{Person}^{\mathcal{I}} = \{B, A\} \\ \textit{Man}^{\mathcal{I}} &= \{B\} \\ \textit{Woman}^{\mathcal{I}} &= \{A\} \\ \textit{Father}^{\mathcal{I}} &= \textit{GrandFather}^{\mathcal{I}} = \{B\} \\ \textit{hasChild}^{\mathcal{I}} &= \{(B, B)\} \\ \textit{hasSibling}^{\mathcal{I}} &= \{\} \\ \textit{Sister}^{\mathcal{I}} &= \{B\} \end{aligned} \tag{1}$$

1. Is \mathcal{I} a model \mathcal{K} ? If yes, decide, whether \mathcal{I} reflects reality.

2. We know that \mathcal{ALC} has the *tree model property* and *finite model property*. In case \mathcal{I} is a model, is \mathcal{I} tree-shaped? If not, find a model that is tree-shaped.

Ex. 3 — How does the situation change when we consider \mathcal{I}_1 which coincides with \mathcal{I} , except that $\textit{Sister}_1^{\mathcal{I}} = \{\}$?

Ex. 4 — Using the vocabulary from \mathcal{K} , define the concept “A father having just sons.”

Ex. 5 — Using the vocabulary from \mathcal{K} , define the concept “A man who has no brother, but at least one sister with at least one child.”

Ex. 6 — During knowledge modeling, it is often necessary to specify:

global domain and range of given role, e.g. “By *hasChild* (role) we always connect a *Person* (domain) with another *Person* (range)”.

local range of given role, e.g. “Every father having only sons (domain) can be connected by *hasChild* (role) just with a *Man* (range)”.

Show, in which way it is possible to model global domain and range of these roles in \mathcal{ALC} .

2 Inference Procedures

Ex. 7 — Why inconsistency of an OWL-DL ontology is a problem? What is its consequence?

Ex. 8 — Show that disjointness of two concepts can be reduced to unsatisfiability of a single concept.

Ex. 9 — A concept C is satisfiable w.r.t. \mathcal{K} iff it is interpreted as a non-empty set in at least one model of \mathcal{K} . Is it possible to find out that C is interpreted as a non-empty set in all models of \mathcal{K} ?

3 Tableaux Algorithm for \mathcal{ALC}

Ex. 10 — Decide, whether the \mathcal{ALC} concept $\exists hasChild \cdot (Student \sqcap Employee) \sqcap \neg(\exists hasChild \cdot Student \sqcap \exists hasChild \cdot Employee)$ is satisfiable (w.r.t. an empty TBox). Show the run of the tableau algorithm in detail.

Ex. 11 — Decide, whether the theory/ontology $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ is consistent. Show the run of the tableau algorithm in detail.

- $\mathcal{T} = \{\exists hasChild \cdot \top \equiv Parent\}$
- $\mathcal{A} = \{hasChild(JOHN, MARY), Woman(MARY)\}$

Ex. 12 — Decide and show, whether the ontology

$$\mathcal{K}_1 = (\mathcal{T} \cup \{Parent \sqsubseteq \forall hasChild \cdot \neg Woman\}, \mathcal{A})$$

is consistent.

Ex. 13 — Decide and show, whether the ontology

$$\mathcal{K}_2 = (\mathcal{T} \cup \{Parent \sqsubseteq \exists hasChild \cdot Parent\}, \mathcal{A})$$

is consistent.

4 Practically

Ex. 14 — Go through the Protégé Crash Course on the tutorial web pages.

Ex. 15 — Model the ontology in Section 1 in Protégé and check (using the Pellet/Hermit reasoner) whether your solutions in the previous tasks were correct.

Ex. 16 — Adjust the Pizza ontology (<https://github.com/owlcs/pizza-ontology>), so that the class *IceCream* and *CheesyVegetableTopping* become satisfiable. Explain, why the Pizza ontology is consistent, although it contains unsatisfiable classes.

Ex. 17 — Upload the original pizza ontology into GraphDB - try different repository types (OWL-Max, OWL-Horst) and see how the inferences differ (e.g. Find all kinds of food, find all kinds of CheesyPizza). Notice the weak OWL reasoning capabilities in GraphDB – to use more complicated OWL reasoning you might export inferences using "Export inferred axioms as ontology" and import into GraphDB.