

# Introduction to Robotics

Jan Faigl

Department of Computer Science  
Faculty of Electrical Engineering  
Czech Technical University in Prague

Lecture 01

**B4M36UIR – Artificial Intelligence in Robotics**

## Overview of the Lecture

- Part 1 – Course Organization
  - Course Goals
  - Means of Achieving the Course Goals
  - Evaluation and Exam
- Part 2 – Introduction to Robotics
  - Robots and Robotics
  - Challenges in Robotics
  - What is a Robot?
  - Locomotion

## Part I

### Part 1 – Course Organization

## Course and Lecturers

### ■ B4M36UIR – Artificial Intelligence in Robotics

<https://cw.fel.cvut.cz/wiki/courses/b4m36uir/>

prof. Ing. **Jan Faigl**, Ph.D.

- Center for Robotics and Autonomous Systems (CRAS)  
<http://robotics.fel.cvut.cz>
- **Computational Robotics Laboratory** (ComRob)  
<http://comrob.fel.cvut.cz>



Mgr. **Pavel Rytíř**, Ph.D. (game theory lecturer)

- Department of Computer Science <http://cs.fel.cvut.cz>
- Artificial Intelligence Center (AIC) <http://aic.fel.cvut.cz>




# Course Goals

- **Master** (yourself) with applying AI methods in robotic tasks  
*Labs, homeworks, projects, and exam*
- **Become** familiar with the notion of intelligent robotics and autonomous systems
- **Acquire** knowledge of robotic data collection planning
- **Acquire experience** on combining approaches in autonomous robot control programs  
*Integration of existing algorithms (implementation) in mission planning software and robot control program*
- **Experience** solution of robotic problems  
*Hands-on experience!*


# Course Organization and Evaluation

- B4M36UIR and BE4M36UIR – Artificial intelligence in robotics
  - Extent of teaching: 2(lec)+2(lab);
  - Completion: Z,ZK; Credits: 6; (1 ECTS Credit is about 25–30 hours, i.e., about 180 h in the total)
    - Lectures and labs: 3 hours per week, i.e., 42 h in the total
    - Exam including preparation: 10 h
    - Tasks and project: about **9 hours per week**
- Z – ungraded assessment, ZK – exam*
- 
- Ongoing work during the semester – labs’ tasks, homeworks, and semesteral project  
*Be able to independently work with the computer in the lab (class room)*
- 
- Exam test
- 
- Attendance to labs and successful evaluation of homeworks and semester project

# Resources and Literature







-  Introduction to AI Robotics, Robin R. Murphy  
MIT Press, 2000  
*First lectures for the background and context*

-  The Robotics Primer, Maja J. Mataric  
MIT Press, 2007  
*First lectures for the background and context*

-  Planning Algorithms, Steven M. LaValle  
Cambridge University Press, 2006  
<http://planning.cs.uiuc.edu>

-  Modern Robotics: Mechanics, Planning, and Control, Kevin M. Lynch, Frank C. Park  
Cambridge University Press, 2017  


- **Lectures** – “comments” on the textbooks, slides, and **your notes**
- **Selected research papers** – further specified during the course

# Further Books 1/2


-  Principles of Robot Motion: Theory, Algorithms, and Implementations, H. Choset, K. M. Lynch, S. Hutchinson, G. Kantor, W. Burgard, L. E. Kavraki and S. Thrun  
MIT Press, Boston, 2005  

-  Introduction to Autonomous Mobile Robots, 2nd Edition, Roland Siegwart, Illah R. Nourbakhsh, and Davide Scaramuzza  
MIT Press, 2011  

-  Computational Principles of Mobile Robotics, Gregory Dudek and Michael Jenkin  
Cambridge University Press, 2010  


## Further Books 2/2

Robot Motion Planning and Control, *Jean-Paul Laumond*  
Lectures Notes in Control and Information Sciences, 2009  
<http://homepages.laas.fr/jpl/book.html>



Probabilistic Robotics,  
*Sebastian Thrun, Wolfram Burgard, Dieter Fox*  
MIT Press, 2005  
<http://www.probablistic-robotics.org/>



Robotics, Vision and Control: Fundamental Algorithms in MATLAB,  
*Peter Corke*  
Springer, 2011  
<http://www.petercorke.com/RVC1/>



## Lectures – Winter Semester (WS) Academic Year 2020/2021

- Schedule for the academic year 2020/2021  
<http://www.fel.cvut.cz/en/education/calendar.html>
- Lectures:
  - Karlovo náměstí, Room No. KN:E-126, Monday, 9:15–10:45
- 14 teaching weeks
- 28.09.2020 (Monday) St. Wenceslas Day

13 lectures

## Teachers

- Ing. Petr Čížek  
Lab supervisor
- Ing. Miloš Prágr  
Mobile robot exploration
- Ing. Petr Váňa  
Multi-goal planning
- Ing. David Milec  
Game theory



## Communicating Any Issue Related to the Course

- Ask the lab teacher or the lecturer
- Use e-mail for communication
  - Use your faculty e-mail
  - Put UIR or B4M36UIR, BE4M36UIR to the subject of your message
  - Send copy (Cc) to lecturer/teacher or [uir-teachers at fel dot cvut dot cz](mailto:uir-teachers@fel.cvut.cz)

## Computers and Development Tools

- Network boot with home directories (NFS v4)  
*Data transfer and file synchronizations – ownCloud, SSH, FTP, USB*
- Python or/and C/C++ (**gcc** or **clang**)
- CoppeliaSim – robotic simulator <http://www.coppeliarobotics.com/>
- Open Motion Planning Library (OMPL) <http://ompl.kavrakilab.org/>
- Sources and libraries provided by **Computational Robotics Laboratory** and **Game Theory** group
- Any other open source libraries
- Gitlab FEL – <https://gitlab.fel.cvut.cz/>
- FEL Google Account – access to Google Apps for Education  
See <http://google-apps.fel.cvut.cz/>
- Information resources (IEEE Xplore, ACM, Science Direct, Springer Link)
  - *IEEE Robotics and Automation Letters (RA-L), IEEE Transactions on Robotics (T-RO), International Journal of Robotics Research (IJRR), Journal of Field Robotics (JFR), Field Robotics (FR), Robotics and Autonomous Robots (RAS), Autonomous Robots (AuRo), etc.*
  - *IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS), Robotics: Science and Systems (RSS), IEEE International Conference on Robotics and Automation (ICRA), European Conference on Mobile Robots (ECMR), etc.*

## Tasks – Labs, Homeworks, and Projects

- Several task assignments during the labs that are expected to be solved partially during the labs, but most likely as homeworks using  
**BRUTE** – <https://cw.felk.cvut.cz/upload>
- **Mandatory homeworks (50 pts)** organized in four thematic topics
  - **Autonomous robotic information gathering (14 pts + 5 bonus pts)**  
*Exploration – robot control, sensing, and mapping*
  - **Multi-goal planning (10 pts)**
  - **Randomized sampling-based planning (10 pts)**
  - **Game theory in robotics (21 pts)**
- One **bonus task** on **Incremental Path Planning (5 pts)**
- **Project** can be scored up to **(30 pts)**

## Tasks – Labs and Homeworks

- **Autonomous robotic information gathering (14 points)**
  - T1a-control (3 points) – Open-loop robot motion control
  - T1b-reactive (3 points) – Reactive obstacle avoidance
  - T1c-map (2 points) – Map building (*map building of sensory perception*)
  - T1d-plan (3 points) – Grid based path planning
  - T1e-expl (3 points) – Mobile robot exploration

*Robotic information gathering*
- Bonus T1-bonus (5 points) – Incremental path planning (D\* Lite)
- **Multi-goal path planning (MTP) – TSP-like problem formulations (10 points)**
  - T2a-tspn (5 points) – Traveling Salesman Problem with Neighborhood (TSPN)
  - T2b-dtspn (5 points) – Curvature-constrained MTP – Dubins TSPN
- **Randomized sampling-based planning (10 points)**
  - T3a-samp1 (3 points) – Randomized sampling-based motion planning
  - T3b-rrt (7 points) – Asymptotically optimal sampling-based motion planning
- **Game theory in robotics (21 points)**
  - T4a (3 points) – Greedy policy in pursuit-evasion
  - T4b (6 points) – Monte Carlo Tree Search policy in pursuit-evasion
  - T4c (6 points) – Value-iteration policy in pursuit-evasion
  - T4d (6 points) – Patrolling in polygonal environment
- All tasks must be submitted to award the ungraded assessment and **late submission are be penalized!**
- The minimal scoring from homeworks is 30 points.

## Project

- **Autonomous robotic information gathering (up to 30 points)**
  - Implement full exploration pipeline with CoppeliaSim
- Minimal required scoring from the projects is **10 points!**
  - It can be achieved deployment first tasks results into full autonomous exploration pipeline, but must be perfect.
- Additional extensions are expected, e.g., in
  - Multi-robot exploration
  - Advanced exploration strategie, e.g., MinPos, MCTS-based, Task-allocaton, MTSP, etc.
  - Information theoretic-based decision-making
  - Distributed and decentralized approaches
- The deadline for the project is

**20.12.2020 23:59 PDT**

### Course Evaluation

Points	Maximum Points	Required Minimum Points
Homeworks	55	30
Bonus Homework	5	0
Projects	30	10
Exam test	20	10
Total	110 points	50

- All homeworks have to be submitted
- **40 points** from the semester are required for awarding ungraded assessment
- The course can be passed with **ungraded assessment** and **exam**
- All homeworks must be submitted and pass the evaluation

### Grading Scale

Grade	Points	Mark	Evaluation
A	≥ 90	1	Excellent
B	80–89	1,5	Very Good
C	70–79	2	Good
D	60–69	2,5	Satisfactory
E	50–59	3	Sufficient
F	<50	4	Fail


### Overview of the Lectures

1. Course information, Introduction to (AI) robotics  
*Public holiday - St. Wenceslas Day*
2. Robotic paradigms and control architectures
3. Path planning - Grid and graph-based path planning methods
4. Robotic information gathering - Mobile robot exploration
5. Multi-goal (data collection) planning
6. Data collection planning with curvature-constrained paths
7. Randomized sampling-based motion planning methods
8. Game theory in robotics
9. Visibility based pursuit evaluation games (Game theory in robotics)
10. Patrolling games
11. Multi-robot planning
12. *Localisation and mapping*
13. *Long-term navigation and spatio-temporal mapping*

## Part II

### Part 2 – Introduction to Robotics

## What is Understood as Robot?




Rossum's Universal Robots (R.U.R)



Cyberdyne T-800



Industrial robots



NS-5 (Sonny)

Artificial Intelligence (AI) is probably most typically understood as an intelligent robot

B4M36UIR – Lecture 01: Introduction to Robotics

22 / 51

Jan Faigl, 2020

## Stationary vs Mobile Robots

- Robots can be categorized into two main groups



Stationary (industrial) robots



Mobile robots

- Stationary robots – defined (limited) working space, but efficient motion is needed
  - Motion planning tasks is a challenging problem
- Mobile robot – it can move, and therefore, it is necessary to address the problem of navigation

B4M36UIR – Lecture 01: Introduction to Robotics

24 / 51

Jan Faigl, 2020

## Intelligent Robots

- React to the environment – sensing
- Adapt to the current conditions
- Make decision and new goals

*E.g., in robotic exploration*



- Even though they are autonomous systems, the behaviour is relatively well defined
- Adaptation and ability to solve complex problems are implemented as algorithms and techniques of **Artificial Intelligence**

*In addition to mechanical and electronical design, robot control, sensing, etc.*


B4M36UIR – Lecture 01: Introduction to Robotics

23 / 51

Jan Faigl, 2020

## Stationary Robots

- Conventional robots needs separated and human inaccessible working space because of safety reasons
- Collaborative robots share the working space with humans




B4M36UIR – Lecture 01: Introduction to Robotics

25 / 51

Jan Faigl, 2020

### Types of Mobile Robots

- According to environment: ground, underground, aerial, surface, and underwater
- Based on the locomotion: wheeled, tracked, legged, modular




### Challenges in Robotics

- Autonomous vehicles – cars, delivery, etc.
- Consumable robots – toys, vacuum cleaner, lawn mower, pool cleaner
- Robotic companions
- Search and rescue missions
- Extraterrestrial exploration
- Robotic surgery
- Multi-robot coordination

In addition to other technological challenges, new efficient AI algorithms have to be developed to address the nowadays and future challenges

### Robotic Surgery

- Evolution of Laparoscopic Surgery
  - Complex operations with shorter postoperative recovery
- Precise robotic manipulators and teleoperated surgical robotic systems
- Further step is automation of surgical procedures
  - One of the main challenges is planning and navigation in tissue



### Artificial Intelligence and Robotics


Artificial Intelligence (AI) field originates in 1956 with the summary that a intelligent machine needs:

- Internal models of the world
- Search through possible solutions
- Planning and reasoning to solve problems
- Symbolic representation of information
- Hierarchical system organization
- Sequential program execution

M. Mataric, Robotic Primer

AI-inspired robot – **Shakey**  
 Artificial Intelligence laboratory of Stanford Research Institute (1966–1972)

- Shakey – perception, geometrical map building, planning, and acting – early AI-inspired robot with purely deliberative control



# Robotics in B4M36UIR


- Fundamental problems related to motion planning and mission planning with mobile robots
- The discussed motion planning methods are general and applicable also into other domains and different robotic platforms including stationary robotic arms
- **Robotics is interdisciplinary field**
  - Electrical, mechanical, control, and computer engineering
  - **Computer science** fields such as machine learning, artificial intelligence, computational intelligence, machine perception, etc.
  - Human-Robot interaction and cognitive robotics are also related to psychology, brain-robot interfaces to neuroscience, robotic surgery to medicine, etc.

*In B4M36UIR, we will touch a small portion of the whole field, mostly related to motion planning and mission planning that can be "encapsulated" as **robotic information gathering***

# What is a Robot?

A robot is an autonomous system which exists in the physical world, can sense its environment, and can act on it to achieve some goals

- The robot has a physical body in the physical world – **embodiment**
- The robot has **sensors** and it can **sense/perceive** its environment
- A robot has effectors and actuators – it can **act** in the environment
- A robot has **controller** which enables it to be **autonomous**



# Embodiment

- The robot body allows the robot to act in the physical world
  - E.g., to go, to move objects, etc.*
- Software agent is not a robot
- Embodied robot is under the same physical laws as other objects
  - Cannot change shape or size arbitrarily
  - It must use actuators to move
  - It needs energy
  - It takes some time to speed up and slow down
- Embodied robot has to be aware of other bodies in the world
  - Be aware of possible collisions
- The robot body influences how the robot can move

*Notice, faster robots look smarter*

# Sensing / Perception

- Sensors are devices that enable a robot to perceive its physical environment to get information about itself and its surroundings
- **Exteroceptive** sensors and **proprioceptive** sensors
- Sensing allows the robot to know its **state**
- State can be **observable**, **partially observable**, or **unobservable**
  - State can be **discrete** (e.g., on/off, up/down, colors) or **continuous** (velocity)
  - **State space** consists of all possible states in which the system can be
    - **space** refers to all possible values
  - **External state** – the state of the world as the robot can sense it
  - **Internal state** – the state of the robot as the robot can perceive it




*E.g., remaining battery*



## Sensors


- **Proprioceptive sensors** – measure internal state, e.g., encoders, inclinometer, inertial navigation systems (INS), compass, but also Global Navigation Satellite System (GNSS), e.g., GPS, GLONASS, Galileo, BeiDou
- **Exteroceptive (proximity) sensors** – measure objects relative to the robot
  - **Contact sensors** – e.g., mechanical switches, physical contact sensors that measure the interaction forces and torques, tactile sensors etc.
  - **Range sensors** – measure the distance to objects, e.g., sonars, lasers, IR, RF, time-of-flight
  - **Vision sensors** – complex sensing process that involves extraction, characterization, and information interpretation from images



## Effectors and Actuators

- **Effector** – any device on a robot that has an effect on the environment
- **Actuator** – a mechanism that allows the effector to execute an action or movement, e.g., motors, pneumatics, chemically reactive materials, etc.
- Electric motors – Direct-Current (DC) motors, gears,
  - **Servo motors** – can turn their shaft to a specific position

DC motor + gear reduction + position sensor + electronic circuit to control the motor



Hexapod with 3 servo motors (joints) per each leg has 18 servo motors in the total

## Action

- **Effectors** enable a robot to take an action
  - They use underlying mechanisms such as muscles and motors called **actuators**
- Effectors and actuators provide two main types of activities
  - **Locomotion** – moving around
  - **Manipulation** – handling objects
- Locomotion mechanisms – wheels, legs, modular robots, but also propellers etc.

*Mobile robotics – robots that move around*

*Robotic arms*




With more and more complex robots, a separation between mobile and manipulator robots is less strict and robots combine mobility and manipulation

## Degrees of Freedom (DOF)

- **Degree of Freedom (DOF)** is the minimal required number of independent parameters to completely specify the motion of a mechanical system *It defines how the robot can move*
- In 3D space, a body has usually 6 DOF (by convention)


- **Translational DOF** –  $x, y, z$
- **Rotational DOF** – *roll, pitch, and yaw*



- **Controllable DOF (CDOF)** – the number of the DOF that are controllable, i.e., a robot has an actuator for such DOF

### DOF vs CDOF

- If a vehicle moves on a surface, e.g., a car, it actually moves in 2D
- The body is at the position  $(x, y) \in \mathbb{R}^2$  with an orientation  $\theta \in \mathbb{S}^1$
- A car in a plane has DOF = 3,  $(x, y, \theta)$  but CDOF=2,  $(v, \varphi)$   
*Only forward/reverse direction and steering angle can be controlled*



*That is why a parallel parking is difficult*


- A car cannot move in an arbitrary direction, but 2 CDOF can get car to any position and orientation in 2D
- To get to a position, the car follows a **continuous trajectory (path)**, but with **discontinuous velocity**  
*Uncontrollable DOF makes the movement more complicated*

### Locomotion

- **Locomotion** refers how the robot body moves from one location to another location  
*From the Latin Locus (place) and motion*
- The most typical effectors and actuators for ground robots are **wheels** and **legs**
- Most of the robots need to be **stable** to work properly
  - **Static stability** – a robot can stand, it can be static and stable  
*Biped robots are not statically stable, more legs make it easier. Most of the wheeled robots are stable.*
  - **Statically stable walking** – the robot is stable all the times  
*E.g., hexapod with tripod gait*
  - **Dynamic stability** – the body must actively balance or move to remain stable, the robots are called dynamically stable  
*E.g., inverse pendulum*

### Ratio of CDOF to the Total DOF

- The ratio of Controllable DOF (CDOF) to the Total DOF (TDOF) represents how easy is to control the robot movement
- **Holonomic** (CDOF=TDOF, the ratio is 1) – holonomic robot can control all of its DOF
- **Nonholonomic** (CDOF<TDOF, the ratio < 1) – a nonholonomic robot has more DOF that it can control  
*E.g., a car*
- **Redundant** (CDOF>TDOF, the ratio > 1) – a redundant robot has more ways of control



17 CDOF



6 DOF Hexapod




24 TDOF, 18 CDOF Hexapod walking robot

### Locomotion – Wheel Robots

- One of the most simple wheeled robots is **differential drive** robot
  - It has two driven wheels on a common axis
  - It may use a castor wheel (or ball) for stability
  - It is nonholonomic robot

*Omnidirectional robot is holonomic robot*




- $v_l$  and  $v_r$  are velocities along the ground of the left and right wheels, respectively
- $\omega = \frac{v_r - v_l}{l}$ ,  $R = \frac{l}{2} \frac{v_l + v_r}{v_r - v_l}$
- For  $v_l = v_r$ , the robot moves straight ahead  
*R is infinite*
- For  $v_l = -v_r$ , the robot rotates in a place  
*R is zero*
- Simple motion control can be realized in a turn-move like schema


Further motion control using path following or trajectory following approaches with feedback controller based on the position of the robot to the path / trajectory

## Locomotion – Legged Robots (Gaits)

- **Gait** is a way how a legged robot moves
- A gait defines the order how the individual legs lift and lower and also define how the foot tips are placed on the ground
- Properties of gaits are: stability, speed, energy efficiency, robustness (how the gait can recover from some failures), simplicity (how complex is to generate the gait)
- A typical gait for hexapod walking robot is **tripod** which is stable as at least three legs are on the ground all the times





Gullan et al., The Insects: An outline of entomology, 2005



Iida et al. 2008

## Locomotion of Hexapod Walking Robot



- Six identical leg each consisting of three parts called **Coxa**, **Femur**, and **Tibia** (3 DoF)



- The movement is a coordination of the **stance** and **swing** phases of the legs defined by the gait, e.g., tripod
- A **stride** is a combination of the leg movement with the foot tip on the ground (during the **stance phase**) and the leg movement in a particular direction (in the **swing phase**) within one **gait cycle**
- $T_{Stance}$ ,  $T_{Swing}$ , and  $T_{Stride} = T_{Stance} + T_{Swing}$  defines the **duty factor**  $\beta = T_{Stance} / T_{Stride}$   
Tripod  $\beta = 0.5$
- Various gaits can be created by different sequences of stance and swing phases

## Central Pattern Generator (CPG)

- **Central Pattern Generators (CPGs)** – are neural circuits to produce rhythmic patterns for various activities, i.e., locomotor rhythms to control a periodic movement of particular body parts
- Salamander CPG with 20 amplitude-controlled phase oscillators




Auke Jan Ijspeert, Neural Networks, 2008

## Example of Rhythmic Pattern Oscillator

- Matsuoka oscillator model based on biological concepts of the extensor and flexor muscles
- Van der Pol oscillator

$$\frac{d^2x}{dt^2} - \mu(1-x^2)\frac{dx}{dt} + x = 0$$

- The rhythmic patterns define the trajectory of the leg end point (foot tip)
- Joint angles can be computed from the foot tip coordinates using the **Inverse Kinematics**



Matsuoka, K. (1985). Sustained oscillations generated by mutually inhibiting neurons with adaptation. Biological Cybernetics 52, 367–376

An example of simple CPG to control hexapod walking robot will be shown during the labs

## Control Architectures

- A single control rule may provide simple robot behaviour
  - Notice, controller can be feed-forward (open-loop) or feedback controller with vision based sensing
- Robots should do more than just avoiding obstacles
- The question is “How to combine multiple controllers together?”
- **Control architecture** is a set of guiding principles and constraints for organizing the robot control system
  - Guidelines to develop the robotic system to behave as desired
    - It is not necessary to know control architectures for simple robotic demos and tasks. But it is highly desirable to be aware of architectures for complex robots

## Summary of the Lecture

## Topics Discussed

- Information about the Course
- Overview of robots, robotics, and challenges
  - Robot – Embodied software agent
  - Sensor, Controller, Actuators
  - Degrees of Freedom (DOF) and Controllable DOF
  - Mobile Robot Locomotion
  - Locomotion Gaits for Legged Robots
  - Central Pattern Generator
- **Next: Robotic Paradigms and Control Architectures**